

# ABALOPARATIDE

---

## Products Affected

- TYMLOS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ABATACEPT IV

## Products Affected

- ORENCIA INTRAVENOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	RA, PJIA, PSA: INITIAL: 6 MOS, RENEWAL: 12 MOS. ACUTE GRAFT VERSUS HOST DISEASE (AGVHD): 1 MO.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: 1): TRIAL OF OR CONTRAINDICATION TO ONE DMARD, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ABATACEPT SQ

**Products Affected**

- ORENCIA CLICKJECT
- ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO ONE DMARD, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
	MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ABEMACICLIB

---

## Products Affected

- VERZENIO

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ABIRATERONE

---

## Products Affected

- *abiraterone acetate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC HIGH-RISK CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC), METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ABIRATERONE SUBMICRONIZED

## Products Affected

- YONSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# ACALABRUTINIB

---

## Products Affected

- CALQUENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MANTLE CELL LYMPHOMA: INTOLERANCE TO BRUKINSA. CHRONIC LYMPHOCYTIC LEUKEMIA OR SMALL LYMPHOCYTIC LYMPHOMA: INTOLERANCE TO BRUKINSA OR IMBRUVICA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ADAGRASIB

---

## Products Affected

- KRAZATI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ADALIMUMAB

## Products Affected

- HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML
- HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA-PED<40KG CROHNS STARTER
- HUMIRA-PED>=40KG CROHNS START
- HUMIRA-PED>=40KG UC STARTER SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA-PS/UV/ADOL HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT
- HUMIRA-PSORIASIS/UVEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST
<b>Coverage Duration</b>	INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF

PA Criteria	Criteria Details
	<p>PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED.</p> <p>POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): 1) TRIAL OF OR CONTRAINDICATION TO ONE DMARD, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. HS: NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR HS OR TNF INHIBITORS FOR ANY INDICATION. UVEITIS: NO ISOLATED ANTERIOR UVEITIS. RENEWAL: RA, HS, UVEITIS: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA, PSA, AS, PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.</p>

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# AFATINIB

---

## Products Affected

- GILOTRIF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION; NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ALECTINIB

---

## Products Affected

- ALECENSA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ALPELISIB-PIQRAY

**Products Affected**

- PIQRAY (200 MG DAILY DOSE)
- PIQRAY (250 MG DAILY DOSE)
- PIQRAY (300 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# AMIKACIN LIPOSOMAL INH

## Products Affected

- ARIKAYCE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	MYCOBACTERIUM AVIUM COMPLEX (MAC) LUNG DISEASE: RENEWAL: 1) NO POSITIVE MAC SPUTUM CULTURE AFTER CONSECUTIVE NEGATIVE CULTURES, AND 2) IMPROVEMENT IN SYMPTOMS. ADDITIONALLY, FOR FIRST RENEWAL, APPROVAL REQUIRES AT LEAST ONE NEGATIVE SPUTUM CULTURE FOR MAC BY SIX MONTHS OF ARIKAYCE TREATMENT. FOR SECOND AND SUBSEQUENT RENEWALS, APPROVAL REQUIRES AT LEAST THREE NEGATIVE SPUTUM CULTURES FOR MAC BY 12 MONTHS OF ARIKAYCE TREATMENT.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	MAC LUNG DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR INFECTIOUS DISEASE SPECIALIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 6 MONTHS.
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# AMIVANTAMAB-VMJW

---

## Products Affected

- RYBREVANT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ANAKINRA

## Products Affected

- KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS.
<b>Required Medical Information</b>	INITIAL: CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES. DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
<b>Coverage Duration</b>	RA: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. CAPS, DIRA: LIFETIME.
<b>Other Criteria</b>	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. CAPS, DIRA: NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Part B Prerequisite</b>	No

# APALUTAMIDE

## Products Affected

- ERLEADA ORAL TABLET 240 MG, 60 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E., RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NMCRPC, METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: NMCRPC, MCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# APOMORPHINE - SL

**Products Affected**

- KYNMOBI
- KYNMOBI TITRATION KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OF AGE OR OLDER.
Prescriber Restrictions	PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	PD: RENEWAL: IMPROVEMENT WITH MOTOR FLUCTUATIONS DURING OFF EPISODES WITH THE USE OF THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# APREMILAST

## Products Affected

- OTEZLA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: MILD PLAQUE PSORIASIS (PSO): 1) PSORIASIS COVERING 2 PERCENT OF BODY SURFACE AREA (BSA), 2) STATIC PHYSICIAN GLOBAL ASSESSMENT (SPGA) SCORE OF 2, OR 3) PSORIASIS AREA AND SEVERITY INDEX (PASI) SCORE OF 2 TO 9. MODERATE TO SEVERE PSO: PSORIASIS COVERING 3 PERCENT OR MORE OF BSA, OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. BEHCETS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. MILD PSO: TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL SYSTEMIC THERAPY (E.G., METHOTREXATE, ACITRETIN, CYCLOSPORINE) OR ONE CONVENTIONAL TOPICAL THERAPY (E.G., PUVA [PHOTOTHERAPY], UVB [ULTRAVIOLET LIGHT B], TOPICAL CORTICOSTEROIDS). MODERATE TO SEVERE PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. BEHCETS DISEASE: 1) HAS ORAL ULCERS OR A HISTORY OF RECURRENT ORAL ULCERS BASED ON CLINICAL SYMPTOMS, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OR MORE CONSERVATIVE TREATMENTS (E.G., COLCHICINE, TOPICAL CORTICOSTEROID, ORAL CORTICOSTEROID). RENEWAL: MILD PSO, BEHCETS DISEASE: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA, MODERATE TO SEVERE PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# ARIMOCLOMOL

---

## Products Affected

- MIPLYFFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	NIEMANN-PICK DISEASE TYPE C (NPC): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH NEUROLOGIST OR GENETICIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	NPC: RENEWAL: IMPROVEMENT OR SLOWING OF DISEASE PROGRESSION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ASCIMINIB

---

## Products Affected

- SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED OR T315I MUTATION PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND SCEMBLIX IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ASFOTASE ALFA

## Products Affected

- STRENSIQ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HYPOPHOSPHATASIA (HPP): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, GENETICIST, OR METABOLIC SPECIALIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: PERINATAL/INFANTILE-ONSET HPP: 1) 6 MONTHS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TISSUE NON-SPECIFIC ALKALINE PHOSPHATASE (TNSALP) (ALPL) GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALKALINE PHOSPHATASE (ALP) LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PYRIDOXAL-5'-PHOSPHATE (PLP) LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PHOSPHOETHANOLAMINE (PEA) LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC CHEST DEFORMITY, (II) CRANIOSYNOSTOSIS, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OF VITAMIN B6 DEPENDENT SEIZURES, (V) NEPHROCALCINOSIS OR HISTORY OF ELEVATED SERUM CALCIUM, (VI) HISTORY OR PRESENCE OF NON-TRAUMATIC POSTNATAL FRACTURE AND DELAYED FRACTURE HEALING. JUVENILE-ONSET HPP: 1) 18 YEARS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TNSALP ALPL GENE MUTATION AS CONFIRMED BY GENETIC

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALP LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PLP LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PEA LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC DEFORMITIES, (II) PREMATURE LOSS OF PRIMARY TEETH PRIOR TO 5 YEARS OF AGE, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OR PRESENCE OF NON-TRAUMATIC FRACTURES OR DELAYED FRACTURE HEALING. ALL INDICATIONS: 1) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE, 2) CALCIUM OR PHOSPHATE LEVELS ARE NOT BELOW THE NORMAL RANGE, 3) NOT HAVE A TREATABLE FORM OF RICKETS. RENEWAL: ALL INDICATIONS: 1) IMPROVEMENT IN THE SKELETAL CHARACTERISTICS OF HPP, AND 2) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ATOGEPANT

## Products Affected

- QULIPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# AVACOPAN

## Products Affected

- TAVNEOS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	ANTI-NEUTROPHIL CYTOPLASMIC AUTOANTIBODY (ANCA)-ASSOCIATED VASCULITIS: INITIAL: ANCA SEROPOSITIVE (ANTI-PR3 OR ANTI-MPO).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	ANCA-ASSOCIATED VASCULITIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 6 MONTHS.
<b>Other Criteria</b>	ANCA-ASSOCIATED VASCULITIS: RENEWAL: CONTINUES TO BENEFIT FROM THERAPY.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# AVAPRITINIB

---

## Products Affected

- AYVAKIT

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# AXITINIB

---

## Products Affected

- INLYTA ORAL TABLET 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# AZACITIDINE

---

## Products Affected

- ONUREG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# AZTREONAM INHALED

---

## Products Affected

- CAYSTON

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	7 YEARS OF AGE OR OLDER
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# BEDAQUILINE

---

## Products Affected

- SIRTURO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 WEEKS
Other Criteria	PULMONARY MULTI-DRUG RESISTANT TUBERCULOSIS (MDR-TB); SIRTURO USED IN COMBINATION WITH AT LEAST 3 OTHER ANTIBIOTICS FOR THE TREATMENT OF PULMONARY MDR-TB.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BELIMUMAB

## Products Affected

- BENLYSTA SUBCUTANEOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: SYSTEMIC LUPUS ERYTHEMATOSUS (SLE): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. LUPUS NEPHRITIS (LN): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	INITIAL: SLE: CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. RENEWAL: SLE: PATIENT HAD CLINICAL IMPROVEMENT. LN: IMPROVEMENT IN RENAL RESPONSE FROM BASELINE LABORATORY VALUES (I.E., EGFR OR PROTEINURIA) AND/OR CLINICAL PARAMETERS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# BELUMOSUDIL

---

## Products Affected

- REZUROCK

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# BELZUTIFAN

---

## Products Affected

- WELIREG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# BENDAMUSTINE

---

**Products Affected**

- BENDAMUSTINE HCL  
INTRAVENOUS SOLUTION
- *bendamustine hcl intravenous solution reconstituted*
- BENDEKA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BENRALIZUMAB

## Products Affected

- FASENRA
- FASENRA PEN

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	ASTHMA: INITIAL: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	ASTHMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE, OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-2

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



PA Criteria	Criteria Details
	INHIBITOR) FOR EGPA. RENEWAL: ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. EGPA: 1) REDUCTION IN EGPA SYMPTOMS COMPARED TO BASELINE OR ABILITY TO REDUCE/ELIMINATE CORTICOSTEROID USE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR EGPA
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# BETAINE

---

## Products Affected

- *betaine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BEVACIZUMAB-ADCD

---

## Products Affected

- VEGZELMA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BEVACIZUMAB-AWWB

---

## Products Affected

- MVASI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# BEVACIZUMAB-BVZR

---

## Products Affected

- ZIRABEV

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BEXAROTENE

---

## Products Affected

- *bexarotene*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BINIMETINIB

---

## Products Affected

- MEKTOVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BORTEZOMIB

## Products Affected

- *bortezomib injection*
- BORUZU

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# BOSENTAN

## Products Affected

- *bosentan*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	PAH: INITIAL: 1) DOES NOT HAVE ELEVATED LIVER ENZYMES (ALT, AST) MORE THAN 3 TIMES UPPER LIMIT OF NORMAL (ULN) OR INCREASE IN BILIRUBIN BY 2 OR MORE TIMES ULN, AND 2) NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE. RENEWAL: NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# BOSUTINIB

## Products Affected

- BOSULIF ORAL CAPSULE 100 MG, 50 MG
- BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND BOSULIF IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# BRIGATINIB

---

## Products Affected

- ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG
- ALUNBRIG ORAL TABLET THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# C1 ESTERASE INHIBITOR-HAEGARDA

## Products Affected

- HAEGARDA SUBCUTANEOUS SOLUTION RECONSTITUTED 2000 UNIT, 3000 UNIT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	HEREDITARY ANGIOEDEMA (HAE): INITIAL: DIAGNOSIS CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTING: C1INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, IMMUNOLOGIST, ALLERGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	HAE: INITIAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS. RENEWAL: 1) IMPROVEMENT COMPARED TO BASELINE IN HAE ATTACKS (I.E., REDUCTIONS IN ATTACK FREQUENCY OR ATTACK SEVERITY), AND 2) NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# CABOZANTINIB CAPSULE

---

**Products Affected**

- COMETRIQ (100 MG DAILY DOSE)  
ORAL KIT 80 & 20 MG
- COMETRIQ (140 MG DAILY DOSE)  
ORAL KIT 3 X 20 MG & 80 MG
- COMETRIQ (60 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# CABOZANTINIB TABLET

---

## Products Affected

- CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# CANNABIDIOL

## Products Affected

- EPIDIOLEX

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	DRAVET SYNDROME (DS), LENNOX-GASTAUT SYNDROME (LGS), TUBEROUS SCLEROSIS COMPLEX (TSC): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: LENNOX-GASTAUT SYNDROME (LGS): TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# CAPIVASERTIB

---

**Products Affected**

- TRUQAP ORAL TABLET
- TRUQAP TABLET THERAPY PACK  
160 MG ORAL

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# CAPMATINIB

---

## Products Affected

- TABRECTA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# CARGLUMIC ACID

## Products Affected

- *carglumic acid oral tablet soluble*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: ACUTE OR CHRONIC HYPERAMMONEMIA (HA) DUE TO N ACETYLGLUTAMATE SYNTHASE (NAGS) DEFICIENCY: NAGS GENE MUTATION IS CONFIRMED BY BIOCHEMICAL OR GENETIC TESTING. ACUTE HA DUE TO PROPIONIC ACIDEMIA (PA): 1) CONFIRMED BY ELEVATED METHYLCITRIC ACID AND NORMAL METHYLMALONIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE PCCA OR PCCB GENE. ACUTE HA DUE TO METHYLMALONIC ACIDEMIA (MMA): 1) CONFIRMED BY ELEVATED METHYLMALONIC ACID, METHYLCITRIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE MMUT, MMA, MMAB OR MMADHC GENES.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	ACUTE HA DUE TO NAGS/PA/MMA: 7 DAYS. CHRONIC HA DUE TO NAGS: INITIAL: 6 MOS, RENEWAL: 12 MOS.
<b>Other Criteria</b>	RENEWAL: CHRONIC HA DUE TO NAGS: PATIENT HAS SHOWN CLINICAL IMPROVEMENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# CERITINIB

## Products Affected

- ZYKADIA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# CERTOLIZUMAB PEGOL

## Products Affected

- CIMZIA (2 SYRINGE)
- CIMZIA SUBCUTANEOUS KIT 2 X 200 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: RA: 1) PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT, OR 2) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. PSA: 1) ONE OF THE FOLLOWING: (A) PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT, OR (B) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA, STELARA, XELJANZ, RINVOQ, SKYRIZI,

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR PSA. PSO: 1) ONE OF THE FOLLOWING: (A) PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT, OR (B) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA, STELARA, SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSO. AS: 1) ONE OF THE FOLLOWING: (A) PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT, OR (B) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. CD: 1) ONE OF THE FOLLOWING: (A) PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT, OR (B) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: STELARA, HUMIRA, RINVOQ, SKYRIZI, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. PJIA: 1) ONE OF THE FOLLOWING: (A) PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT, OR (B) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ IR, ORENCIA, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA. RENEWAL: CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR CD. RA: CONTINUES TO BENEFIT FROM MEDICATION. PSA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PSA. AS: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AS. PSO: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR</p>

PA Criteria	Criteria Details
	TARGETED SMALL MOLECULES FOR PSO. NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR NR-AXSPA. PJIA: 1) CONTINUES TO BENEFIT FROM MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR PJIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# CETUXIMAB

---

## Products Affected

- ERBITUX

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# CLADRIBINE

## Products Affected

- MAVENCLAD (10 TABS)
- MAVENCLAD (4 TABS)
- MAVENCLAD (5 TABS)
- MAVENCLAD (6 TABS)
- MAVENCLAD (7 TABS)
- MAVENCLAD (8 TABS)
- MAVENCLAD (9 TABS)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	INITIAL/RENEWAL: 48 WEEKS.
<b>Other Criteria</b>	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): INITIAL: HAS NOT RECEIVED A TOTAL OF TWO YEARS OF MAVENCLAD TREATMENT (I.E., TWO YEARLY TREATMENT COURSES OF TWO CYCLES IN EACH). RENEWAL: 1) HAS DEMONSTRATED CLINICAL BENEFIT COMPARED TO PRE-TREATMENT BASELINE, 2) DOES NOT HAVE LYMPHOPENIA, AND 3) HAS NOT RECEIVED A TOTAL OF TWO YEARS OF MAVENCLAD TREATMENT (I.E., TWO YEARLY TREATMENT COURSES OF TWO CYCLES IN EACH).
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# CLOBAZAM-SYMPAZAN

## Products Affected

- SYMPAZAN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	LENNOX-GASTAUT SYNDROME (LGS): THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	LGS: 1) UNABLE TO TAKE TABLETS OR SUSPENSIONS, AND 2) TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF CLOBAZAM.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# COBIMETINIB

---

## Products Affected

- COTELLIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# CORTICOTROPIN

## Products Affected

- ACTHAR
- ACTHAR GEL SUBCUTANEOUS AUTO-INJECTOR 40 UNIT/0.5ML, 80 UNIT/ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	INITIAL: NOT APPROVED FOR DIAGNOSTIC PURPOSES.
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MULTIPLE SCLEROSIS (MS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, ALLERGIST/IMMUNOLOGIST, OPHTHALMOLOGIST, PULMONOLOGIST OR NEPHROLOGIST.
<b>Coverage Duration</b>	INFANTILE SPASMS AND MS: 28 DAYS. ALL OTHER FDA APPROVED INDICATIONS: INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS: TRIAL OF OR CONTRAINDICATION TO INTRAVENOUS (IV) CORTICOSTEROIDS. RENEWAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MS: DEMONSTRATED CLINICAL BENEFIT WHILE ON THERAPY AS INDICATED BY SYMPTOM RESOLUTION AND/OR NORMALIZATION OF LABORATORY TESTS. PART B BEFORE PART D STEP THERAPY, APPLIES ONLY TO BENEFICIARIES IN AN MA-PD PLAN.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	Yes

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# CRIZOTINIB CAPSULE

---

## Products Affected

- XALKORI ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# CRIZOTINIB PELLETS

---

## Products Affected

- XALKORI ORAL CAPSULE SPRINKLE  
150 MG, 20 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	NON-SMALL CELL LUNG CANCER (NSCLC), ANAPLASTIC LARGE CELL LYMPHOMA (ALCL), INFLAMMATORY MYOFIBROBLASTIC TUMOR (IMT); UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DABRAFENIB CAPSULES

---

## Products Affected

- TAFINLAR ORAL CAPSULE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DABRAFENIB SUSPENSION

---

## Products Affected

- TAFINLAR ORAL TABLET SOLUBLE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNABLE TO SWALLOW TAFINLAR CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DACOMITINIB

---

## Products Affected

- VIZIMPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# DALFAMPRIDINE

## Products Affected

- *dalfampridine er*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	MULTIPLE SCLEROSIS (MS): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	MS: INITIAL: HAS SYMPTOMS OF A WALKING DISABILITY SUCH AS MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS OR UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA. RENEWAL: IMPROVEMENT IN WALKING ABILITY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DAROLUTAMIDE

## Products Affected

- NUBEQA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E., RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NMCRPC, METASTATIC HORMONE-SENSITIVE PROSTATE CANCER (MHSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: NMCRPC, MHSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# DASATINIB

---

## Products Affected

- *dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg*

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND DASATINIB IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# DATOPOTAMAB DERUXTECAN-DLNK

---

## Products Affected

- DATROWAY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DECITABINE/CEDAZURIDINE

---

## Products Affected

- INQOVI

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# DEFERASIROX

## Products Affected

- *deferasirox granules*
- *deferasirox oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 1000 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS). CHRONIC IRON OVERLOAD IN NON-TRANSFUSION DEPENDENT THALASSEMIA (NTDT): 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS), AND 2) LIVER IRON CONCENTRATION (LIC) OF 5 MG FE/G OF DRY LIVER WEIGHT OR GREATER. RENEWAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 500 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS). NTDT: 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS) OR 2) LIC OF 3 MG FE/G OF DRY LIVER WEIGHT OR GREATER.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL (CHRONIC IRON OVERLOAD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR HEMATOLOGIST/ONCOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL (CHRONIC IRON OVERLOAD): DEFERASIROX SPRINKLE PACKETS: TRIAL OF OR CONTRAINDICATION TO GENERIC DEFERASIROX ORAL TABLET OR TABLET FOR ORAL SUSPENSION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Part B Prerequisite</b>	No

# DENOSUMAB-XGEVA

---

## Products Affected

- XGEVA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# DEUTETRABENAZINE

## Products Affected

- AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG
- AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG
- AUSTEDO XR PATIENT TITRATION

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	HUNTINGTON DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. TARDIVE DYSKINESIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST.
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	TARDIVE DYSKINESIA: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# DICLOFENAC TOPICAL SOLUTION

---

## Products Affected

- *diclofenac sodium external solution 2 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	OSTEOARTHRITIS OF THE KNEE: TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF DICLOFENAC SODIUM 1% TOPICAL GEL AND A FORMULARY VERSION OF DICLOFENAC SODIUM 1.5% TOPICAL DROPS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# DIMETHYL FUMARATE

---

**Products Affected**

- *dimethyl fumarate oral capsule delayed release 120 mg, 240 mg*
- *dimethyl fumarate starter pack oral capsule delayed release therapy pack*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# DIROXIMEL FUMARATE

---

## Products Affected

- VUMERITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DOSTARLIMAB-GXLY

---

## Products Affected

- JEMPERLI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# DRONABINOL CAPSULE

---

## Products Affected

- *dronabinol*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY: TRIAL OF OR CONTRAINDICATION TO ONE ANTIEMETIC THERAPY. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D FOR THE INDICATION OF NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# DROXIDOPA

## Products Affected

- *droxidopa*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	NEUROGENIC ORTHOSTATIC HYPOTENSION (NOH): INITIAL: 1) BASELINE BLOOD PRESSURE READINGS WHILE THE PATIENT IS SITTING AND ALSO WITHIN 3 MINUTES OF STANDING FROM A SUPINE POSITION. 2) A DECREASE OF AT LEAST 20 MMHG IN SYSTOLIC BLOOD PRESSURE OR 10 MMHG DIASTOLIC BLOOD PRESSURE WITHIN THREE MINUTES AFTER STANDING FROM A SITTING POSITION.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	NOH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR CARDIOLOGIST.
<b>Coverage Duration</b>	INITIAL: 3 MONTHS RENEWAL: 12 MONTHS
<b>Other Criteria</b>	NOH: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# DUPILUMAB

## Products Affected

- DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: EOSINOPHILIC ASTHMA: BLOOD EOSINOPHIL LEVEL OF 150 TO 1500 CELLS/MCL WITHIN THE PAST 12 MONTHS. EOSINOPHILIC ESOPHAGITIS (EOE): DIAGNOSIS CONFIRMED BY ESOPHAGOGASTRODUODENOSCOPY (EGD) WITH BIOPSY. ATOPIC DERMATITIS (AD): AD COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR AD AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: AD, PRURIGO NODULARIS (PN): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. CRSWNP: PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. EOE: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, ALLERGIST, OR IMMUNOLOGIST. EOSINOPHILIC COPD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL: AD, CRSWNP, EOE, PN: 6 MOS, ASTHMA, COPD: 12 MOS. RENEWAL: ALL INDICATIONS: 12 MOS.
<b>Other Criteria</b>	INITIAL: AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, 2) TRIAL OF OR CONTRAINDICATION TO ONE TOPICAL (CORTICOSTEROID, CALCINEURIN INHIBITOR, PDE4 INHIBITOR, OR JAK INHIBITOR), AND 3) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS OR JAK INHIBITORS FOR AD. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM,

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



PA Criteria	Criteria Details
	<p>HIGH-DOSE OR MAXIMALLY-TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PN: 1) CHRONIC PRURITIS (ITCH MORE THAN 6 WEEKS), MULTIPLE PRURIGINOUS LESIONS, AND HISTORY OR SIGN OF A PROLONGED SCRATCHING BEHAVIOR, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE TOPICAL (CORTICOSTEROID OR CALCIPOTRIOL). EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A LAMA/LABA/ICS, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR EOSINOPHILIC COPD. RENEWAL: AD: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS OR JAK INHIBITORS FOR AD. EOE: IMPROVEMENT WHILE ON THERAPY. CRSWNP: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN</p>

PA Criteria	Criteria Details
	SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. PN: IMPROVEMENT OR REDUCTION OF PRURITIS OR PRURIGINOUS LESIONS. EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A LAMA/LABA/ICS, 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR EOSINOPHILIC COPD, AND 3) CLINICAL RESPONSE AS EVIDENCED BY (A) REDUCTION IN COPD EXACERBATIONS FROM BASELINE, (B) REDUCTION IN SEVERITY OR FREQUENCY OF COPD-RELATED SYMPTOMS, OR (C) INCREASE IN FEV1 OF AT LEAST 5 PERCENT FROM PRETREATMENT BASELINE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# DUVELISIB

---

## Products Affected

- COPIKTRA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# EFLORNITHINE

---

## Products Affected

- IWILFIN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ELACESTRANT

---

## Products Affected

- ORSERDU ORAL TABLET 345 MG, 86 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ELAGOLIX

## Products Affected

- ORLISSA ORAL TABLET 150 MG, 200 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
<b>Age Restrictions</b>	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 18 YEARS OF AGE OR OLDER.
<b>Prescriber Restrictions</b>	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS
<b>Other Criteria</b>	MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 2) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND A PROGESTIN-CONTAINING PREPARATION. RENEWAL: 1) IMPROVEMENT IN PAIN ASSOCIATED WITH ENDOMETRIOSIS WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# ELRANATAMAB-BCMM

## Products Affected

- ELREXFIO SUBCUTANEOUS SOLUTION 44 MG/1.1ML, 76 MG/1.9ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	RELAPSED OR REFRACTORY MULTIPLE MYELOMA: RENEWAL: 1) HAS RECEIVED AT LEAST 24 WEEKS OF TREATMENT WITH ELREXFIO, AND 2) HAS RESPONDED TO TREATMENT (PARTIAL RESPONSE OR BETTER), AND HAS MAINTAINED THIS RESPONSE FOR AT LEAST 2 MONTHS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ELTROMBOPAG - ALVAIZ

## Products Affected

- ALVAIZ

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT IS LESS THAN $30 \times 10^9/L$ FROM AT LEAST 2 SEPARATE LABS IN THE LAST 3 MONTHS, OR 2) PLATELET COUNT IS LESS THAN $50 \times 10^9/L$ FROM AT LEAST 2 SEPARATE LABS IN THE LAST 3 MONTHS AND HAD A PRIOR BLEEDING EVENT.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.
<b>Coverage Duration</b>	ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.
<b>Other Criteria</b>	INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS) OR SPLEEN TYROSINE KINASE (SYK) INHIBITOR. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNT FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS OR SYK INHIBITOR.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# ELTROMBOPAG - PROMACTA

## Products Affected

- PROMACTA ORAL PACKET 12.5 MG, 25 MG
- PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT OF LESS THAN $30 \times 10^9/L$ FROM AT LEAST 2 SEPARATE LAB TESTS IN THE LAST 3 MONTHS, OR 2) PLATELET COUNT OF LESS THAN $50 \times 10^9/L$ FROM AT LEAST 2 SEPARATE LAB TESTS IN THE LAST 3 MONTHS AND A PRIOR BLEEDING EVENT.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.
<b>Coverage Duration</b>	ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.
<b>Other Criteria</b>	INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR HAD AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS) OR SPLEEN TYROSINE KINASE (SYK) INHIBITOR. ALL INDICATIONS: APPROVAL FOR PROMACTA ORAL SUSPENSION PACKETS REQUIRES A TRIAL OF PROMACTA TABLET OR PATIENT IS UNABLE TOLERATE TABLET FORMULATION. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNTS FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS OR SYK INHIBITOR.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# ENASIDENIB

---

## Products Affected

- IDHIFA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ENCORAFENIB

---

## Products Affected

- BRAFTOVI ORAL CAPSULE 75 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ENTRECTINIB CAPSULES

---

## Products Affected

- ROZLYTREK ORAL CAPSULE 100 MG, 200 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ENTRECTINIB PELLETS

---

## Products Affected

- ROZLYTREK ORAL PACKET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), SOLID TUMORS: 1) TRIAL OF OR CONTRAINDICATION TO ROZLYTREK CAPSULES MADE INTO AN ORAL SUSPENSION, AND 2) DIFFICULTY OR UNABLE TO SWALLOW CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ENZALUTAMIDE

## Products Affected

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	INITIAL: ALL INDICATIONS: 12 MONTHS. RENEWAL: MCRPC, NMCRPC, MCSPC: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC): HIGH RISK PROSTATE CANCER (I.E. RAPIDLY INCREASING PROSTATE SPECIFIC ANTIGEN [PSA] LEVELS). NON-METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (NMCSPC): HIGH RISK FOR METASTASIS (I.E. PSA DOUBLING TIME OF 9 MONTHS OR LESS). METASTATIC CRPC (MCRPC), NMCRPC, METASTATIC CSPC (MCSPC), NMCSPC : 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. RENEWAL: MCRPC, NMCRPC, MCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GNRH ANALOG.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Part B Prerequisite</b>	No

# EPCORITAMAB-BYSP

---

## Products Affected

- EPKINLY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# EPOETIN ALFA-EPBX

## Products Affected

- RETACRIT INJECTION SOLUTION                      UNIT/ML, 4000 UNIT/ML, 40000  
10000 UNIT/ML, 10000 UNIT/ML(1ML),              UNIT/ML  
2000 UNIT/ML, 20000 UNIT/ML, 3000

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	<p>INITIAL: CHRONIC KIDNEY DISEASE (CKD), ANEMIA RELATED TO ZIDOVUDINE, OR CANCER CHEMOTHERAPY: HEMOGLOBIN LEVEL IS LESS THAN 10G/DL. ELECTIVE, NON-CARDIAC, NON-VASCULAR SURGERY: HEMOGLOBIN LEVEL IS LESS THAN 13G/DL. RENEWAL: 1) CKD IN ADULTS NOT ON DIALYSIS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS REACHED 10G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 2) CKD IN PEDIATRIC PATIENTS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS APPROACHED OR EXCEEDS 12G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 3) ANEMIA RELATED TO ZIDOVUDINE: HEMOGLOBIN LEVEL BETWEEN 10G/DL AND 12G/DL. 4) CANCER CHEMOTHERAPY: (A) HEMOGLOBIN LEVEL IS LESS THAN 10 G/DL, OR (B) HEMOGLOBIN LEVEL DOES NOT EXCEED A LEVEL NEEDED TO AVOID RBC TRANSFUSION.</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	ANEMIA FROM CHEMO/CKD WITHOUT DIALYSIS/ZIDOVUDINE: INITIAL/RENEWAL: 12 MONTHS. SURGERY: 1 MONTH.
<b>Other Criteria</b>	RENEWAL: CKD: NOT RECEIVING DIALYSIS TREATMENT. THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.
<b>Indications</b>	All FDA-approved Indications.

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ERDAFITINIB

---

## Products Affected

- BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ERLOTINIB

## Products Affected

- *erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# ESKETAMINE

## Products Affected

- SPRAVATO (56 MG DOSE)
- SPRAVATO (84 MG DOSE)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: TREATMENT-RESISTANT DEPRESSION (TRD), MAJOR DEPRESSIVE DISORDER (MDD): PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST.
<b>Coverage Duration</b>	INITIAL: TRD: 3 MONTHS. MDD: 4 WEEKS. RENEWAL: TRD, MDD: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: TRD, MDD: 1) NON-PSYCHOTIC, UNIPOLAR DEPRESSION, AND 2) NO ACTIVE SUBSTANCE ABUSE. RENEWAL: TRD, MDD: DEMONSTRATED CLINICAL BENEFIT (IMPROVEMENT IN DEPRESSION) COMPARED TO BASELINE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# ETANERCEPT

## Products Affected

- ENBREL MINI
- ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML
- ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED
- ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO ONE DMARD, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G.,

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA, PSA, AS, PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# EVEROLIMUS-AFINITOR

## Products Affected

- *everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# EVEROLIMUS-AFINITOR DISPERZ

---

## Products Affected

- *everolimus oral tablet soluble*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FECAL MICROBIOTA CAPSULE

## Products Affected

- VOWST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	30 DAYS
Other Criteria	CLOSTRIDIODES DIFFICILE INFECTION (CDI): 1) HAS NOT PREVIOUSLY RECEIVED VOWST: COMPLETION OF ANTIBIOTIC TREATMENT FOR RECURRENT CDI (AT LEAST 3 CDI EPISODES), OR 2) PREVIOUSLY RECEIVED VOWST: (A) TREATMENT FAILURE (DEFINED AS THE PRESENCE OF CDI DIARRHEA WITHIN 8 WEEKS OF FIRST DOSE OF VOWST AND A POSITIVE STOOL TEST FOR C. DIFFICILE), AND (B) HAS NOT RECEIVED MORE THAN ONE TREATMENT COURSE OF VOWST WHICH WAS AT LEAST 12 DAYS AND NOT MORE THAN 8 WEEKS PRIOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# FEDRATINIB

---

## Products Affected

- INREBIC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	MYELOFIBROSIS: INITIAL: TRIAL OF OR CONTRAINDICATION TO JAKAFI (RUXOLITINIB). RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FENFLURAMINE

## Products Affected

- FINTEPLA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: DRAVET SYNDROME, LENNOX-GASTAUT SYNDROME (LGS): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	DRAVET SYNDROME: INITIAL/RENEWAL: 12 MONTHS. LGS: 12 MONTHS.
Other Criteria	INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM. RENEWAL: DRAVET SYNDROME: PATIENT HAS SHOWN CONTINUED CLINICAL BENEFIT (E.G. REDUCTION OF SEIZURES, REDUCED LENGTH OF SEIZURES, SEIZURE CONTROL MAINTAINED).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# FENTANYL CITRATE

## Products Affected

- *fentanyl citrate buccal lozenge on a handle*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CANCER RELATED PAIN: 1) CURRENTLY ON A MAINTENANCE DOSE OF CONTROLLED-RELEASE OPIOID PAIN MEDICATION, AND 2) TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE IMMEDIATE-RELEASE ORAL OPIOID PAIN AGENT OR PATIENT HAS DIFFICULTY SWALLOWING TABLETS/CAPSULES.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FEZOLINETANT

---

## Products Affected

- VEOZAH

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MENOPAUSAL VASOMOTOR SYMPTOMS (VMS): INITIAL: 1) EXPERIENCES 7 OR MORE HOT FLASHES PER DAY, AND 2) TRIAL OF OR CONTRAINDICATION TO HORMONAL THERAPY (E.G., ESTRADIOL TRANSDERMAL PATCH, ORAL CONJUGATED ESTROGENS). RENEWAL: 1) CONTINUED NEED FOR VMS TREATMENT (I.E., PERSISTENT HOT FLASHES), AND 2) REDUCTION IN VMS FREQUENCY OR SEVERITY DUE TO VEOZAH TREATMENT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# FILGRASTIM-AAFI

---

## Products Affected

- NIVESTYM

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FINERENONE

---

## Products Affected

- KERENDIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# FINGOLIMOD

---

## Products Affected

- *fingolimod hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FOSCARBIDOPA-FOSLEVODOPA

## Products Affected

- VYALEV SUBCUTANEOUS SOLUTION 12-240 MG/ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL: 3 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	PD: INITIAL: 1) RESPONSIVE TO LEVODOPA, 2) CURRENT REGIMEN INCLUDES AT LEAST 400 MG/DAY OF LEVODOPA, AND 3) MOTOR SYMPTOMS ARE CURRENTLY UNCONTROLLED (DEFINED AS AN AVERAGE OFF TIME OF AT LEAST 2.5 HOURS/DAY OVER 3 CONSECUTIVE DAYS WITH A MINIMUM OF 2 HOURS EACH DAY). RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# FREMANEZUMAB-VFRM

## Products Affected

- AJOVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	MIGRAINE PREVENTION: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FRUQUINTINIB

---

## Products Affected

- FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# FUTIBATINIB

## Products Affected

- LYTGOBI (12 MG DAILY DOSE)
- LYTGOBI (16 MG DAILY DOSE)
- LYTGOBI (20 MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	INTRAHEPATIC CHOLANGIOCARCINOMA (ICCA): COMPLETE A COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# GALCANEZUMAB-GNLM

## Products Affected

- EMGALITY
- EMGALITY (300 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: MIGRAINE PREVENTION: 6 MOS. EPISODIC CLUSTER HEADACHE: 3 MOS. RENEWAL (ALL): 12 MOS.
Other Criteria	INITIAL: MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL. RENEWAL: MIGRAINE PREVENTION: 1) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY, AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. EPISODIC CLUSTER HEADACHE: IMPROVEMENT IN EPISODIC CLUSTER HEADACHE FREQUENCY AS COMPARED TO BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# GANAXOLONE

---

## Products Affected

- ZTALMY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# GEFITINIB

---

## Products Affected

- *gefitinib*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION; NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# GILTERITINIB

---

## Products Affected

- XOSPATA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# GLASDEGIB

---

## Products Affected

- DAURISMO ORAL TABLET 100 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# GLATIRAMER

---

## Products Affected

- *glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml*
- *glatopa subcutaneous solution prefilled syringe 20 mg/ml, 40 mg/ml*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# GLP1-DULAGLUTIDE

---

## Products Affected

- TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

# GLP1-SEMAGLUTIDE

---

**Products Affected**

- OZEMPIC (0.25 OR 0.5 MG/DOSE)
- OZEMPIC (1 MG/DOSE)
- OZEMPIC (2 MG/DOSE)
- RYBELSUS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# GLP1-TIRZEPATIDE

---

## Products Affected

- MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

# GOSERELIN

## Products Affected

- ZOLADEX

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
<b>Coverage Duration</b>	STAGE B2-C PROSTATIC CARCINOMA: 4 MOS. ENDOMETRIOSIS: 6 MOS PER LIFETIME. ALL OTHERS: 12 MONTHS.
<b>Other Criteria</b>	ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 6 MONTHS OF TREATMENT PER LIFETIME. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# GUSELKUMAB

## Products Affected

- TREMFYA INTRAVENOUS
- TREMFYA SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
<b>Other Criteria</b>	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



PA Criteria	Criteria Details
	MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: PSO, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# HIGH CONCENTRATION ORAL OPIOID SOLUTIONS

## Products Affected

- *morphine sulfate (concentrate) oral solution 100 mg/5ml*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	OPIOID TOLERANT: 12 MONTHS. HOSPICE, PALLIATIVE CARE OR END OF LIFE CARE: LIFETIME.
Other Criteria	1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# HIGH RISK DRUGS IN THE ELDERLY - BUTALBITAL-CONTAINING AGENTS

## Products Affected

- *butalbital-apap-caff-cod oral capsule 50-325-40-30 mg*
- *butalbital-apap-caffeine oral capsule*
- *butalbital-apap-caffeine oral tablet 50-325-40 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# HIGH RISK DRUGS IN THE ELDERLY - CONJUGATED ESTROGEN

**Products Affected**

- PREMARIN ORAL

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	VULVAR/VAGINAL ATROPHY, OSTEOPOROSIS AND VASOMOTOR SYMPTOMS OF MENOPAUSE: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HYPOESTROGENISM TREATMENT, PALLIATIVE TREATMENT, AND HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# HIGH RISK DRUGS IN THE ELDERLY - DIPYRIDAMOLE

## Products Affected

- *dipyridamole oral tablet 50 mg, 75 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# HIGH RISK DRUGS IN THE ELDERLY - ESTRADIOL

## Products Affected

- *estradiol oral*
- *estradiol transdermal patch twice weekly*
- *estradiol transdermal patch weekly*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	VULVAR/VAGINAL ATROPHY, OSTEOPOROSIS AND VASOMOTOR SYMPTOMS OF MENOPAUSE: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HYPOESTROGENISM TREATMENT, PALLIATIVE TREATMENT, AND HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# HIGH RISK DRUGS IN THE ELDERLY - ESTRADIOL-NORETHINDRONE

**Products Affected**

- *estradiol-norethindrone acet*
- *mimvey*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	VULVAR/VAGINAL ATROPHY, OSTEOPOROSIS, AND VASOMOTOR SYMPTOMS OF MENOPAUSE: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HYPOESTROGENISM TREATMENT AND HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# HIGH RISK DRUGS IN THE ELDERLY - ESTROGEN-BAZEDOXIFENE

**Products Affected**

- DUAVEE

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# HIGH RISK DRUGS IN THE ELDERLY - ESTROGEN-MEDROXYPROGESTERONE

**Products Affected**

- PREMPHASE
- PREMPRO

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# HIGH RISK DRUGS IN THE ELDERLY - GLYBURIDE FORMULATIONS

**Products Affected**

- *glyburide micronized*
- *glyburide oral*
- *glyburide-metformin*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	TYPE 2 DIABETES MELLITUS (DM): 1) TRIAL OF OR CONTRAINDICATION TO GLIMEPIRIDE OR GLIPIZIDE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# HIGH RISK DRUGS IN THE ELDERLY - KETOROLAC

## Products Affected

- *ketorolac tromethamine oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	30 DAYS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# HIGH RISK DRUGS IN THE ELDERLY - PHENOBARBITAL

**Products Affected**

- *phenobarbital oral elixir*
- *phenobarbital oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	EPILEPSY/SEIZURES: PATIENTS WHO ARE NEWLY PRESCRIBED PHENOBARBITAL: 1) HAS NOT RESPONDED TO AT LEAST ONE ANTICONVULSANT, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# HIGH RISK DRUGS IN THE ELDERLY - PROMETHAZINE

## Products Affected

- *promethazine hcl injection solution 25 mg/ml*
- *promethazine hcl oral tablet*
- *promethazine hcl rectal suppository 25 mg*
- *promethegan rectal suppository 12.5 mg, 25 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	PRURITUS/URTICARIA/SEASONAL/PERENNIAL ALLERGY: 1) TRIAL OF OR CONTRAINDICATION TO A NON-SEDATING ANTIHISTAMINE SUCH AS LEVOCETIRIZINE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. NAUSEA AND VOMITING: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH-RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED CONDITION, AND ARE APPROVED WITHOUT TRIAL OF FORMULARY ALTERNATIVES NOR REQUIRING PRESCRIBER ACKNOWLEDGEMENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Part B Prerequisite</b>	No

# HIGH RISK DRUGS IN THE ELDERLY - SCOPOLAMINE

## Products Affected

- *scopolamine*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED CONDITION, AND ARE APPROVED WITHOUT REQUIRING PRESCRIBER ACKNOWLEDGEMENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# HIGH RISK DRUGS IN THE ELDERLY - SKELETAL MUSCLE RELAXANTS

**Products Affected**

- *cyclobenzaprine hcl oral tablet 10 mg, 5 mg*
- *methocarbamol oral tablet 500 mg, 750 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED A HIGH RISK MEDICATION FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# HIGH RISK DRUGS IN THE ELDERLY- DIPHENOXYLATE-ATROPINE

## Products Affected

- *diphenoxylate-atropine oral tablet 2.5-0.025 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# HIGH RISK DRUGS IN THE ELDERLY- INDOMETHACIN

## Products Affected

- *indomethacin oral capsule 25 mg, 50 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# HIGH RISK DRUGS IN THE ELDERLY- MEGESTROL

## Products Affected

- *megestrol acetate oral suspension 40 mg/ml, 625 mg/5ml*
- *megestrol acetate oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# HIGH RISK DRUGS IN THE ELDERLY- PAROXETINE

## Products Affected

- *paroxetine hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# IBRUTINIB

---

## Products Affected

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ICATIBANT

---

## Products Affected

- *icatibant acetate subcutaneous solution  
prefilled syringe*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HEREDITARY ANGIOEDEMA (HAE): DIAGNOSIS CONFIRMED BY COMPLEMENT TESTING.
Age Restrictions	
Prescriber Restrictions	HAE: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, OR HEMATOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	HAE: NO CONCURRENT USE WITH OTHER MEDICATIONS FOR TREATMENT OF ACUTE HAE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# IDELALISIB

---

## Products Affected

- ZYDELIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# IMATINIB

---

## Products Affected

- *imatinib mesylate oral tablet 100 mg, 400 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# IMATINIB SOLUTION

---

## Products Affected

- IMKELDI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.
Other Criteria	PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. ALL INDICATIONS: UNABLE TO SWALLOW GENERIC IMATINIB TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# IMETELSTAT

---

## Products Affected

- RYTELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# INAVOLISIB

---

## Products Affected

- ITOVEBI ORAL TABLET 3 MG, 9 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# INFIGRATINIB

**Products Affected**

- TRUSELTIQ (100MG DAILY DOSE)
- TRUSELTIQ (125MG DAILY DOSE)
- TRUSELTIQ (50MG DAILY DOSE)
- TRUSELTIQ (75MG DAILY DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CHOLANGIOCARCINOMA: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# INFLIXIMAB

## Products Affected

- *infliximab*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. PSA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA, STELARA, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSO: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA, STELARA, SKYRIZI, TREMFYA, OTEZLA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>INDICATION. AS: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, ENBREL, HUMIRA, XELJANZ, RINVOQ, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. MODERATE TO SEVERE CD: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA, HUMIRA, RINVOQ, SKYRIZI, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: STELARA, XELJANZ, HUMIRA, RINVOQ, SKYRIZI, TREMFYA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. AS, PSO, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC, MODERATE TO SEVERE CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# INSULIN SUPPLIES PAYMENT DETERMINATION

---

## Products Affected

- ABOUTTIME PEN NEEDLE 30G X 8 MM
- ABOUTTIME PEN NEEDLE 31G X 5 MM
- ABOUTTIME PEN NEEDLE 31G X 8 MM
- ABOUTTIME PEN NEEDLE 32G X 4 MM
- ADVOCATE INSULIN PEN NEEDLE 32G X 4 MM
- ADVOCATE INSULIN PEN NEEDLES 29G X 12.7MM
- ADVOCATE INSULIN PEN NEEDLES 31G X 5 MM
- ADVOCATE INSULIN PEN NEEDLES 31G X 8 MM
- ADVOCATE INSULIN PEN NEEDLES 33G X 4 MM
- ADVOCATE INSULIN SYRINGE 29G X 1/2" 0.3 ML
- ADVOCATE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ADVOCATE INSULIN SYRINGE 29G X 1/2" 1 ML
- ADVOCATE INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ADVOCATE INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ADVOCATE INSULIN SYRINGE 30G X 5/16" 1 ML
- ADVOCATE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ADVOCATE INSULIN SYRINGE 31G X 5/16" 0.5 ML
- ADVOCATE INSULIN SYRINGE 31G X 5/16" 1 ML
- ALCOHOL PREP PAD
- ALCOHOL PREP PAD 70 %
- ALCOHOL PREP PADS PAD 70 %
- ALCOHOL SWABS PAD
- ALCOHOL SWABS PAD 70 %
- ALCOHOL SWABSTICK PAD
- ALCOHOL SWABSTICK PAD 70 %
- APLICARE ALCOHOL SWABSTICK PAD 70 %
- AQ INSULIN SYRINGE 31G X 5/16" 1 ML
- AQINJECT PEN NEEDLE 31G X 5 MM
- AQINJECT PEN NEEDLE 32G X 4 MM
- ASSURE ID DUO PRO PEN NEEDLES 31G X 5 MM
- ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML
- ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 0.5 ML (OTC)
- ASSURE ID INSULIN SAFETY SYR 31G X 15/64" 0.5 ML
- ASSURE ID INSULIN SAFETY SYR 31G X 15/64" 1 ML
- ASSURE ID PRO PEN NEEDLES 30G X 5 MM
- AUM ALCOHOL PREP PADS PAD 70 %
- AUM INSULIN SAFETY PEN NEEDLE 31G X 4 MM
- AUM INSULIN SAFETY PEN NEEDLE 31G X 5 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 4 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 5 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 6 MM
- AUM MINI INSULIN PEN NEEDLE 32G X 8 MM
- AUM MINI INSULIN PEN NEEDLE 33G X 4 MM

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

- AUM MINI INSULIN PEN NEEDLE 33G X 5 MM
- AUM MINI INSULIN PEN NEEDLE 33G X 6 MM
- AUM PEN NEEDLE 32G X 4 MM
- AUM PEN NEEDLE 32G X 5 MM
- AUM PEN NEEDLE 32G X 6 MM
- AUM PEN NEEDLE 33G X 4 MM
- AUM PEN NEEDLE 33G X 5 MM
- AUM PEN NEEDLE 33G X 6 MM
- AUM READYGARD DUO PEN NEEDLE 32G X 4 MM
- AUM SAFETY PEN NEEDLE 31G X 4 MM
- BD AUTOSHIELD 29G X 5MM
- BD AUTOSHIELD 29G X 8MM
- BD AUTOSHIELD DUO 30G X 5 MM
- BD ECLIPSE SYRINGE 30G X 1/2" 1 ML
- BD INSULIN SYR ULTRAFINE II 31G X 5/16" 0.3 ML
- BD INSULIN SYR ULTRAFINE II 31G X 5/16" 0.5 ML
- BD INSULIN SYR ULTRAFINE II 31G X 5/16" 1 ML
- BD INSULIN SYRINGE 27.5G X 5/8" 2 ML
- BD INSULIN SYRINGE 25G X 1" 1 ML
- BD INSULIN SYRINGE 25G X 5/8" 1 ML
- BD INSULIN SYRINGE 26G X 1/2" 1 ML
- BD INSULIN SYRINGE 27G X 1/2" 1 ML
- BD INSULIN SYRINGE 29G X 1/2" 0.5 ML (OTC)
- BD INSULIN SYRINGE 29G X 1/2" 0.5 ML (RX)
- BD INSULIN SYRINGE 29G X 1/2" 1 ML (OTC)
- BD INSULIN SYRINGE 29G X 1/2" 1 ML (RX)
- BD INSULIN SYRINGE HALF-UNIT 31G X 5/16" 0.3 ML
- BD INSULIN SYRINGE MICROFINE 27G X 5/8" 1 ML
- BD INSULIN SYRINGE MICROFINE 28G X 1/2" 0.5 ML
- BD INSULIN SYRINGE MICROFINE 28G X 1/2" 1 ML (RX)
- BD INSULIN SYRINGE U-100 1 ML
- BD INSULIN SYRINGE U-500 31G X 6MM 0.5 ML
- BD INSULIN SYRINGE U/F 30G X 1/2" 1 ML
- BD INSULIN SYRINGE ULTRAFINE 29G X 1/2" 0.3 ML
- BD INSULIN SYRINGE ULTRAFINE 29G X 1/2" 0.5 ML
- BD INSULIN SYRINGE ULTRAFINE 29G X 1/2" 1 ML
- BD INSULIN SYRINGE ULTRAFINE 30G X 1/2" 0.3 ML
- BD INSULIN SYRINGE ULTRAFINE 30G X 1/2" 0.5 ML
- BD PEN NEEDLE MICRO U/F 32G X 6 MM
- BD PEN NEEDLE MINI U/F 31G X 5 MM
- BD PEN NEEDLE NANO 2ND GEN 32G X 4 MM
- BD PEN NEEDLE NANO U/F 32G X 4 MM (OTC)
- BD PEN NEEDLE NANO U/F 32G X 4 MM (RX)
- BD PEN NEEDLE ORIGINAL U/F 29G X 12.7MM
- BD PEN NEEDLE SHORT U/F 31G X 8 MM
- BD SAFETY-LOK INSULIN SYRINGE 29G X 1/2" 1 ML
- BD SAFETYGLIDE INSULIN SYRINGE 29G X 1/2" 0.3 ML
- BD SAFETYGLIDE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- BD SAFETYGLIDE INSULIN SYRINGE 30G X 5/16" 0.5 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**





- CLICKFINE PEN NEEDLES 31G X 6 MM
- CLICKFINE PEN NEEDLES 31G X 8 MM
- CLICKFINE PEN NEEDLES 32G X 4 MM
- COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML
- COMFORT ASSIST INSULIN SYRINGE 31G X 5/16" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 28G X 1/2" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 28G X 1/2" 1 ML
- COMFORT EZ INSULIN SYRINGE 29G X 1/2" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 29G X 1/2" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 29G X 1/2" 1 ML
- COMFORT EZ INSULIN SYRINGE 30G X 1/2" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 30G X 1/2" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 30G X 1/2" 1 ML
- COMFORT EZ INSULIN SYRINGE 30G X 5/16" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 30G X 5/16" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 30G X 5/16" 1 ML
- COMFORT EZ INSULIN SYRINGE 31G X 15/64" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 31G X 15/64" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 31G X 15/64" 1 ML
- COMFORT EZ INSULIN SYRINGE 31G X 5/16" 0.3 ML
- COMFORT EZ INSULIN SYRINGE 31G X 5/16" 0.5 ML
- COMFORT EZ INSULIN SYRINGE 31G X 5/16" 1 ML
- COMFORT EZ PEN NEEDLES 31G X 5 MM
- COMFORT EZ PEN NEEDLES 31G X 6 MM
- COMFORT EZ PEN NEEDLES 31G X 8 MM
- COMFORT EZ PEN NEEDLES 32G X 4 MM
- COMFORT EZ PEN NEEDLES 32G X 5 MM
- COMFORT EZ PEN NEEDLES 32G X 6 MM
- COMFORT EZ PEN NEEDLES 32G X 8 MM
- COMFORT EZ PEN NEEDLES 33G X 4 MM
- COMFORT EZ PEN NEEDLES 33G X 5 MM
- COMFORT EZ PEN NEEDLES 33G X 6 MM
- COMFORT EZ PEN NEEDLES 33G X 8 MM
- COMFORT EZ PRO PEN NEEDLES 30G X 8 MM
- COMFORT EZ PRO PEN NEEDLES 31G X 4 MM
- COMFORT EZ PRO PEN NEEDLES 31G X 5 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 4 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 5 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 6 MM
- COMFORT TOUCH INSULIN PEN NEED 31G X 8 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 4 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 5 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 6 MM
- COMFORT TOUCH INSULIN PEN NEED 32G X 8 MM

Formulary ID: 25256v11  
 Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- CURITY ALCOHOL PREPS PAD 70 %
- CURITY ALL PURPOSE SPONGES PAD 2"X2"
- CURITY GAUZE PAD 2"X2"
- CURITY GAUZE SPONGE PAD 2"X2"
- CURITY SPONGES PAD 2"X2"
- CVS GAUZE PAD 2"X2"
- CVS GAUZE STERILE PAD 2"X2"
- DERMACEA GAUZE SPONGE PAD 2"X2"
- DERMACEA IV DRAIN SPONGES PAD 2"X2"
- DERMACEA NON-WOVEN SPONGES PAD 2"X2"
- DERMACEA TYPE VII GAUZE PAD 2"X2"
- DIATHRIVE PEN NEEDLE 31G X 5 MM
- DIATHRIVE PEN NEEDLE 31G X 6 MM
- DIATHRIVE PEN NEEDLE 31G X 8 MM
- DIATHRIVE PEN NEEDLE 32G X 4 MM
- DROPLET INSULIN SYRINGE 29G X 1/2" 0.3 ML
- DROPLET INSULIN SYRINGE 29G X 1/2" 0.5 ML
- DROPLET INSULIN SYRINGE 29G X 1/2" 1 ML
- DROPLET INSULIN SYRINGE 30G X 1/2" 0.3 ML
- DROPLET INSULIN SYRINGE 30G X 1/2" 0.5 ML
- DROPLET INSULIN SYRINGE 30G X 1/2" 1 ML
- DROPLET INSULIN SYRINGE 30G X 15/64" 0.3 ML
- DROPLET INSULIN SYRINGE 30G X 15/64" 0.5 ML
- DROPLET INSULIN SYRINGE 30G X 15/64" 1 ML
- DROPLET INSULIN SYRINGE 30G X 5/16" 0.3 ML
- DROPLET INSULIN SYRINGE 30G X 5/16" 0.5 ML
- DROPLET INSULIN SYRINGE 31G X 15/64" 0.3 ML
- DROPLET INSULIN SYRINGE 31G X 15/64" 0.5 ML
- DROPLET INSULIN SYRINGE 31G X 15/64" 1 ML
- DROPLET INSULIN SYRINGE 31G X 5/16" 0.3 ML
- DROPLET INSULIN SYRINGE 31G X 5/16" 0.5 ML
- DROPLET INSULIN SYRINGE 31G X 5/16" 1 ML
- DROPLET MICRON 34G X 3.5 MM
- DROPLET PEN NEEDLES 29G X 10MM
- DROPLET PEN NEEDLES 29G X 12MM
- DROPLET PEN NEEDLES 30G X 8 MM
- DROPLET PEN NEEDLES 31G X 5 MM
- DROPLET PEN NEEDLES 31G X 6 MM
- DROPLET PEN NEEDLES 31G X 8 MM
- DROPLET PEN NEEDLES 32G X 4 MM
- DROPLET PEN NEEDLES 32G X 5 MM
- DROPLET PEN NEEDLES 32G X 6 MM
- DROPLET PEN NEEDLES 32G X 8 MM
- DROPSAFE ALCOHOL PREP PAD 70 %
- DROPSAFE SAFETY PEN NEEDLES 31G X 5 MM
- DROPSAFE SAFETY PEN NEEDLES 31G X 6 MM
- DROPSAFE SAFETY PEN NEEDLES 31G X 8 MM
- DROPSAFE SAFETY SYRINGE/NEEDLE 29G X 1/2" 1 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64" 0.3 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64" 0.5 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 15/64" 1 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 5/16" 0.3 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 5/16" 0.5 ML
- DROPSAFE SAFETY SYRINGE/NEEDLE 31G X 5/16" 1 ML
- DRUG MART ULTRA COMFORT SYR 29G X 1/2" 0.3 ML
- DRUG MART ULTRA COMFORT SYR 29G X 1/2" 1 ML
- DRUG MART ULTRA COMFORT SYR 30G X 5/16" 0.5 ML
- DRUG MART ULTRA COMFORT SYR 30G X 5/16" 1 ML
- DRUG MART UNIFINE PENTIPS 31G X 5 MM
- EASY COMFORT ALCOHOL PADS PAD
- EASY COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- EASY COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- EASY COMFORT INSULIN SYRINGE 31G X 1/2" 0.3 ML
- EASY COMFORT INSULIN SYRINGE 31G X 5/16" 0.3 ML
- EASY COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- EASY COMFORT INSULIN SYRINGE 32G X 5/16" 0.5 ML
- EASY COMFORT INSULIN SYRINGE 32G X 5/16" 1 ML
- EASY COMFORT PEN NEEDLES 31G X 5 MM
- EASY COMFORT PEN NEEDLES 31G X 6 MM
- EASY COMFORT PEN NEEDLES 31G X 8 MM
- EASY COMFORT PEN NEEDLES 32G X 4 MM
- EASY COMFORT PEN NEEDLES 33G X 4 MM
- EASY COMFORT PEN NEEDLES 33G X 5 MM
- EASY COMFORT PEN NEEDLES 33G X 6 MM
- EASY GLIDE PEN NEEDLES 33G X 4 MM
- EASY TOUCH ALCOHOL PREP MEDIUM PAD 70 %
- EASY TOUCH FLIPLOCK INSULIN SY 29G X 1/2" 1 ML
- EASY TOUCH FLIPLOCK INSULIN SY 30G X 1/2" 1 ML
- EASY TOUCH FLIPLOCK INSULIN SY 30G X 5/16" 1 ML
- EASY TOUCH FLIPLOCK INSULIN SY 31G X 5/16" 1 ML
- EASY TOUCH FLIPLOCK SAFETY SYR 27G X 1/2" 1 ML
- EASY TOUCH INSULIN BARRELS 1ML
- EASY TOUCH INSULIN SAFETY SYR 29G X 1/2" 0.5 ML
- EASY TOUCH INSULIN SAFETY SYR 29G X 1/2" 1 ML
- EASY TOUCH INSULIN SAFETY SYR 30G X 1/2" 1 ML
- EASY TOUCH INSULIN SAFETY SYR 30G X 5/16" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 27G X 1/2" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 27G X 1/2" 1 ML
- EASY TOUCH INSULIN SYRINGE 27G X 5/8" 1 ML
- EASY TOUCH INSULIN SYRINGE 28G X 1/2" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 28G X 1/2" 1 ML

Formulary ID: 25256v11  
 Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- EASY TOUCH INSULIN SYRINGE 29G X 1/2" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 29G X 1/2" 1 ML
- EASY TOUCH INSULIN SYRINGE 30G X 1/2" 0.3 ML
- EASY TOUCH INSULIN SYRINGE 30G X 1/2" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 30G X 1/2" 1 ML
- EASY TOUCH INSULIN SYRINGE 30G X 5/16" 0.3 ML
- EASY TOUCH INSULIN SYRINGE 30G X 5/16" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 30G X 5/16" 1 ML
- EASY TOUCH INSULIN SYRINGE 31G X 5/16" 0.3 ML
- EASY TOUCH INSULIN SYRINGE 31G X 5/16" 0.5 ML
- EASY TOUCH INSULIN SYRINGE 31G X 5/16" 1 ML
- EASY TOUCH PEN NEEDLES 29G X 12MM
- EASY TOUCH PEN NEEDLES 30G X 5 MM
- EASY TOUCH PEN NEEDLES 30G X 6 MM
- EASY TOUCH PEN NEEDLES 30G X 8 MM
- EASY TOUCH PEN NEEDLES 31G X 5 MM
- EASY TOUCH PEN NEEDLES 31G X 6 MM
- EASY TOUCH PEN NEEDLES 31G X 8 MM
- EASY TOUCH PEN NEEDLES 32G X 4 MM
- EASY TOUCH PEN NEEDLES 32G X 5 MM
- EASY TOUCH PEN NEEDLES 32G X 6 MM
- EASY TOUCH SAFETY PEN NEEDLES 29G X 5MM
- EASY TOUCH SAFETY PEN NEEDLES 29G X 8MM
- EASY TOUCH SAFETY PEN NEEDLES 30G X 8 MM
- EASY TOUCH SHEATHLOCK SYRINGE 29G X 1/2" 1 ML
- EASY TOUCH SHEATHLOCK SYRINGE 30G X 1/2" 1 ML
- EASY TOUCH SHEATHLOCK SYRINGE 30G X 5/16" 1 ML
- EASY TOUCH SHEATHLOCK SYRINGE 31G X 5/16" 1 ML
- EMBRACE PEN NEEDLES 29G X 12MM
- EMBRACE PEN NEEDLES 30G X 5 MM
- EMBRACE PEN NEEDLES 30G X 8 MM
- EMBRACE PEN NEEDLES 31G X 5 MM
- EMBRACE PEN NEEDLES 31G X 6 MM
- EMBRACE PEN NEEDLES 31G X 8 MM
- EMBRACE PEN NEEDLES 32G X 4 MM
- EQL ALCOHOL SWABS PAD 70 %
- EQL GAUZE PAD 2"X2"
- EQL INSULIN SYRINGE 30G X 5/16" 0.3 ML
- EQL INSULIN SYRINGE 30G X 5/16" 0.5 ML
- EQL INSULIN SYRINGE 30G X 5/16" 1 ML
- EXEL COMFORT POINT PEN NEEDLE 29G X 12MM
- FIFTY50 PEN NEEDLES 32G X 6 MM
- FREESTYLE PRECISION INS SYR 30G X 5/16" 0.5 ML
- FREESTYLE PRECISION INS SYR 30G X 5/16" 1 ML
- FREESTYLE PRECISION INS SYR 31G X 5/16" 0.5 ML
- FREESTYLE PRECISION INS SYR 31G X 5/16" 1 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- GAUZE PADS PAD 2"X2"
- GAUZE TYPE VII MEDI-PAK PAD 2"X2"
- GLOBAL ALCOHOL PREP EASE
- GLOBAL EASE INJECT PEN NEEDLES 29G X 12MM
- GLOBAL EASE INJECT PEN NEEDLES 31G X 5 MM
- GLOBAL EASE INJECT PEN NEEDLES 31G X 8 MM
- GLOBAL EASE INJECT PEN NEEDLES 32G X 4 MM
- GLOBAL EASY GLIDE INSULIN SYR 31G X 15/64" 0.3 ML
- GLOBAL EASY GLIDE INSULIN SYR 31G X 15/64" 0.5 ML
- GLOBAL EASY GLIDE INSULIN SYR 31G X 15/64" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 28G X 1/2" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 28G X 1/2" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 29G X 1/2" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 29G X 1/2" 1 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 1/2" 0.3 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 1/2" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 5/16" 0.5 ML
- GLOBAL INJECT EASE INSULIN SYR 30G X 5/16" 1 ML
- GLUCOPRO INSULIN SYRINGE 30G X 1/2" 0.3 ML
- GLUCOPRO INSULIN SYRINGE 30G X 1/2" 0.5 ML
- GLUCOPRO INSULIN SYRINGE 30G X 1/2" 1 ML
- GLUCOPRO INSULIN SYRINGE 30G X 5/16" 0.3 ML
- GLUCOPRO INSULIN SYRINGE 30G X 5/16" 0.5 ML
- GLUCOPRO INSULIN SYRINGE 30G X 5/16" 1 ML
- GLUCOPRO INSULIN SYRINGE 31G X 5/16" 0.3 ML
- GLUCOPRO INSULIN SYRINGE 31G X 5/16" 0.5 ML
- GNP ALCOHOL SWABS PAD
- GNP INSULIN SYRINGE 28G X 1/2" 1 ML
- GNP INSULIN SYRINGE 29G X 1/2" 0.5 ML
- GNP INSULIN SYRINGE 29G X 1/2" 1 ML
- GNP INSULIN SYRINGE 30G X 5/16" 0.5 ML
- GNP INSULIN SYRINGE 30G X 5/16" 1 ML
- GNP INSULIN SYRINGES 29GX1/2" 29G X 1/2" 0.5 ML
- GNP INSULIN SYRINGES 29GX1/2" 29G X 1/2" 1 ML
- GNP INSULIN SYRINGES 30G X 5/16" 1 ML
- GNP INSULIN SYRINGES 30GX5/16" 30G X 5/16" 0.3 ML
- GNP INSULIN SYRINGES 31GX5/16" 31G X 5/16" 0.3 ML
- GNP STERILE GAUZE PAD 2"X2"
- GNP ULTRA COM INSULIN SYRINGE 29G X 1/2" 0.3 ML
- GNP ULTRA COM INSULIN SYRINGE 30G X 5/16" 0.3 ML
- GOODSENSE ALCOHOL SWABS PAD 70 %
- H-E-B INCONTROL ALCOHOL PAD
- H-E-B INCONTROL PEN NEEDLES 29G X 12MM
- H-E-B INCONTROL PEN NEEDLES 31G X 5 MM
- H-E-B INCONTROL PEN NEEDLES 31G X 6 MM

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- H-E-B INCONTROL PEN NEEDLES 31G X 8 MM
- H-E-B INCONTROL PEN NEEDLES 32G X 4 MM
- HEALTHWISE INSULIN SYR/NEEDLE 30G X 5/16" 0.3 ML
- HEALTHWISE INSULIN SYR/NEEDLE 30G X 5/16" 0.5 ML
- HEALTHWISE INSULIN SYR/NEEDLE 30G X 5/16" 1 ML
- HEALTHWISE INSULIN SYR/NEEDLE 31G X 5/16" 0.3 ML
- HEALTHWISE INSULIN SYR/NEEDLE 31G X 5/16" 0.5 ML
- HEALTHWISE INSULIN SYR/NEEDLE 31G X 5/16" 1 ML
- HEALTHWISE MICRON PEN NEEDLES 32G X 4 MM
- HEALTHWISE SHORT PEN NEEDLES 31G X 5 MM
- HEALTHWISE SHORT PEN NEEDLES 31G X 8 MM
- HEALTHY ACCENTS UNIFINE PENTIP 29G X 12MM
- HEALTHY ACCENTS UNIFINE PENTIP 31G X 5 MM
- HEALTHY ACCENTS UNIFINE PENTIP 31G X 6 MM
- HEALTHY ACCENTS UNIFINE PENTIP 31G X 8 MM
- HEALTHY ACCENTS UNIFINE PENTIP 32G X 4 MM
- HM STERILE PADS PAD 2"X2"
- HM ULTICARE INSULIN SYRINGE 30G X 1/2" 1 ML
- HM ULTICARE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- HM ULTICARE SHORT PEN NEEDLES 31G X 8 MM
- INCONTROL ULTICARE PEN NEEDLES 31G X 6 MM
- INCONTROL ULTICARE PEN NEEDLES 31G X 8 MM
- INCONTROL ULTICARE PEN NEEDLES 32G X 4 MM
- INSULIN SYRINGE 29G X 1/2" 1 ML
- INSULIN SYRINGE 30G X 5/16" 1 ML
- INSULIN SYRINGE 31G X 5/16" 0.3 ML
- INSULIN SYRINGE 31G X 5/16" 0.5 ML
- INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 0.5 ML (OTC)
- INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 0.5 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 27G X 1/2" 1 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 28G X 1/2" 0.5 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 28G X 1/2" 1 ML (RX)
- INSULIN SYRINGE-NEEDLE U-100 30G X 5/16" 1 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 1/4" 0.3 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 1/4" 0.5 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 1/4" 1 ML
- INSULIN SYRINGE-NEEDLE U-100 31G X 5/16" 0.5 ML (OTC)
- INSULIN SYRINGE/NEEDLE 27G X 1/2" 0.5 ML
- INSULIN SYRINGE/NEEDLE 28G X 1/2" 0.5 ML
- INSULIN SYRINGE/NEEDLE 28G X 1/2" 1 ML
- INSUPEN PEN NEEDLES 31G X 5 MM
- INSUPEN PEN NEEDLES 32G X 4 MM
- INSUPEN PEN NEEDLES 33G X 4 MM
- INSUPEN ULTRAFIN 29G X 12MM
- INSUPEN ULTRAFIN 31G X 8 MM
- J & J GAUZE PAD 2"X2"
- KENDALL HYDROPHILIC FOAM DRESS PAD 2"X2"
- KENDALL HYDROPHILIC FOAM PLUS PAD 2"X2"
- KINRAY INSULIN SYRINGE 29G X 1/2" 0.5 ML

Formulary ID: 25256v11  
 Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- KMART VALU INSULIN SYRINGE 29G U-100 1 ML
- KMART VALU INSULIN SYRINGE 30G U-100 0.3 ML
- KMART VALU INSULIN SYRINGE 30G U-100 1 ML
- KROGER PEN NEEDLES 29G X 12MM
- KROGER PEN NEEDLES 31G X 8 MM
- LEADER UNIFINE PENTIPS 31G X 5 MM
- LEADER UNIFINE PENTIPS 32G X 4 MM
- LEADER UNIFINE PENTIPS PLUS 31G X 5 MM
- LEADER UNIFINE PENTIPS PLUS 31G X 8 MM
- LITETOUCH INSULIN SYRINGE 28G X 1/2" 0.5 ML
- LITETOUCH INSULIN SYRINGE 28G X 1/2" 1 ML
- LITETOUCH INSULIN SYRINGE 29G X 1/2" 0.3 ML
- LITETOUCH INSULIN SYRINGE 29G X 1/2" 0.5 ML
- LITETOUCH INSULIN SYRINGE 29G X 1/2" 1 ML
- LITETOUCH INSULIN SYRINGE 30G X 5/16" 0.3 ML
- LITETOUCH INSULIN SYRINGE 30G X 5/16" 0.5 ML
- LITETOUCH INSULIN SYRINGE 30G X 5/16" 1 ML
- LITETOUCH INSULIN SYRINGE 31G X 5/16" 0.3 ML
- LITETOUCH INSULIN SYRINGE 31G X 5/16" 0.5 ML
- LITETOUCH INSULIN SYRINGE 31G X 5/16" 1 ML
- LITETOUCH PEN NEEDLES 29G X 12.7MM
- LITETOUCH PEN NEEDLES 31G X 5 MM
- LITETOUCH PEN NEEDLES 31G X 6 MM
- LITETOUCH PEN NEEDLES 31G X 8 MM
- LITETOUCH PEN NEEDLES 32G X 4 MM
- MAGELLAN INSULIN SAFETY SYR 29G X 1/2" 0.3 ML
- MAGELLAN INSULIN SAFETY SYR 29G X 1/2" 0.5 ML
- MAGELLAN INSULIN SAFETY SYR 29G X 1/2" 1 ML
- MAGELLAN INSULIN SAFETY SYR 30G X 5/16" 0.3 ML
- MAGELLAN INSULIN SAFETY SYR 30G X 5/16" 0.5 ML
- MAGELLAN INSULIN SAFETY SYR 30G X 5/16" 1 ML
- MAXI-COMFORT INSULIN SYRINGE 28G X 1/2" 0.5 ML
- MAXI-COMFORT INSULIN SYRINGE 28G X 1/2" 1 ML
- MAXI-COMFORT SAFETY PEN NEEDLE 29G X 5MM
- MAXI-COMFORT SAFETY PEN NEEDLE 29G X 8MM
- MAXICOMFORT II PEN NEEDLE 31G X 6 MM
- MAXICOMFORT SYR 27G X 1/2" 27G X 1/2" 0.5 ML
- MAXICOMFORT SYR 27G X 1/2" 27G X 1/2" 1 ML
- MEDIC INSULIN SYRINGE 30G X 5/16" 0.3 ML
- MEDIC INSULIN SYRINGE 30G X 5/16" 0.5 ML
- MEDICINE SHOPPE PEN NEEDLES 29G X 12MM
- MEDICINE SHOPPE PEN NEEDLES 31G X 8 MM
- MEDPURA ALCOHOL PADS 70 % EXTERNAL
- MEIJER ALCOHOL SWABS PAD 70 %
- MEIJER PEN NEEDLES 29G X 12MM
- MEIJER PEN NEEDLES 31G X 6 MM
- MEIJER PEN NEEDLES 31G X 8 MM

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**



- MICRODOT PEN NEEDLE 31G X 6 MM
- MICRODOT PEN NEEDLE 32G X 4 MM
- MICRODOT PEN NEEDLE 33G X 4 MM
- MIRASORB SPONGES 2"X2"
- MM PEN NEEDLES 32G X 4 MM
- MONOJECT INSULIN SYRINGE 25G X 5/8" 1 ML
- MONOJECT INSULIN SYRINGE 27G X 1/2" 1 ML (OTC)
- MONOJECT INSULIN SYRINGE 28G X 1/2" 0.5 ML (RX)
- MONOJECT INSULIN SYRINGE 28G X 1/2" 1 ML (OTC)
- MONOJECT INSULIN SYRINGE 28G X 1/2" 1 ML (RX)
- MONOJECT INSULIN SYRINGE 29G X 1/2" 0.3 ML
- MONOJECT INSULIN SYRINGE 29G X 1/2" 0.5 ML
- MONOJECT INSULIN SYRINGE 29G X 1/2" 1 ML (RX)
- MONOJECT INSULIN SYRINGE 30G X 5/16" 0.3 ML
- MONOJECT INSULIN SYRINGE 30G X 5/16" 0.5 ML (RX)
- MONOJECT INSULIN SYRINGE 30G X 5/16" 1 ML (RX)
- MONOJECT INSULIN SYRINGE 31G X 5/16" 1 ML
- MONOJECT INSULIN SYRINGE U-100 1 ML
- MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 0.5 ML (OTC)
- MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 0.5 ML (RX)
- MONOJECT ULTRA COMFORT SYRINGE 28G X 1/2" 1 ML (OTC)
- MONOJECT ULTRA COMFORT SYRINGE 29G X 1/2" 0.5 ML
- MONOJECT ULTRA COMFORT SYRINGE 29G X 1/2" 1 ML
- MONOJECT ULTRA COMFORT SYRINGE 30G X 5/16" 0.3 ML (OTC)
- MONOJECT ULTRA COMFORT SYRINGE 30G X 5/16" 0.3 ML (RX)
- MONOJECT ULTRA COMFORT SYRINGE 30G X 5/16" 0.5 ML (RX)
- NOVOFINE AUTOCOVER 30G X 8 MM
- NOVOFINE PEN NEEDLE 32G X 6 MM
- NOVOFINE PLUS PEN NEEDLE 32G X 4 MM
- NOVOTWIST PEN NEEDLE 32G X 5 MM
- PC UNIFINE PENTIPS 31G X 5 MM
- PC UNIFINE PENTIPS 31G X 6 MM
- PC UNIFINE PENTIPS 31G X 8 MM
- PEN NEEDLES 29G X 12MM
- PEN NEEDLES 30G X 5 MM (OTC)
- PEN NEEDLES 30G X 8 MM
- PEN NEEDLES 31G X 5 MM (OTC)
- PEN NEEDLES 31G X 8 MM (OTC)
- PEN NEEDLES 32G X 4 MM (OTC)
- PEN NEEDLES 32G X 5 MM
- PENTIPS 29G X 12MM (RX)
- PENTIPS 31G X 5 MM (RX)
- PENTIPS 31G X 8 MM (RX)
- PENTIPS 32G X 4 MM (RX)
- PENTIPS GENERIC PEN NEEDLES 29G X 12MM
- PENTIPS GENERIC PEN NEEDLES 31G X 6 MM
- PENTIPS GENERIC PEN NEEDLES 32G X 6 MM
- PIP PEN NEEDLES 31G X 5MM 31G X 5 MM
- PIP PEN NEEDLES 32G X 4MM 32G X 4 MM
- PRECISION SURE-DOSE SYRINGE 28G X 1/2" 0.5 ML
- PRECISION SURE-DOSE SYRINGE 28G X 1/2" 1 ML
- PRECISION SURE-DOSE SYRINGE 29G X 1/2" 0.5 ML
- PRECISION SURE-DOSE SYRINGE 30G X 3/8" 0.5 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- PRECISION SURE-DOSE SYRINGE 30G X 5/16" 0.3 ML
- PRECISION SUREDOSE PLUS SYR 29G X 1/2" 0.3 ML
- PRECISION SUREDOSE PLUS SYR 29G X 1/2" 1 ML
- PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML
- PREFERRED PLUS UNIFINE PENTIPS 29G X 12MM
- PREVENT DROPSAFE PEN NEEDLES 31G X 6 MM
- PREVENT DROPSAFE PEN NEEDLES 31G X 8 MM
- PREVENT SAFETY PEN NEEDLES 31G X 6 MM
- PREVENT SAFETY PEN NEEDLES 31G X 8 MM
- PRO COMFORT ALCOHOL PAD 70 %
- PRO COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- PRO COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- PRO COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- PRO COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- PRO COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- PRO COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- PRO COMFORT PEN NEEDLES 31G X 8 MM
- PRO COMFORT PEN NEEDLES 32G X 4 MM
- PRO COMFORT PEN NEEDLES 32G X 5 MM
- PRO COMFORT PEN NEEDLES 32G X 6 MM
- PRODIGY INSULIN SYRINGE 28G X 1/2" 1 ML
- PRODIGY INSULIN SYRINGE 31G X 5/16" 0.3 ML
- PRODIGY INSULIN SYRINGE 31G X 5/16" 0.5 ML
- PURE COMFORT ALCOHOL PREP PAD
- PURE COMFORT PEN NEEDLE 32G X 4 MM
- PURE COMFORT PEN NEEDLE 32G X 5 MM
- PURE COMFORT PEN NEEDLE 32G X 6 MM
- PURE COMFORT PEN NEEDLE 32G X 8 MM
- PURE COMFORT SAFETY PEN NEEDLE 31G X 5 MM
- PURE COMFORT SAFETY PEN NEEDLE 31G X 6 MM
- PURE COMFORT SAFETY PEN NEEDLE 32G X 4 MM
- PX SHORTLENGTH PEN NEEDLES 31G X 8 MM
- QC ALCOHOL
- QC ALCOHOL SWABS PAD 70 %
- QC BORDER ISLAND GAUZE PAD 2"X2"
- QUICK TOUCH INSULIN PEN NEEDLE 31G X 4 MM
- QUICK TOUCH INSULIN PEN NEEDLE 31G X 5 MM
- RA ALCOHOL SWABS PAD 70 %
- RA INSULIN SYRINGE 29G X 1/2" 1 ML
- RA INSULIN SYRINGE 30G X 5/16" 0.5 ML
- RA INSULIN SYRINGE 30G X 5/16" 1 ML
- *ra isopropyl alcohol wipes*
- RA PEN NEEDLES 31G X 5 MM
- RA PEN NEEDLES 31G X 8 MM
- RA STERILE PAD 2"X2"
- RAYA SURE PEN NEEDLE 29G X 12MM
- RAYA SURE PEN NEEDLE 31G X 4 MM

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- RAYA SURE PEN NEEDLE 31G X 5 MM
- RAYA SURE PEN NEEDLE 31G X 6 MM
- REALITY INSULIN SYRINGE 28G X 1/2" 0.5 ML
- REALITY INSULIN SYRINGE 28G X 1/2" 1 ML
- REALITY INSULIN SYRINGE 29G X 1/2" 0.5 ML
- REALITY INSULIN SYRINGE 29G X 1/2" 1 ML
- REALITY SWABS PAD
- RELI-ON INSULIN SYRINGE 29G 0.3 ML
- RELI-ON INSULIN SYRINGE 29G 0.5 ML
- RELI-ON INSULIN SYRINGE 29G X 1/2" 1 ML
- RELION ALCOHOL SWABS PAD
- RELION INSULIN SYRINGE 31G X 15/64" 0.3 ML
- RELION INSULIN SYRINGE 31G X 15/64" 0.5 ML
- RELION INSULIN SYRINGE 31G X 15/64" 1 ML
- RELION MINI PEN NEEDLES 31G X 6 MM
- RELION PEN NEEDLES 31G X 6 MM
- RELION PEN NEEDLES 31G X 8 MM
- RESTORE CONTACT LAYER PAD 2"X2"
- SAFETY INSULIN SYRINGES 29G X 1/2" 0.5 ML
- SAFETY INSULIN SYRINGES 29G X 1/2" 1 ML
- SAFETY INSULIN SYRINGES 30G X 1/2" 1 ML
- SAFETY INSULIN SYRINGES 30G X 5/16" 0.5 ML
- SAFETY PEN NEEDLES 30G X 5 MM
- SAFETY PEN NEEDLES 30G X 8 MM
- SB ALCOHOL PREP PAD 70 %
- SB INSULIN SYRINGE 29G X 1/2" 0.5 ML
- SB INSULIN SYRINGE 29G X 1/2" 1 ML
- SB INSULIN SYRINGE 30G X 5/16" 0.5 ML
- SB INSULIN SYRINGE 30G X 5/16" 1 ML
- SB INSULIN SYRINGE 31G X 5/16" 1 ML
- SECURESAFE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- SECURESAFE INSULIN SYRINGE 29G X 1/2" 1 ML
- SECURESAFE SAFETY PEN NEEDLES 30G X 8 MM
- SM ALCOHOL PREP PAD
- SM ALCOHOL PREP PAD 6-70 % EXTERNAL
- SM GAUZE PAD 2"X2"
- STERILE GAUZE PAD 2"X2"
- STERILE PAD 2"X2"
- SURE COMFORT ALCOHOL PREP PAD 70 %
- SURE COMFORT INSULIN SYRINGE 28G X 1/2" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 28G X 1/2" 1 ML
- SURE COMFORT INSULIN SYRINGE 29G X 1/2" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 29G X 1/2" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 29G X 1/2" 1 ML
- SURE COMFORT INSULIN SYRINGE 30G X 1/2" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- SURE COMFORT INSULIN SYRINGE 30G X 5/16" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- SURE COMFORT INSULIN SYRINGE 31G X 1/4" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 31G X 1/4" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 31G X 1/4" 1 ML
- SURE COMFORT INSULIN SYRINGE 31G X 5/16" 0.3 ML
- SURE COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- SURE COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- SURE COMFORT PEN NEEDLES 29G X 12.7MM
- SURE COMFORT PEN NEEDLES 30G X 8 MM
- SURE COMFORT PEN NEEDLES 31G X 5 MM
- SURE COMFORT PEN NEEDLES 31G X 6 MM
- SURE COMFORT PEN NEEDLES 31G X 8 MM
- SURE COMFORT PEN NEEDLES 32G X 4 MM (OTC)
- SURE COMFORT PEN NEEDLES 32G X 4 MM (RX)
- SURE COMFORT PEN NEEDLES 32G X 6 MM
- SURE-JECT INSULIN SYRINGE 31G X 5/16" 0.3 ML
- SURE-JECT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- SURE-JECT INSULIN SYRINGE 31G X 5/16" 1 ML
- SURE-PREP ALCOHOL PREP PAD 70 %
- SURGICAL GAUZE SPONGE PAD 2"X2"
- TERUMO INSULIN SYRINGE 29G X 1/2" 0.3 ML
- THERAGAUZE PAD 2"X2"
- TODAYS HEALTH PEN NEEDLES 29G X 12MM
- TODAYS HEALTH SHORT PEN NEEDLE 31G X 8 MM
- TOPCARE CLICKFINE PEN NEEDLES 31G X 6 MM
- TOPCARE CLICKFINE PEN NEEDLES 31G X 8 MM
- TOPCARE ULTRA COMFORT INS SYR 29G X 1/2" 0.3 ML
- TOPCARE ULTRA COMFORT INS SYR 29G X 1/2" 0.5 ML
- TOPCARE ULTRA COMFORT INS SYR 29G X 1/2" 1 ML
- TOPCARE ULTRA COMFORT INS SYR 30G X 5/16" 0.3 ML
- TOPCARE ULTRA COMFORT INS SYR 30G X 5/16" 0.5 ML
- TOPCARE ULTRA COMFORT INS SYR 30G X 5/16" 1 ML
- TOPCARE ULTRA COMFORT INS SYR 31G X 5/16" 0.3 ML
- TOPCARE ULTRA COMFORT INS SYR 31G X 5/16" 0.5 ML
- TOPCARE ULTRA COMFORT INS SYR 31G X 5/16" 1 ML
- TRUE COMFORT ALCOHOL PREP PADS PAD 70 %
- TRUE COMFORT INSULIN SYRINGE 30G X 1/2" 0.5 ML
- TRUE COMFORT INSULIN SYRINGE 30G X 1/2" 1 ML
- TRUE COMFORT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- TRUE COMFORT INSULIN SYRINGE 30G X 5/16" 1 ML
- TRUE COMFORT INSULIN SYRINGE 31G X 5/16" 0.5 ML
- TRUE COMFORT INSULIN SYRINGE 31G X 5/16" 1 ML
- TRUE COMFORT INSULIN SYRINGE 32G X 5/16" 1 ML
- TRUE COMFORT PEN NEEDLES 31G X 5 MM
- TRUE COMFORT PEN NEEDLES 31G X 6 MM

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**



- ULTICARE INSULIN SYRINGE 29G X 1/2" 0.3 ML
- ULTICARE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ULTICARE INSULIN SYRINGE 29G X 1/2" 1 ML
- ULTICARE INSULIN SYRINGE 30G X 1/2" 0.3 ML
- ULTICARE INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTICARE INSULIN SYRINGE 30G X 1/2" 1 ML
- ULTICARE INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTICARE INSULIN SYRINGE 30G X 5/16" 0.5 ML (OTC)
- ULTICARE INSULIN SYRINGE 30G X 5/16" 0.5 ML (RX)
- ULTICARE INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTICARE INSULIN SYRINGE 31G X 1/4" 0.3 ML
- ULTICARE INSULIN SYRINGE 31G X 1/4" 0.5 ML
- ULTICARE INSULIN SYRINGE 31G X 1/4" 1 ML
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.3 ML (OTC)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.3 ML (RX)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.5 ML (OTC)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 0.5 ML (RX)
- ULTICARE INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTICARE MICRO PEN NEEDLES 32G X 4 MM
- ULTICARE MINI PEN NEEDLES 30G X 5 MM
- ULTICARE MINI PEN NEEDLES 31G X 6 MM
- ULTICARE MINI PEN NEEDLES 32G X 6 MM
- ULTICARE PEN NEEDLES 29G X 12.7MM (OTC)
- ULTICARE PEN NEEDLES 29G X 12.7MM (RX)
- ULTICARE PEN NEEDLES 31G X 5 MM
- ULTICARE SHORT PEN NEEDLES 30G X 8 MM
- ULTICARE SHORT PEN NEEDLES 31G X 8 MM (OTC)
- ULTICARE SHORT PEN NEEDLES 31G X 8 MM (RX)
- ULTIGUARD SAFEPACK PEN NEEDLE 29G X 12.7MM
- ULTIGUARD SAFEPACK PEN NEEDLE 31G X 5 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 31G X 6 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 31G X 8 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 32G X 4 MM
- ULTIGUARD SAFEPACK PEN NEEDLE 32G X 6 MM
- ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2" 0.3 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2" 0.5 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 30G X 1/2" 1 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16" 0.3 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16" 0.5 ML
- ULTIGUARD SAFEPACK SYR/NEEDLE 31G X 5/16" 1 ML
- ULTILET ALCOHOL SWABS PAD
- ULTILET INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTILET INSULIN SYRINGE 30G X 1/2" 1 ML
- ULTILET INSULIN SYRINGE 30G X 5/16" 0.3 ML

Formulary ID: 25256v11  
 Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**

- ULTILET INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ULTILET INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTILET INSULIN SYRINGE 31G X 1/4" 0.3 ML
- ULTILET INSULIN SYRINGE 31G X 1/4" 1 ML
- ULTILET INSULIN SYRINGE 31G X 15/64" 0.3 ML (OTC)
- ULTILET INSULIN SYRINGE 31G X 15/64" 0.3 ML (RX)
- ULTILET INSULIN SYRINGE 31G X 15/64" 0.5 ML
- ULTILET INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 1/2" 0.3 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 5/16" 0.5 ML
- ULTILET INSULIN SYRINGE SHORT 30G X 5/16" 1 ML
- ULTILET INSULIN SYRINGE SHORT 31G X 5/16" 0.3 ML
- ULTILET INSULIN SYRINGE SHORT 31G X 5/16" 0.5 ML
- ULTILET INSULIN SYRINGE SHORT 31G X 5/16" 1 ML
- ULTILET PEN NEEDLE 29G X 12.7MM
- ULTILET PEN NEEDLE 31G X 5 MM
- ULTILET PEN NEEDLE 31G X 8 MM
- ULTILET PEN NEEDLE 32G X 4 MM
- ULTRA COMFORT INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTRA FLO INSULIN PEN NEEDLES 29G X 12MM
- ULTRA FLO INSULIN PEN NEEDLES 31G X 8 MM
- ULTRA FLO INSULIN PEN NEEDLES 32G X 4 MM
- ULTRA FLO INSULIN PEN NEEDLES 33G X 4 MM
- ULTRA FLO INSULIN SYR 1/2 UNIT 30G X 1/2" 0.3 ML
- ULTRA FLO INSULIN SYR 1/2 UNIT 30G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYR 1/2 UNIT 31G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 29G X 1/2" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 29G X 1/2" 1 ML
- ULTRA FLO INSULIN SYRINGE 30G X 1/2" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 30G X 1/2" 1 ML
- ULTRA FLO INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTRA FLO INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ULTRA FLO INSULIN SYRINGE 31G X 5/16" 0.5 ML
- ULTRA FLO INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTRA THIN PEN NEEDLES 32G X 4 MM
- ULTRA-COMFORT INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ULTRA-THIN II INS SYR SHORT 30G X 5/16" 0.3 ML
- ULTRA-THIN II INS SYR SHORT 30G X 5/16" 0.5 ML
- ULTRA-THIN II INS SYR SHORT 30G X 5/16" 1 ML
- ULTRA-THIN II INS SYR SHORT 31G X 5/16" 0.3 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

- ULTRA-THIN II INS SYR SHORT 31G X 5/16" 0.5 ML
- ULTRA-THIN II INS SYR SHORT 31G X 5/16" 1 ML
- ULTRA-THIN II INSULIN SYRINGE 29G X 1/2" 0.5 ML
- ULTRA-THIN II INSULIN SYRINGE 29G X 1/2" 1 ML
- ULTRA-THIN II MINI PEN NEEDLE 31G X 5 MM
- ULTRA-THIN II PEN NEEDLE SHORT 31G X 8 MM
- ULTRA-THIN II PEN NEEDLES 29G X 12.7MM
- ULTRACARE INSULIN SYRINGE 30G X 1/2" 0.5 ML
- ULTRACARE INSULIN SYRINGE 30G X 1/2" 1 ML
- ULTRACARE INSULIN SYRINGE 30G X 5/16" 0.3 ML
- ULTRACARE INSULIN SYRINGE 30G X 5/16" 0.5 ML
- ULTRACARE INSULIN SYRINGE 30G X 5/16" 1 ML
- ULTRACARE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- ULTRACARE INSULIN SYRINGE 31G X 5/16" 0.5 ML
- ULTRACARE INSULIN SYRINGE 31G X 5/16" 1 ML
- ULTRACARE PEN NEEDLES 31G X 5 MM
- ULTRACARE PEN NEEDLES 31G X 6 MM
- ULTRACARE PEN NEEDLES 31G X 8 MM
- ULTRACARE PEN NEEDLES 32G X 4 MM
- ULTRACARE PEN NEEDLES 32G X 5 MM
- ULTRACARE PEN NEEDLES 32G X 6 MM
- ULTRACARE PEN NEEDLES 33G X 4 MM
- UNIFINE PEN NEEDLES 32G X 4 MM
- UNIFINE PENTIPS 29G X 12MM
- UNIFINE PENTIPS 31G X 6 MM
- UNIFINE PENTIPS 31G X 8 MM
- UNIFINE PENTIPS PLUS 29G X 12MM
- UNIFINE PENTIPS PLUS 31G X 6 MM
- UNIFINE PENTIPS PLUS 32G X 4 MM
- UNIFINE PROTECT PEN NEEDLE 30G X 5 MM
- UNIFINE PROTECT PEN NEEDLE 30G X 8 MM
- UNIFINE PROTECT PEN NEEDLE 32G X 4 MM
- UNIFINE SAFECONTROL PEN NEEDLE 30G X 5 MM
- UNIFINE SAFECONTROL PEN NEEDLE 30G X 8 MM
- UNIFINE SAFECONTROL PEN NEEDLE 31G X 5 MM
- UNIFINE SAFECONTROL PEN NEEDLE 31G X 6 MM
- UNIFINE SAFECONTROL PEN NEEDLE 31G X 8 MM
- UNIFINE SAFECONTROL PEN NEEDLE 32G X 4 MM
- UNIFINE ULTRA PEN NEEDLE 31G X 5 MM
- UNIFINE ULTRA PEN NEEDLE 31G X 6 MM
- UNIFINE ULTRA PEN NEEDLE 31G X 8 MM
- UNIFINE ULTRA PEN NEEDLE 32G X 4 MM
- VALUE HEALTH INSULIN SYRINGE 29G X 1/2" 0.5 ML
- VALUE HEALTH INSULIN SYRINGE 29G X 1/2" 1 ML
- VANISHPOINT INSULIN SYRINGE 29G X 5/16" 1 ML
- VANISHPOINT INSULIN SYRINGE 30G X 3/16" 0.5 ML
- VANISHPOINT INSULIN SYRINGE 30G X 3/16" 1 ML

Formulary ID: 25256v11  
Effective: 03/01/2025

**H1993\_PriorAuthProtocols\_CY2025\_C**



- VANISHPOINT INSULIN SYRINGE 30G X 5/16" 0.5 ML
- VANISHPOINT INSULIN SYRINGE 30G X 5/16" 1 ML
- VERIFINE INSULIN PEN NEEDLE 29G X 12MM
- VERIFINE INSULIN PEN NEEDLE 31G X 5 MM
- VERIFINE INSULIN PEN NEEDLE 32G X 6 MM
- VERIFINE INSULIN SYRINGE 29G X 1/2" 0.5 ML
- VERIFINE INSULIN SYRINGE 29G X 1/2" 1 ML
- VERIFINE INSULIN SYRINGE 31G X 5/16" 0.3 ML
- VERIFINE INSULIN SYRINGE 31G X 5/16" 0.5 ML
- VERIFINE INSULIN SYRINGE 31G X 5/16" 1 ML
- VERIFINE PLUS PEN NEEDLE 31G X 5 MM
- VERIFINE PLUS PEN NEEDLE 31G X 8 MM
- VERIFINE PLUS PEN NEEDLE 32G X 4 MM
- VP INSULIN SYRINGE 29G X 1/2" 0.3 ML
- WEBCOL ALCOHOL PREP LARGE PAD 70 %
- WEGMANS UNIFINE PENTIPS PLUS 31G X 8 MM
- ZEVRX STERILE ALCOHOL PREP PAD PAD 70 %

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	LIFETIME
<b>Other Criteria</b>	ONLY COVERED UNDER PART D WHEN USED CONCURRENTLY WITH INSULIN.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# INTERFERON FOR MS-AVONEX

---

## Products Affected

- AVONEX PEN INTRAMUSCULAR  
AUTO-INJECTOR KIT
- AVONEX PREFILLED  
INTRAMUSCULAR PREFILLED  
SYRINGE KIT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# INTERFERON FOR MS-BETASERON

---

## Products Affected

- BETASERON SUBCUTANEOUS KIT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# INTERFERON FOR MS-PLEGRIDY

---

## Products Affected

- PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE
- PLEGRIDY SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# INTERFERON GAMMA-1B

## Products Affected

- ACTIMMUNE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: CHRONIC GRANULOMATOUS DISEASE (CGD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, INFECTIOUS DISEASE SPECIALIST, OR IMMUNOLOGIST. SEVERE MALIGNANT OSTEOPETROSIS (SMO): PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR HEMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
<b>Other Criteria</b>	RENEWAL: CGD, SMO: 1) DEMONSTRATED CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) HAS NOT RECEIVED HEMATOPOIETIC CELL TRANSPLANTATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# IPILIMUMAB

## Products Affected

- YERVOY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: UNRESECT/MET MEL: 4MO, RCC/CRC/HCC: 3MO, ALL OTHERS: 12MO. INITIAL/RENEWAL: CUTAN MEL: 6MO
Other Criteria	RENEWAL: ADJUVANT CUTANEOUS MELANOMA: NO EVIDENCE OF DISEASE RECURRENCE (DEFINED AS THE APPEARANCE OF ONE OR MORE NEW MELANOMA LESIONS: LOCAL, REGIONAL OR DISTANT METASTASIS). THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# IVACAFTOR

## Products Affected

- KALYDECO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CYSTIC FIBROSIS (CF): INITIAL: CONFIRMED MUTATION IN CFTR GENE ACCEPTABLE FOR THE TREATMENT OF CYSTIC FIBROSIS
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT
Coverage Duration	INITIAL: 12 MONTHS. RENEWAL: LIFETIME
Other Criteria	CF: INITIAL: NOT HOMOZYGOUS FOR F508DEL MUTATION IN CFTR GENE. RENEWAL: 1) MAINTAINED, IMPROVED, OR DEMONSTRATED LESS THAN EXPECTED DECLINE IN FEV1 OR BODY MASS INDEX (BMI), OR 2) REDUCTION IN NUMBER OF PULMONARY EXACERBATIONS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# IVOSIDENIB

---

## Products Affected

- TIBSOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# IXAZOMIB

---

## Products Affected

- NINLARO

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# LANREOTIDE

## Products Affected

- LANREOTIDE ACETATE
- SOMATULINE DEPOT  
SUBCUTANEOUS SOLUTION 60  
MG/0.2ML, 90 MG/0.3ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	ACROMEGALY: INITIAL: THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	ACROMEGALY: INITIAL: 3 MOS, RENEWAL: 12 MOS.GEP-NETS, CARCINOID SYNDROME: 12 MOS.
Other Criteria	ACROMEGALY: INITIAL: TRIAL OF OR CONTRAINDICATION TO ONE GENERIC OCTREOTIDE INJECTION. RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# LAPATINIB

---

## Products Affected

- *lapatinib ditosylate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LAROTRECTINIB

## Products Affected

- VITRAKVI ORAL CAPSULE 100 MG, 25 MG
- VITRAKVI ORAL SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	VITRAKVI ORAL SOLUTION: 1) TRIAL OF VITRAKVI CAPSULES, OR 2) UNABLE TO TAKE CAPSULE FORMULATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LAZERTINIB

---

## Products Affected

- LAZCLUZE ORAL TABLET 240 MG,  
80 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# LEDIPASVIR-SOFOSBUVIR

## Products Affected

- HARVONI ORAL PACKET 33.75-150 MG, 45-200 MG
- HARVONI ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
Other Criteria	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, AND 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING: CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, ROSUVASTATIN, TIPRANAVIR/RITONAVIR, SOFOSBUVIR (AS A SINGLE AGENT), EPCLUSA, ZEPATIER, MAVYRET, OR VOSEVI. REQUESTS FOR HARVONI 45MG-200MG PELLETS: PATIENT IS UNABLE TO SWALLOW TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# LENALIDOMIDE

---

## Products Affected

- *lenalidomide*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LENVATINIB

---

## Products Affected

- LENVIMA (10 MG DAILY DOSE)
- LENVIMA (12 MG DAILY DOSE)
- LENVIMA (14 MG DAILY DOSE)
- LENVIMA (18 MG DAILY DOSE)
- LENVIMA (20 MG DAILY DOSE)
- LENVIMA (24 MG DAILY DOSE)
- LENVIMA (4 MG DAILY DOSE)
- LENVIMA (8 MG DAILY DOSE)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# LETERMOVIR

## Products Affected

- PREVYMIS ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	HSCT: NOT AT RISK FOR LATE CMV: 4 MOS, AT RISK FOR LATE CMV: 7 MOS. KIDNEY TRANSPLANT: 7 MOS.
Other Criteria	HEMATOPOIETIC STEM CELL TRANSPLANT (HSCT): 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 28 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 100 DAYS POST TRANSPLANT IF NOT AT RISK FOR LATE CYTOMEGALOVIRUS (CMV) INFECTION AND DISEASE, OR BEYOND 200 DAYS POST TRANSPLANT IF AT RISK FOR LATE CMV INFECTION AND DISEASE. KIDNEY TRANSPLANT: 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 7 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 200 DAYS POST TRANSPLANT.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LEUPROLIDE

---

## Products Affected

- *leuprolide acetate injection*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	PROSTATE CANCER: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LEUPROLIDE DEPOT

---

## Products Affected

- LEUPROLIDE ACETATE (3 MONTH)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LEUPROLIDE-ELIGARD

---

## Products Affected

- ELIGARD

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LEUPROLIDE-LUPRON DEPOT

## Products Affected

- LUPRON DEPOT (1-MONTH)
- LUPRON DEPOT (3-MONTH)
- LUPRON DEPOT (4-MONTH)
- LUPRON DEPOT (6-MONTH)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.
<b>Coverage Duration</b>	PROSTATE CA: 12 MOS. UTERINE FIBROIDS: 3 MOS. ENDOMETRIOSIS: INITIAL/RENEWAL: 6 MOS.
<b>Other Criteria</b>	INITIAL: ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. RENEWAL: ENDOMETRIOSIS: 1) IMPROVEMENT OF PAIN RELATED TO ENDOMETRIOSIS WHILE ON THERAPY, 2) RECEIVING CONCOMITANT ADD-BACK THERAPY (I.E., COMBINATION ESTROGEN-PROGESTIN OR PROGESTIN-ONLY CONTRACEPTIVE PREPARATION), 3) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 4) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Part B Prerequisite</b>	No

# LEUPROLIDE-LUPRON DEPOT-PED

## Products Affected

- LUPRON DEPOT-PED (3-MONTH)
- LUPRON DEPOT-PED (6-MONTH)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	CENTRAL PRECOCIOUS PUBERTY (CPP): INITIAL: FEMALES: ELEVATED LEVELS OF FOLLICLE-STIMULATING HORMONE (FSH) GREATER THAN 4.0 MIU/ML AND LUTEINIZING HORMONE (LH) LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS. MALES: ELEVATED LEVELS OF FSH GREATER THAN 5.0 MIU/ML AND LH LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	CPP: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	CPP: INITIAL: FEMALES: 1) YOUNGER THAN 8 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR BREAST DEVELOPMENT AND PUBIC HAIR GROWTH. MALES: 1) YOUNGER THAN 9 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR GENITAL DEVELOPMENT AND PUBIC HAIR GROWTH. RENEWAL: 1) TANNER STAGING AT INITIAL DIAGNOSIS HAS STABILIZED OR REGRESSED DURING THREE SEPARATE MEDICAL VISITS IN THE PREVIOUS YEAR, AND 2) HAS NOT REACHED ACTUAL AGE WHICH CORRESPONDS TO CURRENT PUBERTAL AGE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# L-GLUTAMINE

## Products Affected

- *l-glutamine oral packet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SICKLE CELL DISEASE(SCD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST
Coverage Duration	INITIAL: 12 MONTHS. RENEWAL: LIFETIME.
Other Criteria	SCD: INITIAL: AGES 18 YEARS OR OLDER: 1) AT LEAST 2 SICKLE CELL CRISES IN THE PAST YEAR, 2) SICKLE-CELL ASSOCIATED SYMPTOMS WHICH ARE INTERFERING WITH ACTIVITIES OF DAILY LIVING, OR 3) HISTORY OF OR HAS RECURRENT ACUTE CHEST SYNDROME. AGES 5 TO 17 YEARS: APPROVED WITHOUT ADDITIONAL CRITERIA. RENEWAL: MAINTAINED OR EXPERIENCED A REDUCTION IN ACUTE COMPLICATIONS OF SCD.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# LIDOCAINE OINTMENT

---

## Products Affected

- *lidocaine external ointment 5 %*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

# LIDOCAINE PATCH

## Products Affected

- *lidocaine external patch 5 %*
- *lidocan*
- ZTLIDO

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	1) PAIN ASSOCIATED WITH POST-HERPETIC NEURALGIA, 2) NEUROPATHY DUE TO DIABETES MELLITUS, 3) CHRONIC BACK PAIN, OR 4) OSTEOARTHRITIS OF THE KNEE OR HIP.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# LIDOCAINE PRILOCAINE

---

## Products Affected

- *lidocaine-prilocaine external cream*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES. INFORMATION MAY NEED TO BE SUBMITTED DESCRIBING THE USE AND SETTING OF THE DRUG TO MAKE THE DETERMINATION.
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

# LONCASTUXIMAB TESIRINE-LPYL

---

## Products Affected

- ZYNLONTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# LORLATINIB

---

## Products Affected

- LORBRENA ORAL TABLET 100 MG,  
25 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# LOTILANER

---

## Products Affected

- XDEMVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	DEMODEX BLEPHARITIS: 18 YEARS OF AGE OR OLDER
Prescriber Restrictions	
Coverage Duration	6 WEEKS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# LUMACAFITOR-IVACAFITOR

## Products Affected

- ORKAMBI ORAL TABLET

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: CYSTIC FIBROSIS (CF): CONFIRMED MUTATION IN CFTR GENE ACCEPTABLE FOR THE TREATMENT OF CF.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CF EXPERT.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS, RENEWAL: LIFETIME.
<b>Other Criteria</b>	CF: RENEWAL: 1) MAINTAINED, IMPROVED, OR DEMONSTRATED LESS THAN EXPECTED DECLINE IN FEV1 OR BODY MASS INDEX (BMI), OR 2) REDUCTION IN NUMBER OF PULMONARY EXACERBATIONS.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# MACITENTAN

## Products Affected

- OPSUMIT

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# MARGETUXIMAB-CMKB

---

## Products Affected

- MARGENZA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# MARIBAVIR

---

## Products Affected

- LIVTENCITY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# MECASERMIN

---

## Products Affected

- INCRELEX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR NEPHROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF WRIST AND HAND. RENEWAL: IMPROVEMENT WHILE ON THERAPY (I.E., INCREASE IN HEIGHT OR INCREASE IN HEIGHT VELOCITY).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# MECHLORETHAMINE

---

## Products Affected

- VALCHLOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# MEPOLIZUMAB

## Products Affected

- NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR
- NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED
- NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML, 40 MG/0.4ML

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: ASTHMA: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN PULMONARY OR ALLERGY MEDICINE. CRSWNP: PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST.
<b>Coverage Duration</b>	INITIAL: ASTHMA: 4 MO. CRSWNP: 6 MO. OTHERS: 12 MO. RENEWAL: CRSWNP, ASTHMA: 12 MO.
<b>Other Criteria</b>	INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: ASTHMA: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# MIDOSTAURIN

---

## Products Affected

- RYDAPT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	ACUTE MYELOID LEUKEMIA: 6 MONTHS. ADVANCED SYSTEMIC MASTOCYTOSIS: 12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# MIFEPRISTONE

## Products Affected

- *mifepristone oral tablet 300 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	CUSHINGS SYNDROME (CS): INITIAL: DIAGNOSIS CONFIRMED BY: 1) 24-HR URINE FREE CORTISOL (2 OR MORE TESTS TO CONFIRM), 2) OVERNIGHT 1MG DEXAMETHASONE TEST, OR 3) LATE NIGHT SALIVARY CORTISOL (2 OR MORE TESTS TO CONFIRM).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	CS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS
<b>Other Criteria</b>	CS: INITIAL: HYPERCORTISOLISM IS NOT A RESULT OF CHRONIC GLUCOCORTICIDS. RENEWAL: 1) CONTINUES TO HAVE IMPROVEMENT OF GLUCOSE TOLERANCE OR STABLE GLUCOSE TOLERANCE (E.G., REDUCED A1C, IMPROVED FASTING GLUCOSE, ETC.), 2) CONTINUES TO HAVE TOLERABILITY TO THERAPY, AND 3) CONTINUES TO NOT BE A CANDIDATE FOR SURGICAL TREATMENT OR HAS FAILED SURGERY.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# MILTEFOSINE

---

## Products Affected

- IMPAVIDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# MOMELOTINIB

---

## Products Affected

- OJAARA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# MOSUNETUZUMAB-AXGB

## Products Affected

- LUNSUMIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: INITIAL: 6 MONTHS. RENEWAL: 7 MONTHS.
Other Criteria	RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: RENEWAL: 1) HAS ACHIEVED A PARTIAL RESPONSE TO TREATMENT, AND 2) HAS NOT PREVIOUSLY RECEIVED MORE THAN 17 CYCLES OF TREATMENT. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# NARCOLEPSY AGENTS

---

## Products Affected

- *armodafinil*
- *modafinil oral tablet 100 mg, 200 mg*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All Medically-accepted Indications.
Off Label Uses	
Part B Prerequisite	No

# NAXITAMAB-GQGK

---

## Products Affected

- DANYELZA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# NERATINIB

---

## Products Affected

- NERLYNX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	EARLY-STAGE (STAGE I-III) BREAST CANCER: MEDICATION IS BEING REQUESTED WITHIN 2 YEARS OF COMPLETING THE LAST TRASTUZUMAB DOSE. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# NILOTINIB

## Products Affected

- TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND TASIGNA IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# NILOTINIB-DANZITEN

---

## Products Affected

- DANZITEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): 1) PERFORMED MUTATIONAL ANALYSIS PRIOR TO INITIATION OF THERAPY, AND 2) THERAPY IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# NINTEDANIB

## Products Affected

- OFEV

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: IDIOPATHIC PULMONARY FIBROSIS (IPF): 1) A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT, AND 2) BASELINE FORCED VITAL CAPACITY (FVC) AT LEAST 50% OF PREDICTED VALUE. SYSTEMIC SCLEROSIS-ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 40% OF PREDICTED VALUE. CHRONIC FIBROSING INTERSTITIAL LUNG DISEASE WITH A PROGRESSIVE PHENOTYPE (PF-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 45% OF PREDICTED VALUE.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: IPF: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST. SSC-ILD, PF-ILD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: SSC-ILD: 6 MOS. IPF, PF-ILD: 12 MOS. RENEWAL (ALL INDICATIONS): 12 MOS.
<b>Other Criteria</b>	INITIAL: IPF: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ESBRIET (PIRFENIDONE). SSC-ILD: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., HEART FAILURE/FLUID OVERLOAD, DRUG-INDUCED LUNG TOXICITY, RECURRENT ASPIRATION), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ACTEMRA

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	SUBQ. PF-ILD: LUNG FUNCTION AND RESPIRATORY SYMPTOMS OR CHEST IMAGING HAVE WORSENERD/PROGRESSEDE DESPITE TREATMENT WITH MEDICATIONS USED IN CLINICAL PRACTICE FOR ILD (NOT ATTRIBUTABLE TO COMORBIDITIES SUCH AS INFECTION, HEART FAILURE). RENEWAL: IPF, SSC-ILD, PF-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# NIRAPARIB

## Products Affected

- ZEJULA ORAL CAPSULE
- ZEJULA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: 1) ZEJULA WILL BE USED AS MONOTHERAPY, AND 2) ZEJULA IS STARTED NO LATER THAN 8 WEEKS AFTER THE MOST RECENT PLATINUM-CONTAINING REGIMEN.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# NIRAPARIB-ABIRATERONE

## Products Affected

- AKEEGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# NIROGACESTAT

---

## Products Affected

- OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# NITISINONE

## Products Affected

- *nitisinone*
- ORFADIN ORAL SUSPENSION

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	HEREDITARY TYROSINEMIA TYPE 1 (HT-1): INITIAL: DIAGNOSIS CONFIRMED BY ELEVATED URINARY OR PLASMA SUCCINYLACETONE LEVELS OR A MUTATION IN THE FUMARYLACETOACETATE HYDROLASE GENE. RENEWAL: URINARY OR PLASMA SUCCINYLACETONE LEVELS HAVE DECREASED FROM BASELINE WHILE ON TREATMENT WITH NITISINONE.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	HT-1: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PRESCRIBER SPECIALIZING IN INHERITED METABOLIC DISEASES.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	HT-1: INITIAL: ORFADIN SUSPENSION: TRIAL OF OR CONTRAINDICATION TO PREFERRED NITISINONE TABLETS OR CAPSULES.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# NIVOLUMAB

---

## Products Affected

- OPDIVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# NIVOLUMAB-HYALURONIDASE-NVHY

---

## Products Affected

- OPDIVO QVANTIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# NIVOLUMAB-RELATLIMAB-RMBW

---

## Products Affected

- OPDUALAG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# NOGAPENDEKIN ALFA

---

## Products Affected

- ANKTIVA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	40 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# OCRELIZUMAB

---

## Products Affected

- OCREVUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF TWO AGENTS INDICATED FOR THE TREATMENT OF RELAPSING FORMS OF MS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# OCRELIZUMAB-HYALURONIDASE-OCSQ

## Products Affected

- OCREVUS ZUNOVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): TRIAL OF TWO AGENTS INDICATED FOR THE TREATMENT OF RELAPSING FORMS OF MS. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# OFATUMUMAB-SQ

---

## Products Affected

- KESIMPTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# OLANZAPINE/SAMIDORPHAN

## Products Affected

- LYBALVI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	SCHIZOPHRENIA, BIPOLAR I: PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST
Coverage Duration	12 MONTHS
Other Criteria	SCHIZOPHRENIA: 1) AT HIGH RISK FOR WEIGHT GAIN, AND 2) TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF LURASIDONE OR ONE OF THE FOLLOWING ORAL ANTIPSYCHOTICS: RISPERIDONE, CLOZAPINE TABLET, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE. BIPOLAR I: 1) AT HIGH RISK FOR WEIGHT GAIN, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING ORAL ANTIPSYCHOTICS: RISPERIDONE, OLANZAPINE, IMMEDIATE RELEASE QUETIAPINE FUMARATE, ZIPRASIDONE, ARIPIPRAZOLE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# OLAPARIB

## Products Affected

- LYNPARZA ORAL TABLET

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE OR PRIMARY PERITONEAL CANCER: MEDICATION WILL BE USED AS MONOTHERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# OLUTASIDENIB

---

## Products Affected

- REZLIDHIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# OMACETAXINE

---

## Products Affected

- SYNRIBO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# OMALIZUMAB

## Products Affected

- XOLAIR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: ASTHMA: POSITIVE SKIN PRICK OR BLOOD TEST (E.G., ELISA, FEIA) TO A PERENNIAL AEROALLERGEN AND A BASELINE IGE SERUM LEVEL OF AT LEAST 30 IU/ML. FOOD ALLERGY: 1) IGE SERUM LEVEL OF AT LEAST 30 IU/ML, AND 2) ALLERGEN SPECIFIC IGE SERUM LEVEL OF AT LEAST 6 KUA/L TO AT LEAST ONE FOOD, OR POSITIVE SKIN PRICK TEST TO AT LEAST ONE FOOD, OR POSITIVE MEDICALLY MONITORED FOOD CHALLENGE TO AT LEAST ONE FOOD.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL/RENEWAL: CHRONIC SPONTANEOUS URTICARIA (CSU): PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST. INITIAL: CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. FOOD ALLERGY: PRESCRIBED BY OR IN CONSULTATION WITH ALLERGIST OR IMMUNOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: ASTHMA 12 MO/12 MO, CSU 6 MO/12 MO, CRSWNP 6 MO/12 MO, FOOD ALLERGY 12 MO/24 MO
<b>Other Criteria</b>	INITIAL: CSU: 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE AND 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA ON MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, 2) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED AGENT: NUCALA, DUPIXENT, AND 3) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA, AND 3) NO CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. FOOD ALLERGY: 1) CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION, AND 2) NO CONCURRENT USE WITH PEANUT-SPECIFIC IMMUNOTHERAPY. RENEWAL: CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ASTHMA: 1) NO CONCURRENT USE WITH DUPIXENT, TEZSPIRE, OR ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY ONE OF THE FOLLOWING: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. FOOD ALLERGY: 1) PERSISTENT IGE-MEDIATED FOOD ALLERGY, 2) CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION, AND 3) NO CONCURRENT USE WITH PEANUT-SPECIFIC IMMUNOTHERAPY.</p>

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# OSIMERTINIB

---

## Products Affected

- TAGRISSO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# OXANDROLONE

## Products Affected

- *oxandrolone oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	6 MONTHS
Other Criteria	PROTEIN CATABOLISM, BONE PAIN: 1) MONITORED FOR PELIOSIS HEPATIS, LIVER CELL TUMORS, AND BLOOD LIPID CHANGES, 2) DOES NOT HAVE KNOWN OR SUSPECTED: CARCINOMA OF THE PROSTATE OR BREAST IN MALE PATIENTS, CARCINOMA OF THE BREAST IN FEMALES WITH HYPERCALCEMIA, NEPHROSIS (THE NEPHROTIC PHASE OF NEPHRITIS), OR HYPERCALCEMIA, AND 3) DOES NOT HAVE SEVERE HEPATIC DYSFUNCTION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# PACRITINIB

---

## Products Affected

- VONJO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
Other Criteria	MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PALBOCICLIB

---

## Products Affected

- IBRANCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE PREFERRED AGENTS, WHERE INDICATIONS ALIGN: KISQALI, VERZENIO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# PARATHYROID HORMONE

## Products Affected

- NATPARA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: 1) TRIAL OF OR CONTRAINDICATION TO CALCITRIOL, 2) HYPOPARATHYROIDISM IS NOT DUE TO A CALCIUM SENSING RECEPTOR (CSR) MUTATION, AND 3) HYPOPARATHYROIDISM IS NOT CONSIDERED ACUTE POST-SURGICAL HYPOPARATHYROIDISM.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# PASIREOTIDE DIASPARTATE

---

## Products Affected

- SIGNIFOR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CUSHINGS DISEASE (CD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	CD: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE, AND 2) MAINTAINED TOLERABILITY TO SIGNIFOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# PAZOPANIB

---

## Products Affected

- *pazopanib hcl*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED SOFT TISSUE SARCOMA (STS): NOT USED FOR ADIPOCYTIC STS OR GASTROINTESTINAL STROMAL TUMORS (GIST)
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PEGFILGRASTIM - APGF

---

## Products Affected

- NYVEPRIA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PEGFILGRASTIM-NEULASTA ONPRO

---

## Products Affected

- NEULASTA ONPRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PEGINTERFERON ALFA-2A

## Products Affected

- PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML
- PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HEPATITIS B: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, OR PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (E.G., HEPATOLOGIST).
Coverage Duration	HEP B/HEP C: 48 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# PEGVISOMANT

---

## Products Affected

- SOMAVERT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PEMBROLIZUMAB

## Products Affected

- KEYTRUDA INTRAVENOUS SOLUTION

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# PEMIGATINIB

## Products Affected

- PEMAZYRE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	CHOLANGIOCARCINOMA, MYELOID/LYMPHOID NEOPLASMS: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PENICILLAMINE TABLET

## Products Affected

- *penicillamine oral tablet*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: CYSTINURIA: HAS NEPHROLITHIASIS AND ONE OF THE FOLLOWING: 1) STONE ANALYSIS SHOWING PRESENCE OF CYSTINE, 2) PRESENCE OF PATHOGNOMONIC HEXAGONAL CYSTINE CRYSTALS ON URINALYSIS, OR 3) FAMILY HISTORY OF CYSTINURIA AND POSITIVE CYANIDE-NITROPRUSSIDE SCREENING.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST. CYSTINURIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST. RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: 12 MONTHS, RENEWAL: LIFETIME.
<b>Other Criteria</b>	INITIAL: WILSONS DISEASE: 1) LEIPZIG SCORE OF 4 OR GREATER. RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) EXPERIENCED OR MAINTAINED IMPROVEMENT IN TENDER JOINT COUNT OR SWOLLEN JOINT COUNT COMPARED TO BASELINE. WILSONS DISEASE, CYSTINURIA: CONTINUES TO BENEFIT FROM THE MEDICATION.
<b>Indications</b>	All FDA-approved Indications.

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# PEXIDARTINIB

---

## Products Affected

- TURALIO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PIMAVANSERIN

## Products Affected

- NUPLAZID ORAL CAPSULE
- NUPLAZID ORAL TABLET 10 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	PSYCHOSIS IN PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OR OLDER
<b>Prescriber Restrictions</b>	PSYCHOSIS IN PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, GERIATRICIAN, OR A BEHAVIORAL HEALTH SPECIALIST (E.G., PSYCHIATRIST).
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	PSYCHOSIS IN PD: RENEWAL: IMPROVEMENT IN PSYCHOSIS SYMPTOMS FROM BASELINE AND DEMONSTRATES A CONTINUED NEED FOR TREATMENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# PIRFENIDONE

## Products Affected

- *pirfenidone oral capsule*
- *pirfenidone oral tablet 267 mg, 534 mg, 801 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	IDIOPATHIC PULMONARY FIBROSIS (IPF): INITIAL: 1) A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT, AND 2) PREDICTED FORCED VITAL CAPACITY (FVC) OF AT LEAST 50% AT BASELINE.
<b>Age Restrictions</b>	IPF: INITIAL: 18 YEARS OR OLDER.
<b>Prescriber Restrictions</b>	IPF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	IPF: INITIAL: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS, SYSTEMIC SCLEROSIS, RHEUMATOID ARTHRITIS, RADIATION, SARCOIDOSIS, BRONCHIOLITIS OBLITERANS ORGANIZING PNEUMONIA, HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION, VIRAL HEPATITIS, OR CANCER). RENEWAL: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# PIRTOBRUTINIB

---

## Products Affected

- JAYPIRCA ORAL TABLET 100 MG, 50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# POMALIDOMIDE

---

## Products Affected

- POMALYST

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# PONATINIB

---

## Products Affected

- ICLUSIG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	CHRONIC MYELOID LEUKEMIA (CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND ICLUSIG IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE.
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# POSACONAZOLE TABLET

---

## Products Affected

- *posaconazole oral tablet delayed release*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE, PROPHYLAXIS: 6 MONTHS. TREATMENT: 12 WEEKS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PRALSETINIB

---

## Products Affected

- GAVRETO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# PYRIMETHAMINE

## Products Affected

- *pyrimethamine oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TOXOPLASMOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.
Coverage Duration	TOXOPLASMOSIS: INITIAL: 8 WEEKS, RENEWAL: 6 MOS.
Other Criteria	TOXOPLASMOSIS: RENEWAL: ONE OF THE FOLLOWING: (1) PERSISTENT CLINICAL DISEASE (HEADACHE, NEUROLOGICAL SYMPTOMS, OR FEVER) AND PERSISTENT RADIOGRAPHIC DISEASE (ONE OR MORE MASS LESIONS ON BRAIN IMAGING), OR (2) CD4 COUNT LESS THAN 200 CELLS/MM3 AND CURRENTLY TAKING AN ANTI-RETROVIRAL THERAPY IF HIV POSITIVE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# QUININE

---

## Products Affected

- *quinine sulfate oral*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# QUIZARTINIB

---

## Products Affected

- VANFLYTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# REGORAFENIB

---

## Products Affected

- STIVARGA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RELUGOLIX

---

## Products Affected

- ORGOVYX

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# REPOTRECTINIB

---

## Products Affected

- AUGTYRO ORAL CAPSULE 160 MG, 40 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RESLIZUMAB

## Products Affected

- CINQAIR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	ASTHMA: INITIAL: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	ASTHMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE.
<b>Coverage Duration</b>	ASTHMA: INITIAL: 4 MONTHS. RENEWAL: 12 MONTHS
<b>Other Criteria</b>	ASTHMA: INITIAL: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING 3 OR MORE DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA, 3) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: FASENRA, NUCALA, DUPIXENT, AND 4) NO CONCURRENT USE WITH XOLAIR, DUPIXENT, TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA. RENEWAL: 1) NO CONCURRENT USE WITH XOLAIR, DUPIXENT,

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	TEZSPIRE, OR OTHER ANTI-IL5 BIOLOGICS WHEN USED FOR ASTHMA, 2) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# RETIFANLIMAB-DLWR

---

## Products Affected

- ZYNYZ

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# REVUMENIB

---

## Products Affected

- REVUFORJ ORAL TABLET 110 MG,  
160 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RIBOCICLIB

**Products Affected**

- KISQALI (200 MG DOSE)
- KISQALI (400 MG DOSE)
- KISQALI (600 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RIBOCICLIB-LETROZOLE

**Products Affected**

- KISQALI FEMARA (200 MG DOSE)
- KISQALI FEMARA (400 MG DOSE)
- KISQALI FEMARA (600 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RIFAXIMIN

---

## Products Affected

- XIFAXAN ORAL TABLET 200 MG, 550 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	TRAVELERS DIARRHEA, HEPATIC ENCEPHALOPATHY (HE): 12 MOS. IBS-D: 8 WKS.
Other Criteria	HE: TRIAL OF OR CONTRAINDICATION TO LACTULOSE OR CONCURRENT LACTULOSE THERAPY.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# RILONACEPT

## Products Affected

- ARCALYST

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	<p>CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES.</p> <p>DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS. RECURRENT PERICARDITIS (RP): TWO OF THE FOLLOWING: CHEST PAIN CONSISTENT WITH PERICARDITIS, PERICARDIAL FRICTION RUB, ECG SHOWING DIFFUSE ST-SEGMENT ELEVATION OR PR-SEGMENT DEPRESSION, NEW OR WORSENING PERICARDIAL EFFUSION.</p>
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	CAPS, DIRA: LIFETIME. RP: 12 MONTHS.
<b>Other Criteria</b>	<p>CAPS: NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS.</p> <p>DIRA: 1) NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS, AND 2) TRIAL OF THE PREFERRED AGENT: KINERET. RP: 1) HAD AN EPISODE OF ACUTE PERICARDITIS, 2) SYMPTOM-FREE</p>

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
	FOR 4 TO 6 WEEKS, AND 3) NO CONCURRENT USE WITH OTHER IL-1 INHIBITORS.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# RIMEGEPANT

## Products Affected

- NURTEC

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	<p>INITIAL: ACUTE MIGRAINE TREATMENT: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT.</p> <p>EPISODIC MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREVENTIVE MIGRAINE TREATMENTS: DIVALPROEX SODIUM, TOPIRAMATE, PROPRANOLOL, TIMOLOL. RENEWAL: ACUTE MIGRAINE TREATMENT: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS.</p> <p>EPISODIC MIGRAINE PREVENTION: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION, AND 2) REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY.</p>
Indications	All FDA-approved Indications.

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# RIOCIGUAT

## Products Affected

- ADEMPAS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PULMONARY ARTERIAL HYPERTENSION (PAH): DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. PERSISTENT/RECURRENT CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION (CTEPH) (WHO GROUP 4): WHO FUNCTIONAL CLASS II-IV SYMPTOMS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PAH, CTEPH: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: PAH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PHOSPHODIESTERASE (PDE) INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS. CTEPH: 1) NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS, AND 2) NOT A CANDIDATE FOR SURGERY OR HAS INOPERABLE CTEPH OR HAS PERSISTENT OR RECURRENT DISEASE AFTER SURGICAL TREATMENT. RENEWAL: PAH, CTEPH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Part B Prerequisite</b>	No

# RIPRETINIB

---

## Products Affected

- QINLOCK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RISANKIZUMAB-RZAA

## Products Affected

- SKYRIZI
- SKYRIZI (150 MG DOSE)
- SKYRIZI PEN

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PLAQUE PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
<b>Other Criteria</b>	INITIAL: PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



PA Criteria	Criteria Details
	MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: PSO, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# RITUXIMAB AND HYALURONIDASE HUMAN-SQ

## Products Affected

- RITUXAN HYCELA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	FOLLICULAR LYMPHOMA (FL), DIFFUSE LARGE B-CELL LYMPHOMA (DLBCL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): HAS RECEIVED OR WILL RECEIVE AT LEAST ONE FULL DOSE OF A RITUXIMAB PRODUCT BY INTRAVENOUS INFUSION PRIOR TO INITIATION OF RITUXIMAB AND HYALURONIDASE. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# RITUXIMAB-ABBS

## Products Affected

- TRUXIMA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
<b>Coverage Duration</b>	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
<b>Other Criteria</b>	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# RITUXIMAB-ARRX

## Products Affected

- RIABNI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	RHEUMATOID ARTHRITIS (RA): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
<b>Coverage Duration</b>	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
<b>Other Criteria</b>	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# RITUXIMAB-PVVR

## Products Affected

- RUXIENCE

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	RA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.
Coverage Duration	RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA: 12 MO. CLL: 6 MO.
Other Criteria	RA: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ROPEGINTERFERON ALFA-2B-NJFT

---

## Products Affected

- BESREMI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RUCAPARIB

## Products Affected

- RUBRACA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: ONE OF THE FOLLOWING: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# RUXOLITINIB

---

## Products Affected

- JAKAFI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	MYELOFIBROSIS: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. POLYCYTHEMIA VERA, GVHD: 12 MONTHS.
Other Criteria	MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# SAPROPTERIN

## Products Affected

- *javygtor oral tablet*
- *sapropterin dihydrochloride oral tablet*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 2 MONTHS, RENEWAL 12 MONTHS.
Other Criteria	HYPERPHENYLALANINEMIA (HPA): INITIAL: NO CONCURRENT USE WITH PALYNZIQ. RENEWAL: 1) CONTINUES TO BENEFIT FROM TREATMENT, AND 2) NO CONCURRENT USE WITH PALYNZIQ.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SECUKINUMAB IV

## Products Affected

- COSENTYX INTRAVENOUS

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR-AXSPA: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
<b>Other Criteria</b>	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AS, NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: PSA, AS, NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# SECUKINUMAB SQ

## Products Affected

- COSENTYX (300 MG DOSE)
- COSENTYX SENSOREADY (300 MG)
- COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML
- COSENTYX UNOREADY

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, ENTHESITIS-RELATED ARTHRITIS (ERA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.
<b>Coverage Duration</b>	INITIAL: HS: 4 MONTHS, ALL OTHER INDICATIONS: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AS, NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ERA: TRIAL OF OR CONTRAINDICATION TO ONE NSAID, SULFASALAZINE, OR METHOTREXATE. HS: NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR HS OR OTHER IL-17 INHIBITORS FOR ANY INDICATION. RENEWAL: PSO, PSA, AS, NR-AXSPA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. ERA, HS: CONTINUES TO BENEFIT FROM THE MEDICATION.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# SELEXIPAG

## Products Affected

- UPTRAVI INTRAVENOUS
- UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG
- UPTRAVI TITRATION

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS
<b>Other Criteria</b>	PAH: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: 1) FORMULARY VERSION OF AN ORAL ENDOTHELIN RECEPTOR ANTAGONIST, 2) FORMULARY VERSION OF AN ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, 3) FORMULARY VERSION OF AN ORAL CGMP STIMULATOR.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
 Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SELINEXOR

## Products Affected

- XPOVIO (100 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 50  
MG
- XPOVIO (40 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 40  
MG
- XPOVIO (40 MG TWICE WEEKLY)  
ORAL TABLET THERAPY PACK 40  
MG
- XPOVIO (60 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 60  
MG
- XPOVIO (60 MG TWICE WEEKLY)
- XPOVIO (80 MG ONCE WEEKLY)  
ORAL TABLET THERAPY PACK 40  
MG
- XPOVIO (80 MG TWICE WEEKLY)

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# SELPERCATINIB

## Products Affected

- RETEVMO ORAL CAPSULE 40 MG, 80 MG
- RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# SELUMETINIB

---

## Products Affected

- KOSELUGO ORAL CAPSULE 10 MG, 25 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SILDENAFIL TABLET

## Products Affected

- *sildenafil citrate oral tablet 20 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: AGES 18 YEARS OR OLDER: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. AGES 1 TO 17 YEARS: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PAP GREATER THAN 20 MMHG, 2) PCWP OF 15 MMHG OR LESS, AND 3) PVR OF 3 WOOD UNITS OR GREATER.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SIPONIMOD

## Products Affected

- MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG
- MAYZENT STARTER PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS
Other Criteria	RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): RENEWAL: DEMONSTRATED CLINICAL BENEFIT COMPARED TO PRE-TREATMENT BASELINE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SIROLIMUS PROTEIN-BOUND

---

## Products Affected

- FYARRO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SODIUM OXYBATE-XYREM

## Products Affected

- *sodium oxybate*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: CATAPLEXY IN NARCOLEPSY, EXCESSIVE DAYTIME SLEEPINESS (EDS) IN NARCOLEPSY: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR SPECIALIST IN SLEEP MEDICINE
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS
<b>Other Criteria</b>	INITIAL: EDS IN NARCOLEPSY: 1) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT, 2) AGES 18 YEARS OR OLDER: TRIAL, FAILURE OF, OR CONTRAINDICATION TO A FORMULARY VERSION OF MODAFINIL, ARMODAFINIL, OR SUNOSI AND ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY, AND 3) AGES 7 TO 17 YEARS: TRIAL, FAILURE OF, OR CONTRAINDICATION TO ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY. CATAPLEXY IN NARCOLEPSY: NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT. RENEWAL: CATAPLEXY IN NARCOLEPSY, EDS IN NARCOLEPSY: 1) SUSTAINED IMPROVEMENT OF SYMPTOMS COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SOFOSBUVIR/VELPATASVIR

## Products Affected

- EPCLUSA ORAL PACKET 150-37.5 MG, 200-50 MG
- EPCLUSA ORAL TABLET

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	HCV RNA LEVEL WITHIN PAST 6 MONTHS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
<b>Other Criteria</b>	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANA VIR/RITONAVIR, TOPOTECAN, SOVALDI (AS A SINGLE AGENT), HARVONI, ZEPATIER, MAVYRET, OR VOSEVI, AND 3) PATIENTS WITH DECOMPENSATED CIRRHOSIS REQUIRE CONCURRENT RIBAVIRIN UNLESS RIBAVIRIN INELIGIBLE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SOFOSBUVIR/VELPATASVIR/VOXILAPREVIR

## Products Affected

- VOSEVI

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	HCV RNA LEVEL WITHIN PAST 6 MONTHS
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.
<b>Other Criteria</b>	1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, CYCLOSPORINE, PITAVASTATIN, PRAVASTATIN (DOSES ABOVE 40MG), ROSUVASTATIN, METHOTREXATE, MITOXANTRONE, IMATINIB, IRINOTECAN, LAPATINIB, SULFASALAZINE, TOPOTECAN, OR HIV REGIMEN THAT CONTAINS EFAVIRENZ, ATAZANAVIR, LOPINAVIR, TIPRANAVIR/RITONAVIR, SOVALDI (AS A SINGLE AGENT), EPCLUSA, HARVONI, ZEPATIER, OR MAVYRET, AND 3) DOES NOT HAVE MODERATE OR SEVERE HEPATIC IMPAIRMENT (CHILD-PUGH B OR C).
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SOMATROPIN - NORDITROPIN

## Products Affected

- NORDITROPIN FLEXPRO  
SUBCUTANEOUS SOLUTION PEN-  
INJECTOR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES.
<b>Required Medical Information</b>	INITIAL: PEDIATRIC GROWTH HORMONE DEFICIENCY (GHD), IDIOPATHIC SHORT STATURE (ISS), SMALL FOR GESTATIONAL AGE (SGA), TURNER SYNDROME (TS), NOONAN SYNDROME: HEIGHT AT LEAST 2 STANDARD DEVIATIONS BELOW THE MEAN HEIGHT FOR CHILDREN OF THE SAME AGE AND GENDER. PRADER WILLI SYNDROME (PWS): CONFIRMED GENETIC DIAGNOSIS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL/RENEWAL: ALL INDICATIONS: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: ADULT GHD: GHD ALONE OR ASSOCIATED WITH MULTIPLE HORMONE DEFICIENCIES (HYPOPITUITARISM), AS A RESULT OF PITUITARY DISEASE, HYPOTHALAMIC DISEASE, SURGERY, RADIATION THERAPY, OR TRAUMA, OR FOR CONTINUATION OF THERAPY FROM CHILDHOOD ONSET GHD. PEDIATRIC GHD, ISS, SGA, TS, NOONAN SYNDROME: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND. RENEWAL: PEDIATRIC GHD: 1) IMPROVEMENT WHILE ON THERAPY (I.E., INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND OR HAS NOT COMPLETED PREPUBERTAL GROWTH. ISS, SGA, TS, NOONAN SYNDROME: 1) IMPROVEMENT WHILE ON THERAPY (I.E., INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



<b>PA Criteria</b>	<b>Criteria Details</b>
	THE WRIST AND HAND. PWS: IMPROVEMENT IN BODY COMPOSITION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# SOMATROPIN - SEROSTIM

## Products Affected

- SEROSTIM SUBCUTANEOUS SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES
<b>Required Medical Information</b>	INITIAL: HIV/WASTING: ONE OF THE FOLLOWING FOR WEIGHT LOSS: 1) 10% UNINTENTIONAL WEIGHT LOSS OVER 12 MONTHS, 2) 7.5% UNINTENTIONAL WEIGHT LOSS OVER 6 MONTHS, 3) 5% BODY CELL MASS (BCM) LOSS WITHIN 6 MONTHS, 4) BCM LESS THAN 35% (MEN) OF TOTAL BODY WEIGHT AND BODY MASS INDEX (BMI) LESS THAN 27 KG PER METER SQUARED, 5) BCM LESS THAN 23% (WOMEN) OF TOTAL BODY WEIGHT AND BMI LESS THAN 27 KG PER METER SQUARED, OR 6) BMI LESS THAN 18.5 KG PER METER SQUARED.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	HIV/WASTING: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, NUTRITIONAL SUPPORT SPECIALIST, OR INFECTIOUS DISEASE SPECIALIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 3 MONTHS.
<b>Other Criteria</b>	HIV/WASTING: INITIAL: 1) INADEQUATE RESPONSE TO ONE PREVIOUS THERAPY (E.G., MEGACE, APPETITE STIMULANTS, ANABOLIC STEROIDS). RENEWAL: 1) CLINICAL BENEFIT IN MUSCLE MASS AND WEIGHT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SONIDEGIB

## Products Affected

- ODOMZO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	LOCALLY ADVANCED BASAL CELL CARCINOMA (BCC); BASELINE SERUM CREATINE KINASE (CK) AND SERUM CREATININE LEVELS
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SORAFENIB

---

## Products Affected

- *sorafenib tosylate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SOTATERCEPT-CSRK

## Products Affected

- WINREVAIR

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	PAH: INITIAL: 1) ON BACKGROUND PAH THERAPY (FOR AT LEAST 3 MONTHS) WITH AT LEAST TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: A) ORAL ENDOTHELIN RECEPTOR ANTAGONIST, B) ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, C) ORAL CGMP STIMULATOR, D) IV/SQ PROSTACYCLIN, OR 2) ON ONE AGENT FROM ONE OF THE ABOVE DRUG CLASSES, AND HAS A CONTRAINDICATION OR INTOLERANCE TO ALL OF THE OTHER DRUG CLASSES.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# SOTORASIB

---

## Products Affected

- LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# STIRIPENTOL

## Products Affected

- DIACOMIT ORAL CAPSULE 250 MG, 500 MG
- DIACOMIT ORAL PACKET 250 MG, 500 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	DRAVET SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
Coverage Duration	INITIAL/RENEWAL: 12 MONTHS.
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# SUNITINIB

## Products Affected

- *sunitinib malate*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	GASTROINTESTINAL STROMAL TUMORS (GIST): TRIAL OF OR CONTRAINDICATION TO IMATINIB (GLEEVEC).
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# TADALAFIL - ADCIRCA, ALYQ

## Products Affected

- *alyq*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM, AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.
<b>Indications</b>	All Medically-accepted Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TADALAFIL-CIALIS

## Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	ERECTILE DYSFUNCTION WITHOUT DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA (BPH).
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	BPH: 1) TRIAL OF ONE ALPHA BLOCKER (E.G., DOXAZOSIN, TERAZOSIN, TAMSULOSIN, ALFUZOSIN), AND 2) TRIAL OF ONE 5-ALPHA-REDUCTASE INHIBITOR (E.G., FINASTERIDE, DUTASTERIDE). APPLIES TO 2.5MG AND 5MG STRENGTHS ONLY.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TALAZOPARIB

## Products Affected

- TALZENNA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADVANCED OR METASTATIC BREAST CANCER: 1) HAS BEEN TREATED WITH CHEMOTHERAPY IN THE NEOADJUVANT, ADJUVANT, OR METASTATIC SETTING, AND 2) IF HORMONE RECEPTOR (HR)-POSITIVE BREAST CANCER, RECEIVED PRIOR TREATMENT WITH ENDOCRINE THERAPY OR IS CONSIDERED INAPPROPRIATE FOR ENDOCRINE THERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TALQUETAMAB-TGVS

---

## Products Affected

- TALVEY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TARLATAMAB-DLLE

---

## Products Affected

- IMDELLTRA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TAZEMETOSTAT

---

## Products Affected

- TAZVERIK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TEBENTAFUSP-TEBN

---

## Products Affected

- KIMMTRAK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TECLISTAMAB-CQYV

---

## Products Affected

- TECVAYLI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# TELOTRISTAT

---

## Products Affected

- XERMELO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CARCINOID SYNDROME DIARRHEA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST OR GASTROENTEROLOGIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TEPOTINIB

---

## Products Affected

- TEPMETKO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TERIPARATIDE

---

## Products Affected

- TERIPARATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 620 MCG/2.48ML

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	24 MONTHS
Other Criteria	OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY, UNLESS REMAINS AT OR HAS RETURNED TO HAVING A HIGH RISK FOR FRACTURE.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TESTOSTERONE

## Products Affected

- *testosterone gel 1.62 % transdermal*
- *testosterone transdermal gel 12.5 mg/act (1%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 50 mg/5gm (1%)*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS
<b>Other Criteria</b>	MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TESTOSTERONE CYPIONATE

## Products Affected

- *testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	INITIAL/RENEWAL: 12 MONTHS
<b>Other Criteria</b>	MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TESTOSTERONE ENANTHATE

## Products Affected

- *testosterone enanthate intramuscular solution*
- XYOSTED

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	INITIAL/RENEWAL: MALE DELAYED PUBERTY: 6MO, MALE HYPOGONADISM: 12 MO. OTHER INDICATIONS: 12 MO.
<b>Other Criteria</b>	INITIAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT. MALE DELAYED PUBERTY: HAS NOT RECEIVED MORE THAN TWO 6-MONTH COURSES OF TESTOSTERONE REPLACEMENT THERAPY
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# TETRABENAZINE

---

## Products Affected

- *tetrabenazine*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# THALIDOMIDE

---

## Products Affected

- THALOMID

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No



# TISLELIZUMAB-JSGR

---

## Products Affected

- TEVIMBRA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TISOTUMAB VEDOTIN-TFTV

---

## Products Affected

- TIVDAK

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# TIVOZANIB

---

## Products Affected

- FOTIVDA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TOCILIZUMAB IV

## Products Affected

- ACTEMRA

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.
<b>Coverage Duration</b>	INITIAL: RA, PJIA, SJIA, GCA: 6 MONTHS. CRS: 1 MONTH. RENEWAL: RA, PJIA, SJIA, GCA: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ IR, RINVOQ, ORENCIA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA, SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TOCILIZUMAB SQ

## Products Affected

- ACTEMRA
- ACTEMRA ACTPEN

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST. SYSTEMIC SCLEROSIS-ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.
Coverage Duration	INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ, RINVOQ, ORENCIA. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: ENBREL, HUMIRA, XELJANZ IR, RINVOQ, ORENCIA, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. SJIA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. SSC-ILD: DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	EXPOSURE, HYPERSENSITIVITY PNEUMONITIS). RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PJIA, SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE- 4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. SSC-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TOFACITINIB

## Products Affected

- XELJANZ
- XELJANZ XR

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), POLYARTICULAR COURSE JUVENILE IDIOPATHIC ARTHRITIS (PCJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PCJIA: 1) TRIAL OF OR CONTRAINDICATION TO ONE DMARD, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AS: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



PA Criteria	Criteria Details
	<p>TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. PSA, AS, PCJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TOPICAL TRETINOIN

---

## Products Affected

- ALTRENO
- *tretinoin external cream*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	COSMETIC INDICATIONS SUCH AS WRINKLES, PHOTOAGING, MELASMA.
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	ACNE VULGARIS: BRAND TOPICAL TRETINOIN REQUIRES TRIAL OF OR CONTRAINDICATION TO A GENERIC TOPICAL TRETINOIN PRODUCT.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TORIPALIMAB-TPZI

---

## Products Affected

- LOQTORZI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	NASOPHARYNGEAL CARCINOMA (NPC): FIRST LINE TREATMENT: 24 MOS, PREVIOUSLY TREATED: LIFETIME.
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TOVORAFENIB

**Products Affected**

- OJEMDA ORAL SUSPENSION RECONSTITUTED
- OJEMDA ORAL TABLET

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TRAMETINIB SOLUTION

## Products Affected

- MEKINIST ORAL SOLUTION RECONSTITUTED

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	UNRESECTABLE OR METASTATIC MELANOMA, MELANOMA, METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), LOCALLY ADVANCED OR METASTATIC ANAPLASTIC THYROID CANCER (ATC), UNRESECTABLE OR METASTATIC SOLID TUMOR, LOW-GRADE GLIOMA (LGG): UNABLE TO SWALLOW MEKINIST TABLETS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TRAMETINIB TABLET

---

## Products Affected

- MEKINIST ORAL TABLET 0.5 MG, 2 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TRASTUZUMAB-DKST

---

## Products Affected

- OGIVRI

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TRASTUZUMAB-DTTB

---

## Products Affected

- ONTRUZANT

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# TRASTUZUMAB-HYALURONIDASE-OYSK

## Products Affected

- HERCEPTIN HYLECTA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	ADJUVANT BREAST CANCER, METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: HERZUMA, OGIVRI, ONTRUZANT, TRAZIMERA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TRASTUZUMAB-PKRB

---

## Products Affected

- HERZUMA

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TRASTUZUMAB-QYYP

---

## Products Affected

- TRAZIMERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TREMELIMUMAB-ACTL

---

## Products Affected

- IMJUDO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	UHCC: 30 DAYS. METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): 5 MONTHS.
Other Criteria	UNRESECTABLE HEPATOCELLULAR CARCINOMA (UHCC): HAS NOT RECEIVED PRIOR TREATMENT WITH IMJUDO. NSCLC: HAS NOT RECEIVED A TOTAL OF 5 DOSES OF IMJUDO.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# TRIENTINE CAPSULE

## Products Affected

- *trientine hcl oral capsule 250 mg*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	WILSONS DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST.
<b>Coverage Duration</b>	INITIAL: 12 MONTHS, RENEWAL: LIFETIME.
<b>Other Criteria</b>	WILSONS DISEASE: INITIAL: 1) LEIPZIG SCORE OF 4 OR GREATER, AND 2) TRIAL OF OR CONTRAINDICATION TO FORMULARY VERSION OF PENICILLAMINE TABLET. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# TRIFLURIDINE/TIPIRACIL

---

## Products Affected

- LONSURF ORAL TABLET 15-6.14 MG,  
20-8.19 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TRIPTORELIN-TRELSTAR

---

## Products Affected

- TRELSTAR MIXJECT

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS.
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# TUCATINIB

---

## Products Affected

- TUKYSA ORAL TABLET 150 MG, 50 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# UBROGEPANT

## Products Affected

- UBRELVY

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
Other Criteria	ACUTE MIGRAINE TREATMENT: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. RENEWAL: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# UPADACITINIB

## Products Affected

- RINVOQ
- RINVOQ LQ

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI). ATOPIC DERMATITIS (AD): ATOPIC DERMATITIS COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR ATOPIC DERMATITIS AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. AD: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST, OR IMMUNOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	<p>AUTOIMMUNE INDICATION. PJIA: 1) TRIAL OF OR CONTRAINDICATION TO ONE DMARD, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, 2) TRIAL OF OR CONTRAINDICATION TO A TOPICAL CORTICOSTEROID, TOPICAL CALCINEURIN INHIBITOR, TOPICAL PDE4 INHIBITOR, OR TOPICAL JAK INHIBITOR, AND 3) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITORS FOR ANY INDICATION. UC, CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. AS, NR-AXSPA: 1) TRIAL OF OR CONTRAINDICATION TO AN NSAID (NON-STEROIDAL ANTI-INFLAMMATORY DRUG), AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: RA: CONTINUES TO BENEFIT FROM THE MEDICATION. AD: 1) IMPROVEMENT WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH OTHER SYSTEMIC BIOLOGICS FOR ATOPIC DERMATITIS OR OTHER JAK INHIBITOR FOR ANY INDICATION. PSA, AS, NR-AXSPA, PJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. UC, CD: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.</p>
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# USTEKINUMAB

## Products Affected

- STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML
- STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
<b>Coverage Duration</b>	INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.
<b>Other Criteria</b>	INITIAL: PSA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. PSO: 1) ONE OF THE FOLLOWING: (A) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY) FOR THE TREATMENT OF PSO, (B) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA FOR THE TREATMENT OF PSO, OR (C) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. CD, UC: NO CONCURRENT USE

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

PA Criteria	Criteria Details
	WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. RENEWAL: PSA, PSO: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# USTEKINUMAB IV

---

## Products Affected

- STELARA INTRAVENOUS

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.
Coverage Duration	2 MONTHS
Other Criteria	CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR AN AUTOIMMUNE INDICATION. THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# VALBENZAZINE

## Products Affected

- INGREZZA ORAL CAPSULE
- INGREZZA ORAL CAPSULE SPRINKLE
- INGREZZA ORAL CAPSULE THERAPY PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	TARDIVE DYSKINESIA (TD): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. CHOREA ASSOCIATED WITH HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST.
Coverage Duration	12 MONTHS
Other Criteria	TD: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# VANDETANIB

---

## Products Affected

- CAPRELSA ORAL TABLET 100 MG,  
300 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	CURRENTLY STABLE ON CAPRELSA REQUIRES NO EXTRA CRITERIA.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No



# VANZACAFTOR-TEZACAFTOR- DEUTIVACAFTOR

## Products Affected

- ALYFTREK ORAL TABLET 10-50-125  
MG, 4-20-50 MG

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT.
Coverage Duration	INITIAL: 6 MONTHS. RENEWAL: LIFETIME.
Other Criteria	CF: INITIAL: NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# VEMURAFENIB

---

## Products Affected

- ZELBORAF

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	MELANOMA: ZELBORAF WILL BE USED ALONE OR IN COMBINATION WITH COTELLIC
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# VENETOCLAX

## Products Affected

- VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG
- VENCLEXTA STARTING PACK

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# VERICIGUAT

## Products Affected

- VERQUVO

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	INITIAL/RENEWAL:12 MONTHS.
Other Criteria	HEART FAILURE (HF): INITIAL: 1) NO CONCURRENT USE WITH LONG-ACTING NITRATES OR NITRIC OXIDE DONORS, RIOCIQUAT, OR PDE-5 INHIBITORS, 2) TRIAL OF OR CONTRAINDICATION TO ONE PREFERRED SGLT-2 INHIBITOR, AND 3) TRIAL OF OR CONTRAINDICATION TO ONE AGENT FROM ANY OF THE FOLLOWING STANDARD OF CARE CLASSES: (A) ACE INHIBITOR, ARB, OR ARNI, (B) BETA BLOCKER (I.E., BISOPROLOL, CARVEDILOL, METOPROLOL SUCCINATE), OR (C) ALDOSTERONE ANTAGONIST (I.E., SPIRONOLACTONE, EPLERENONE). RENEWAL: NO CONCURRENT USE WITH LONG-ACTING NITRATES OR NITRIC OXIDE DONORS, RIOCIQUAT, OR PDE-5 INHIBITORS.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# VIGABATRIN

## Products Affected

- *vigabatin*
- *vigadrone*
- *vigpoder*

PA Criteria	Criteria Details
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	REFRACTORY COMPLEX PARTIAL SEIZURES (CPS), INFANTILE SPASMS: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	CPS: TRIAL OF OR CONTRAINDICATION TO TWO ANTIPILEPTIC AGENTS.
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# VISMODEGIB

---

## Products Affected

- ERIVEDGE

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# VORASIDENIB

---

## Products Affected

- VORANIGO

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

# VORICONAZOLE SUSPENSION

## Products Affected

- *voriconazole oral suspension reconstituted*

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	CANDIDA INFECTIONS: 3 MOS. CONTINUATION OF THERAPY, ALL OTHER INDICATIONS: 6 MOS.
Other Criteria	CANDIDA INFECTIONS: 1) TRIAL OF OR CONTRAINDICATION TO FLUCONAZOLE, AND 2) UNABLE TO SWALLOW TABLETS. ALL INDICATIONS EXCEPT ESOPHAGEAL CANDIDIASIS: UNABLE TO SWALLOW TABLETS. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C



# ZANIDATAMAB-HRII

---

## Products Affected

- ZIIHERA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ZANUBRUTINIB

---

## Products Affected

- BRUKINSA

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ZENOCUTUZUMAB-ZBCO

---

## Products Affected

- BIZENGRI (750 MG DOSE)

PA Criteria	Criteria Details
Exclusion Criteria	
Required Medical Information	
Age Restrictions	
Prescriber Restrictions	
Coverage Duration	12 MONTHS
Other Criteria	THIS DRUG ALSO REQUIRES PAYMENT DETERMINATION AND MAY BE COVERED UNDER MEDICARE PART B OR D.
Indications	All FDA-approved Indications.
Off Label Uses	
Part B Prerequisite	No

# ZOLBETUXIMAB-CLZB

---

## Products Affected

- VYLOY

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	12 MONTHS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

Formulary ID: 25256v11  
Effective: 03/01/2025

H1993\_PriorAuthProtocols\_CY2025\_C

# ZURANOLONE

---

## Products Affected

- ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

<b>PA Criteria</b>	<b>Criteria Details</b>
<b>Exclusion Criteria</b>	
<b>Required Medical Information</b>	
<b>Age Restrictions</b>	
<b>Prescriber Restrictions</b>	
<b>Coverage Duration</b>	14 DAYS
<b>Other Criteria</b>	
<b>Indications</b>	All FDA-approved Indications.
<b>Off Label Uses</b>	
<b>Part B Prerequisite</b>	No

## INDEX

### A

- abiraterone acetate ..... 7
- ABOUTTIME PEN NEEDLE 30G X 8 MM  
..... 168, 186, 187
- ABOUTTIME PEN NEEDLE 31G X 5 MM  
..... 168, 186, 187
- ABOUTTIME PEN NEEDLE 31G X 8 MM  
..... 168, 186, 187
- ABOUTTIME PEN NEEDLE 32G X 4 MM  
..... 168, 186, 187
- ACTEMRA..... 351, 352, 353, 354
- ACTEMRA ACTPEN ..... 353, 354
- ACTHAR..... 67
- ACTHAR GEL SUBCUTANEOUS AUTO-  
INJECTOR 40 UNIT/0.5ML, 80  
UNIT/ML..... 67
- ACTIMMUNE..... 191
- ADEMPAS ..... 296, 297
- ADVOCATE INSULIN PEN NEEDLE 32G  
X 4 MM..... 168, 186, 187
- ADVOCATE INSULIN PEN NEEDLES  
29G X 12.7MM..... 168, 186, 187
- ADVOCATE INSULIN PEN NEEDLES  
31G X 5 MM..... 168, 186, 187
- ADVOCATE INSULIN PEN NEEDLES  
31G X 8 MM..... 168, 186, 187
- ADVOCATE INSULIN PEN NEEDLES  
33G X 4 MM..... 168, 186, 187
- ADVOCATE INSULIN SYRINGE 29G X  
1/2 ..... 168, 186, 187
- ADVOCATE INSULIN SYRINGE 30G X  
5/16 ..... 168, 186, 187
- ADVOCATE INSULIN SYRINGE 31G X  
5/16 ..... 168, 186, 187
- AJOVY ..... 124
- AKEEGA ..... 239
- ALCOHOL PREP PAD..... 168, 186, 187
- ALCOHOL PREP PAD 70 %. 168, 186, 187
- ALCOHOL PREP PADS PAD 70 % .... 168,  
186, 187
- ALCOHOL SWABS PAD..... 168, 186, 187
- ALCOHOL SWABS PAD 70 % ... 168, 186,  
187
- ALCOHOL SWABSTICK PAD ... 168, 186,  
187
- ALCOHOL SWABSTICK PAD 70 %.. 168,  
186, 187
- ALECENSA..... 15
- ALTRENO..... 357
- ALUNBRIG ORAL TABLET 180 MG, 30  
MG, 90 MG..... 51
- ALUNBRIG ORAL TABLET THERAPY  
PACK..... 51
- ALVAIZ..... 96
- ALYFTREK ORAL TABLET 10-50-125  
MG, 4-20-50 MG ..... 380
- alyq..... 332
- ANKTIVA ..... 245
- APLICARE ALCOHOL SWABSTICK  
PAD 70 % ..... 168, 186, 187
- AQ INSULIN SYRINGE 31G X 5/16... 168,  
186, 187
- AQINJECT PEN NEEDLE 31G X 5 MM  
..... 168, 186, 187
- AQINJECT PEN NEEDLE 32G X 4 MM  
..... 168, 186, 187
- ARCALYST ..... 292, 293
- ARIKAYCE ..... 17
- armodafinil..... 231
- ASSURE ID DUO PRO PEN NEEDLES  
31G X 5 MM..... 168, 186, 187
- ASSURE ID INSULIN SAFETY SYR 29G  
X 1/2..... 168, 186, 187
- ASSURE ID INSULIN SAFETY SYR 31G  
X 15/64..... 168, 186, 187
- ASSURE ID PRO PEN NEEDLES 30G X 5  
MM ..... 168, 186, 187
- AUGTYRO ORAL CAPSULE 160 MG, 40  
MG ..... 284
- AUM ALCOHOL PREP PADS PAD 70 %  
..... 168, 186, 187
- AUM INSULIN SAFETY PEN NEEDLE  
31G X 4 MM..... 168, 186, 187
- AUM INSULIN SAFETY PEN NEEDLE  
31G X 5 MM..... 168, 186, 187
- AUM MINI INSULIN PEN NEEDLE 32G  
X 4 MM..... 168, 186, 187

AUM MINI INSULIN PEN NEEDLE 32G X 5 MM..... 168, 186, 187  
 AUM MINI INSULIN PEN NEEDLE 32G X 6 MM..... 168, 186, 187  
 AUM MINI INSULIN PEN NEEDLE 32G X 8 MM..... 168, 186, 187  
 AUM MINI INSULIN PEN NEEDLE 33G X 4 MM..... 169, 186, 187  
 AUM MINI INSULIN PEN NEEDLE 33G X 5 MM..... 169, 186, 187  
 AUM MINI INSULIN PEN NEEDLE 33G X 6 MM..... 169, 186, 187  
 AUM PEN NEEDLE 32G X 4 MM ..... 169, 186, 187  
 AUM PEN NEEDLE 32G X 5 MM ..... 169, 186, 187  
 AUM PEN NEEDLE 32G X 6 MM ..... 169, 186, 187  
 AUM PEN NEEDLE 33G X 4 MM ..... 169, 186, 187  
 AUM PEN NEEDLE 33G X 5 MM ..... 169, 186, 187  
 AUM PEN NEEDLE 33G X 6 MM ..... 169, 186, 187  
 AUM READYGARD DUO PEN NEEDLE 32G X 4 MM..... 169, 186, 187  
 AUM SAFETY PEN NEEDLE 31G X 4 MM ..... 169, 186, 187  
 AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG ..... 81  
 AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG ..... 81  
 AUSTEDO XR PATIENT TITRATION . 81  
 AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT..... 188  
 AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT..... 188  
 AYVAKIT ..... 31  
**B**  
 BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG..... 108  
 BD AUTOSHIELD 29G X 5MM.. 169, 186, 187  
 BD AUTOSHIELD 29G X 8MM.. 169, 186, 187  
 BD AUTOSHIELD DUO 30G X 5 MM 169, 186, 187  
 BD ECLIPSE SYRINGE 30G X 1/2..... 169, 186, 187  
 BD INSULIN SYR ULTRAFINE II 31G X 5/16 ..... 169, 186, 187  
 BD INSULIN SYRINGE 25G X 1 169, 186, 187  
 BD INSULIN SYRINGE 25G X 5/8..... 169, 186, 187  
 BD INSULIN SYRINGE 26G X 1/2..... 169, 186, 187  
 BD INSULIN SYRINGE 27.5G X 5/8.. 169, 186, 187  
 BD INSULIN SYRINGE 27G X 1/2..... 169, 186, 187  
 BD INSULIN SYRINGE 29G X 1/2..... 169, 186, 187  
 BD INSULIN SYRINGE HALF-UNIT 31G X 5/16..... 169, 186, 187  
 BD INSULIN SYRINGE MICROFINE 27G X 5/8..... 169, 186, 187  
 BD INSULIN SYRINGE MICROFINE 28G X 1/2..... 169, 186, 187  
 BD INSULIN SYRINGE U/F 30G X 1/2 ..... 169, 186, 187  
 BD INSULIN SYRINGE U-100 1 ML . 169, 186, 187  
 BD INSULIN SYRINGE U-500 31G X 6MM 0.5 ML ..... 169, 186, 187  
 BD INSULIN SYRINGE ULTRAFINE 29G X 1/2..... 169, 186, 187  
 BD INSULIN SYRINGE ULTRAFINE 30G X 1/2..... 169, 186, 187  
 BD PEN NEEDLE MICRO U/F 32G X 6 MM ..... 169, 186, 187  
 BD PEN NEEDLE MINI U/F 31G X 5 MM ..... 169, 186, 187  
 BD PEN NEEDLE NANO 2ND GEN 32G X 4 MM..... 169, 186, 187  
 BD PEN NEEDLE NANO U/F 32G X 4 MM (OTC)..... 169, 186, 187  
 BD PEN NEEDLE NANO U/F 32G X 4 MM (RX) ..... 169, 186, 187

BD PEN NEEDLE ORIGINAL U/F 29G X 12.7MM ..... 169, 186, 187  
 BD PEN NEEDLE SHORT U/F 31G X 8 MM ..... 169, 186, 187  
 BD SAFETYGLIDE INSULIN SYRINGE 29G X 1/2..... 169, 186, 187  
 BD SAFETYGLIDE INSULIN SYRINGE 30G X 5/16..... 170, 186, 187  
 BD SAFETYGLIDE INSULIN SYRINGE 31G X 15/64..... 170, 186, 187  
 BD SAFETYGLIDE INSULIN SYRINGE 31G X 5/16..... 170, 186, 187  
 BD SAFETYGLIDE SYRINGE/NEEDLE 27G X 5/8..... 170, 186, 187  
 BD SAFETY-LOK INSULIN SYRINGE 29G X 1/2..... 169, 186, 187  
 BD SWAB SINGLE USE REGULAR PAD ..... 170, 186, 187  
 BD SWABS SINGLE USE BUTTERFLY PAD..... 170, 186, 187  
 BD VEO INSULIN SYR U/F 1/2UNIT 31G X 15/64..... 170, 186, 187  
 BD VEO INSULIN SYRINGE U/F 31G X 15/64 ..... 170, 186, 187  
 BENDAMUSTINE HCL INTRAVENOUS SOLUTION..... 39  
 bendamustine hcl intravenous solution reconstituted..... 39  
 BENDEKA ..... 39  
 BENLYSTA SUBCUTANEOUS..... 36  
 BESREMI ..... 305  
 betaine ..... 42  
 BETASERON SUBCUTANEOUS KIT 189  
 bexarotene ..... 46  
 BIZENGRI (750 MG DOSE) ..... 390  
 bortezomib injection ..... 48  
 BORUZU ..... 48  
 bosentan ..... 49  
 BOSULIF ORAL CAPSULE 100 MG, 50 MG ..... 50  
 BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG..... 50  
 BRAFTOVI ORAL CAPSULE 75 MG . 100  
 BRUKINSA ..... 389  
 butalbital-apap-caff-cod oral capsule 50-325-40-30 mg..... 140

butalbital-apap-caffeine oral capsule ..... 140  
 butalbital-apap-caffeine oral tablet 50-325-40 mg ..... 140  
**C**  
 CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG..... 54  
 CALQUENCE ..... 9  
 CAPRELSA ORAL TABLET 100 MG, 300 MG ..... 379  
 CAREFINE PEN NEEDLES 29G X 12MM ..... 170, 186, 187  
 CAREFINE PEN NEEDLES 30G X 8 MM ..... 170, 186, 187  
 CAREFINE PEN NEEDLES 31G X 6 MM ..... 170, 186, 187  
 CAREFINE PEN NEEDLES 31G X 8 MM ..... 170, 186, 187  
 CAREFINE PEN NEEDLES 32G X 4 MM ..... 170, 186, 187  
 CAREFINE PEN NEEDLES 32G X 5 MM ..... 170, 186, 187  
 CAREFINE PEN NEEDLES 32G X 6 MM ..... 170, 186, 187  
 CAREONE INSULIN SYRINGE 30G X 1/2 ..... 170, 186, 187  
 CAREONE INSULIN SYRINGE 31G X 5/16 ..... 170, 186, 187  
 CARETOUCH ALCOHOL PREP PAD 70 % ..... 170, 186, 187  
 CARETOUCH INSULIN SYRINGE 28G X 5/16 ..... 170, 186, 187  
 CARETOUCH INSULIN SYRINGE 29G X 5/16 ..... 170, 186, 187  
 CARETOUCH INSULIN SYRINGE 30G X 5/16 ..... 170, 186, 187  
 CARETOUCH INSULIN SYRINGE 31G X 5/16 ..... 170, 186, 187  
 CARETOUCH PEN NEEDLES 29G X 12MM ..... 170, 186, 187  
 CARETOUCH PEN NEEDLES 31G X 5 MM ..... 170, 186, 187  
 CARETOUCH PEN NEEDLES 31G X 6 MM ..... 170, 186, 187  
 CARETOUCH PEN NEEDLES 31G X 8 MM ..... 170, 186, 187



CARETOUCH PEN NEEDLES 32G X 4  
 MM ..... 170, 186, 187  
 CARETOUCH PEN NEEDLES 32G X 5  
 MM ..... 170, 186, 187  
 CARETOUCH PEN NEEDLES 33G X 4  
 MM ..... 170, 186, 187  
 carglumic acid oral tablet soluble ..... 58  
 CAYSTON..... 34  
 CIMZIA (2 SYRINGE) ..... 60, 62  
 CIMZIA SUBCUTANEOUS KIT 2 X 200  
 MG ..... 60, 62  
 CINQAIR..... 285, 286  
 CLEVER CHOICE COMFORT EZ 29G X  
 12MM ..... 170, 186, 187  
 CLEVER CHOICE COMFORT EZ 33G X  
 4 MM ..... 171, 186, 187  
 CLICKFINE PEN NEEDLES 31G X 6 MM  
 ..... 171, 186, 187  
 CLICKFINE PEN NEEDLES 31G X 8 MM  
 ..... 171, 186, 187  
 CLICKFINE PEN NEEDLES 32G X 4 MM  
 ..... 171, 186, 187  
 COMETRIQ (100 MG DAILY DOSE)  
 ORAL KIT 80 & 20 MG ..... 53  
 COMETRIQ (140 MG DAILY DOSE)  
 ORAL KIT 3 X 20 MG & 80 MG ..... 53  
 COMETRIQ (60 MG DAILY DOSE)..... 53  
 COMFORT ASSIST INSULIN SYRINGE  
 29G X 1/2..... 171, 186, 187  
 COMFORT ASSIST INSULIN SYRINGE  
 31G X 5/16..... 171, 186, 187  
 COMFORT EZ INSULIN SYRINGE 28G  
 X 1/2..... 171, 186, 187  
 COMFORT EZ INSULIN SYRINGE 29G  
 X 1/2..... 171, 186, 187  
 COMFORT EZ INSULIN SYRINGE 30G  
 X 1/2..... 171, 186, 187  
 COMFORT EZ INSULIN SYRINGE 30G  
 X 5/16..... 171, 186, 187  
 COMFORT EZ INSULIN SYRINGE 31G  
 X 15/64..... 171, 186, 187  
 COMFORT EZ INSULIN SYRINGE 31G  
 X 5/16..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 31G X 5  
 MM ..... 171, 186, 187

COMFORT EZ PEN NEEDLES 31G X 6  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 31G X 8  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 32G X 4  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 32G X 5  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 32G X 6  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 32G X 8  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 33G X 4  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 33G X 5  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 33G X 6  
 MM ..... 171, 186, 187  
 COMFORT EZ PEN NEEDLES 33G X 8  
 MM ..... 171, 186, 187  
 COMFORT EZ PRO PEN NEEDLES 30G  
 X 8 MM..... 171, 186, 187  
 COMFORT EZ PRO PEN NEEDLES 31G  
 X 4 MM..... 171, 186, 187  
 COMFORT EZ PRO PEN NEEDLES 31G  
 X 5 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 31G X 4 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 31G X 5 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 31G X 6 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 31G X 8 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 32G X 4 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 32G X 5 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 32G X 6 MM..... 171, 186, 187  
 COMFORT TOUCH INSULIN PEN NEED  
 32G X 8 MM..... 172, 186, 187  
 COPIKTRA..... 91  
 COSENTYX (300 MG DOSE)..... 311, 312  
 COSENTYX INTRAVENOUS..... 309, 310

COSENTYX SENSOREADY (300 MG)  
 ..... 311, 312  
 COSENTYX SUBCUTANEOUS  
 SOLUTION PREFILLED SYRINGE 75  
 MG/0.5ML ..... 311, 312  
 COSENTYX UNOREADY ..... 311, 312  
 COTELLIC ..... 66  
 CURITY ALCOHOL PREPS PAD 70 %  
 ..... 172, 186, 187  
 CURITY ALL PURPOSE SPONGES PAD  
 2..... 172, 186, 187  
 CURITY GAUZE PAD 2 ..... 172, 186, 187  
 CURITY GAUZE SPONGE PAD 2..... 172,  
 186, 187  
 CURITY SPONGES PAD 2... 172, 186, 187  
 CVS GAUZE PAD 2 ..... 172, 186, 187  
 CVS GAUZE STERILE PAD 2 .... 172, 186,  
 187  
 cyclobenzaprine hcl oral tablet 10 mg, 5 mg  
 ..... 153  
**D**  
 dalfampridine er ..... 73  
 DANYELZA ..... 232  
 DANZITEN ..... 235  
 dasatinib oral tablet 100 mg, 140 mg, 20 mg,  
 50 mg, 70 mg, 80 mg ..... 75  
 DATROWAY ..... 76  
 DAURISMO ORAL TABLET 100 MG, 25  
 MG ..... 131  
 deferasirox granules ..... 78, 79  
 deferasirox oral tablet ..... 78, 79  
 DERMACEA GAUZE SPONGE PAD 2  
 ..... 172, 186, 187  
 DERMACEA IV DRAIN SPONGES PAD  
 2..... 172, 186, 187  
 DERMACEA NON-WOVEN SPONGES  
 PAD 2..... 172, 186, 187  
 DERMACEA TYPE VII GAUZE PAD 2  
 ..... 172, 186, 187  
 DIACOMIT ORAL CAPSULE 250 MG,  
 500 MG ..... 330  
 DIACOMIT ORAL PACKET 250 MG, 500  
 MG ..... 330  
 DIATHRIVE PEN NEEDLE 31G X 5 MM  
 ..... 172, 186, 187

DIATHRIVE PEN NEEDLE 31G X 6 MM  
 ..... 172, 186, 187  
 DIATHRIVE PEN NEEDLE 31G X 8 MM  
 ..... 172, 186, 187  
 DIATHRIVE PEN NEEDLE 32G X 4 MM  
 ..... 172, 186, 187  
 diclofenac sodium external solution 2 %.. 82  
 dimethyl fumarate oral capsule delayed  
 release 120 mg, 240 mg ..... 83  
 dimethyl fumarate starter pack oral capsule  
 delayed release therapy pack ..... 83  
 diphenoxylate-atropine oral tablet 2.5-0.025  
 mg ..... 154  
 dipyridamole oral tablet 50 mg, 75 mg... 142  
 dronabinol ..... 86  
 DROPLET INSULIN SYRINGE 29G X 1/2  
 ..... 172, 186, 187  
 DROPLET INSULIN SYRINGE 30G X 1/2  
 ..... 172, 186, 187  
 DROPLET INSULIN SYRINGE 30G X  
 15/64 ..... 172, 186, 187  
 DROPLET INSULIN SYRINGE 30G X  
 5/16 ..... 172, 186, 187  
 DROPLET INSULIN SYRINGE 31G X  
 15/64 ..... 172, 186, 187  
 DROPLET INSULIN SYRINGE 31G X  
 5/16 ..... 172, 186, 187  
 DROPLET MICRON 34G X 3.5 MM... 172,  
 186, 187  
 DROPLET PEN NEEDLES 29G X 10MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 29G X 12MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 30G X 8 MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 31G X 5 MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 31G X 6 MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 31G X 8 MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 32G X 4 MM  
 ..... 172, 186, 187  
 DROPLET PEN NEEDLES 32G X 5 MM  
 ..... 172, 186, 187

DROPLET PEN NEEDLES 32G X 6 MM  
 ..... 172, 186, 187

DROPLET PEN NEEDLES 32G X 8 MM  
 ..... 172, 186, 187

DROPSAFE ALCOHOL PREP PAD 70 %  
 ..... 172, 186, 187

DROPSAFE SAFETY PEN NEEDLES 31G  
 X 5 MM..... 172, 186, 187

DROPSAFE SAFETY PEN NEEDLES 31G  
 X 6 MM..... 172, 186, 187

DROPSAFE SAFETY PEN NEEDLES 31G  
 X 8 MM..... 172, 186, 187

DROPSAFE SAFETY SYRINGE/NEEDLE  
 29G X 1/2..... 172, 186, 187

DROPSAFE SAFETY SYRINGE/NEEDLE  
 31G X 15/64..... 172, 173, 186, 187

DROPSAFE SAFETY SYRINGE/NEEDLE  
 31G X 5/16..... 173, 186, 187

droxidopa ..... 87

DRUG MART ULTRA COMFORT SYR  
 29G X 1/2..... 173, 186, 187

DRUG MART ULTRA COMFORT SYR  
 30G X 5/16..... 173, 186, 187

DRUG MART UNIFINE PENTIPS 31G X  
 5 MM ..... 173, 186, 187

DUAVEE ..... 145

DUPIXENT SUBCUTANEOUS  
 SOLUTION AUTO-INJECTOR .... 88, 90

DUPIXENT SUBCUTANEOUS  
 SOLUTION PREFILLED SYRINGE . 88,  
 90

**E**

EASY COMFORT ALCOHOL PADS PAD  
 ..... 173, 186, 187

EASY COMFORT INSULIN SYRINGE  
 30G X 1/2..... 173, 186, 187

EASY COMFORT INSULIN SYRINGE  
 30G X 5/16..... 173, 186, 187

EASY COMFORT INSULIN SYRINGE  
 31G X 1/2..... 173, 186, 187

EASY COMFORT INSULIN SYRINGE  
 31G X 5/16..... 173, 186, 187

EASY COMFORT INSULIN SYRINGE  
 32G X 5/16..... 173, 186, 187

EASY COMFORT PEN NEEDLES 31G X  
 5 MM ..... 173, 186, 187

EASY COMFORT PEN NEEDLES 31G X  
 6 MM ..... 173, 186, 187

EASY COMFORT PEN NEEDLES 31G X  
 8 MM ..... 173, 186, 187

EASY COMFORT PEN NEEDLES 32G X  
 4 MM ..... 173, 186, 187

EASY COMFORT PEN NEEDLES 33G X  
 4 MM ..... 173, 186, 187

EASY COMFORT PEN NEEDLES 33G X  
 5 MM ..... 173, 186, 187

EASY COMFORT PEN NEEDLES 33G X  
 6 MM ..... 173, 186, 187

EASY GLIDE PEN NEEDLES 33G X 4  
 MM ..... 173, 186, 187

EASY TOUCH ALCOHOL PREP  
 MEDIUM PAD 70 %..... 173, 186, 187

EASY TOUCH FLIPLOCK INSULIN SY  
 29G X 1/2..... 173, 186, 187

EASY TOUCH FLIPLOCK INSULIN SY  
 30G X 1/2..... 173, 186, 187

EASY TOUCH FLIPLOCK INSULIN SY  
 30G X 5/16..... 173, 186, 187

EASY TOUCH FLIPLOCK INSULIN SY  
 31G X 5/16..... 173, 186, 187

EASY TOUCH FLIPLOCK SAFETY SYR  
 27G X 1/2..... 173, 186, 187

EASY TOUCH INSULIN BARRELS 1ML  
 ..... 173, 186, 187

EASY TOUCH INSULIN SAFETY SYR  
 29G X 1/2..... 173, 186, 187

EASY TOUCH INSULIN SAFETY SYR  
 30G X 1/2..... 173, 186, 187

EASY TOUCH INSULIN SAFETY SYR  
 30G X 5/16..... 173, 186, 187

EASY TOUCH INSULIN SYRINGE 27G  
 X 1/2..... 173, 186, 187

EASY TOUCH INSULIN SYRINGE 27G  
 X 5/8..... 173, 186, 187

EASY TOUCH INSULIN SYRINGE 28G  
 X 1/2..... 174, 186, 187

EASY TOUCH INSULIN SYRINGE 29G  
 X 1/2..... 174, 186, 187

EASY TOUCH INSULIN SYRINGE 30G  
 X 1/2..... 174, 186, 187

EASY TOUCH INSULIN SYRINGE 30G  
 X 5/16..... 174, 186, 187

EASY TOUCH INSULIN SYRINGE 31G X 5/16.....	174, 186, 187
EASY TOUCH PEN NEEDLES 29G X 12MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 30G X 5 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 30G X 6 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 30G X 8 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 31G X 5 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 31G X 6 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 31G X 8 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 32G X 4 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 32G X 5 MM .....	174, 186, 187
EASY TOUCH PEN NEEDLES 32G X 6 MM .....	174, 186, 187
EASY TOUCH SAFETY PEN NEEDLES 29G X 5MM.....	174, 186, 187
EASY TOUCH SAFETY PEN NEEDLES 29G X 8MM.....	174, 186, 187
EASY TOUCH SAFETY PEN NEEDLES 30G X 8 MM.....	174, 186, 187
EASY TOUCH SHEATHLOCK SYRINGE 29G X 1/2.....	174, 186, 187
EASY TOUCH SHEATHLOCK SYRINGE 30G X 1/2.....	174, 186, 187
EASY TOUCH SHEATHLOCK SYRINGE 30G X 5/16.....	174, 186, 187
EASY TOUCH SHEATHLOCK SYRINGE 31G X 5/16.....	174, 186, 187
ELIGARD.....	206
ELREXFIO SUBCUTANEOUS SOLUTION 44 MG/1.1ML, 76 MG/1.9ML .....	95
EMBRACE PEN NEEDLES 29G X 12MM .....	174, 186, 187
EMBRACE PEN NEEDLES 30G X 5 MM .....	174, 186, 187
EMBRACE PEN NEEDLES 30G X 8 MM .....	174, 186, 187
EMBRACE PEN NEEDLES 31G X 5 MM .....	174, 186, 187
EMBRACE PEN NEEDLES 31G X 6 MM .....	174, 186, 187
EMBRACE PEN NEEDLES 31G X 8 MM .....	174, 186, 187
EMBRACE PEN NEEDLES 32G X 4 MM .....	174, 186, 187
EMGALITY.....	127
EMGALITY (300 MG DOSE).....	127
ENBREL MINI.....	111, 112
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML .....	111, 112
ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE .....	111, 112
ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED.....	111, 112
ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR .....	111, 112
EPCLUSA ORAL PACKET 150-37.5 MG, 200-50 MG.....	321
EPCLUSA ORAL TABLET.....	321
EPIDIOLEX.....	55
EPKINLY .....	105
EQL ALCOHOL SWABS PAD 70 %... ..	174, 186, 187
EQL GAUZE PAD 2 .....	174, 186, 187
EQL INSULIN SYRINGE 30G X 5/16. ..	174, 186, 187
ERBITUX .....	63
ERIVEDGE.....	385
ERLEADA ORAL TABLET 240 MG, 60 MG .....	21
erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg .....	109
estradiol oral.....	143
estradiol transdermal patch twice weekly ..	143
estradiol transdermal patch weekly.....	143
estradiol-norethindrone acet.....	144
everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg .....	113
everolimus oral tablet soluble .....	114
EXEL COMFORT POINT PEN NEEDLE 29G X 12MM.....	174, 186, 187
<b>F</b>	
FASENRA .....	40, 41

FASENRA PEN..... 40, 41  
 fentanyl citrate buccal lozenge on a handle  
 ..... 118  
 FIFTY50 PEN NEEDLES 32G X 6 MM  
 ..... 174, 186, 187  
 fingolimod hcl..... 122  
 FINTEPLA..... 117  
 FOTIVDA..... 350  
 FREESTYLE PRECISION INS SYR 30G X  
 5/16 ..... 174, 175, 186, 187  
 FREESTYLE PRECISION INS SYR 31G X  
 5/16 ..... 175, 186, 187  
 FRUZAQLA ORAL CAPSULE 1 MG, 5  
 MG ..... 125  
 FYARRO ..... 319  
**G**  
 GAUZE PADS PAD 2..... 175, 186, 187  
 GAUZE TYPE VII MEDI-PAK PAD 2 175,  
 186, 187  
 GAVRETO ..... 278  
 gefitinib ..... 129  
 GILOTRIF ..... 14  
 glatiramer acetate subcutaneous solution  
 prefilled syringe 20 mg/ml, 40 mg/ml 132  
 glatopa subcutaneous solution prefilled  
 syringe 20 mg/ml, 40 mg/ml..... 132  
 GLOBAL ALCOHOL PREP EASE..... 175,  
 186, 187  
 GLOBAL EASE INJECT PEN NEEDLES  
 29G X 12MM..... 175, 186, 187  
 GLOBAL EASE INJECT PEN NEEDLES  
 31G X 5 MM..... 175, 186, 187  
 GLOBAL EASE INJECT PEN NEEDLES  
 31G X 8 MM..... 175, 186, 187  
 GLOBAL EASE INJECT PEN NEEDLES  
 32G X 4 MM..... 175, 186, 187  
 GLOBAL EASY GLIDE INSULIN SYR  
 31G X 15/64..... 175, 186, 187  
 GLOBAL INJECT EASE INSULIN SYR  
 28G X 1/2..... 175, 186, 187  
 GLOBAL INJECT EASE INSULIN SYR  
 29G X 1/2..... 175, 186, 187  
 GLOBAL INJECT EASE INSULIN SYR  
 30G X 1/2..... 175, 186, 187  
 GLOBAL INJECT EASE INSULIN SYR  
 30G X 5/16..... 175, 186, 187

GLUCOPRO INSULIN SYRINGE 30G X  
 1/2 ..... 175, 186, 187  
 GLUCOPRO INSULIN SYRINGE 30G X  
 5/16 ..... 175, 186, 187  
 GLUCOPRO INSULIN SYRINGE 31G X  
 5/16 ..... 175, 186, 187  
 glyburide micronized ..... 147  
 glyburide oral ..... 147  
 glyburide-metformin ..... 147  
 GNP ALCOHOL SWABS PAD.... 175, 186,  
 187  
 GNP INSULIN SYRINGE 28G X 1/2 .. 175,  
 186, 187  
 GNP INSULIN SYRINGE 29G X 1/2 .. 175,  
 186, 187  
 GNP INSULIN SYRINGE 30G X 5/16 175,  
 186, 187  
 GNP INSULIN SYRINGES 29GX1/2.. 175,  
 186, 187  
 GNP INSULIN SYRINGES 30G X 5/16  
 ..... 175, 186, 187  
 GNP INSULIN SYRINGES 30GX5/16 175,  
 186, 187  
 GNP INSULIN SYRINGES 31GX5/16 175,  
 186, 187  
 GNP STERILE GAUZE PAD 2 .... 175, 186,  
 187  
 GNP ULTRA COM INSULIN SYRINGE  
 29G X 1/2..... 175, 186, 187  
 GNP ULTRA COM INSULIN SYRINGE  
 30G X 5/16..... 175, 186, 187  
 GOODSENSE ALCOHOL SWABS PAD  
 70 % ..... 175, 186, 187

**H**  
 HAEGARDA SUBCUTANEOUS  
 SOLUTION RECONSTITUTED 2000  
 UNIT, 3000 UNIT ..... 52  
 HARVONI ORAL PACKET 33.75-150  
 MG, 45-200 MG ..... 200  
 HARVONI ORAL TABLET ..... 200  
 HEALTHWISE INSULIN SYR/NEEDLE  
 30G X 5/16..... 176, 186, 187  
 HEALTHWISE INSULIN SYR/NEEDLE  
 31G X 5/16..... 176, 186, 187  
 HEALTHWISE MICRON PEN NEEDLES  
 32G X 4 MM..... 176, 186, 187

HEALTHWISE SHORT PEN NEEDLES 31G X 5 MM.....	176, 186, 187	HUMIRA-PED<40KG CROHNS STARTER.....	11, 13
HEALTHWISE SHORT PEN NEEDLES 31G X 8 MM.....	176, 186, 187	HUMIRA-PED>=40KG CROHNS START .....	11, 13
HEALTHY ACCENTS UNIFINE PENTIP 29G X 12MM.....	176, 186, 187	HUMIRA-PED>=40KG UC STARTER SUBCUTANEOUS AUTO-INJECTOR KIT .....	11, 13
HEALTHY ACCENTS UNIFINE PENTIP 31G X 5 MM.....	176, 186, 187	HUMIRA-PS/UV/ADOL HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT .....	11, 13
HEALTHY ACCENTS UNIFINE PENTIP 31G X 6 MM.....	176, 186, 187	HUMIRA-PSORIASIS/UEVIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT .....	11, 13
HEALTHY ACCENTS UNIFINE PENTIP 31G X 8 MM.....	176, 186, 187	<b>I</b>	
HEALTHY ACCENTS UNIFINE PENTIP 32G X 4 MM.....	176, 186, 187	IBRANCE.....	259
H-E-B INCONTROL ALCOHOL PAD 175, 186, 187		icatibant acetate subcutaneous solution prefilled syringe .....	159
H-E-B INCONTROL PEN NEEDLES 29G X 12MM.....	176, 186, 187	ICLUSIG.....	276
H-E-B INCONTROL PEN NEEDLES 31G X 5 MM.....	176, 186, 187	IDHIFA.....	99
H-E-B INCONTROL PEN NEEDLES 31G X 6 MM.....	176, 186, 187	imatinib mesylate oral tablet 100 mg, 400 mg .....	161
H-E-B INCONTROL PEN NEEDLES 31G X 8 MM.....	176, 186, 187	IMBRUVICA ORAL CAPSULE 140 MG, 70 MG .....	158
H-E-B INCONTROL PEN NEEDLES 32G X 4 MM.....	176, 186, 187	IMBRUVICA ORAL SUSPENSION....	158
HERCEPTIN HYLECTA.....	364	IMBRUVICA ORAL TABLET .....	158
HERZUMA.....	365	IMDELLTRA .....	336
HM STERILE PADS PAD 2..	176, 186, 187	IMJUDO .....	367
HM ULTICARE INSULIN SYRINGE 30G X 1/2.....	176, 186, 187	IMKELDI.....	162
HM ULTICARE INSULIN SYRINGE 31G X 5/16.....	176, 186, 187	IMPAVIDO.....	228
HM ULTICARE SHORT PEN NEEDLES 31G X 8 MM.....	176, 186, 187	INCONTROL ULTICARE PEN NEEDLES 31G X 6 MM.....	176, 186, 187
HUMIRA (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT.....	11, 13	INCONTROL ULTICARE PEN NEEDLES 31G X 8 MM.....	176, 186, 187
HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML .....	11, 13	INCONTROL ULTICARE PEN NEEDLES 32G X 4 MM.....	176, 186, 187
HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT .....	11, 13	INCRELEX.....	222
		indomethacin oral capsule 25 mg, 50 mg	155
		infliximab.....	166, 167
		INGREZZA ORAL CAPSULE.....	378
		INGREZZA ORAL CAPSULE SPRINKLE .....	378
		INGREZZA ORAL CAPSULE THERAPY PACK.....	378
		INLYTA ORAL TABLET 1 MG, 5 MG..	32
		INQOVI .....	77
		INREBIC.....	116

INSULIN SYRINGE 29G X 1/2 ... 176, 186, 187  
 INSULIN SYRINGE 30G X 5/16 . 176, 186, 187  
 INSULIN SYRINGE 31G X 5/16 . 176, 186, 187  
 INSULIN SYRINGE/NEEDLE 27G X 1/2 ..... 176, 186, 187  
 INSULIN SYRINGE/NEEDLE 28G X 1/2 ..... 176, 186, 187  
 INSULIN SYRINGE-NEEDLE U-100 27G X 1/2..... 176, 186, 187  
 INSULIN SYRINGE-NEEDLE U-100 28G X 1/2..... 176, 186, 187  
 INSULIN SYRINGE-NEEDLE U-100 30G X 5/16..... 176, 186, 187  
 INSULIN SYRINGE-NEEDLE U-100 31G X 1/4..... 176, 186, 187  
 INSULIN SYRINGE-NEEDLE U-100 31G X 5/16..... 176, 186, 187  
 INSUPEN PEN NEEDLES 31G X 5 MM ..... 176, 186, 187  
 INSUPEN PEN NEEDLES 32G X 4 MM ..... 176, 186, 187  
 INSUPEN PEN NEEDLES 33G X 4 MM ..... 176, 186, 187  
 INSUPEN ULTRAFIN 29G X 12MM.. 176, 186, 187  
 INSUPEN ULTRAFIN 31G X 8 MM... 177, 186, 187  
 ITOVEBI ORAL TABLET 3 MG, 9 MG ..... 164  
 IWILFIN ..... 92  
**J**  
 J & J GAUZE PAD 2..... 177, 186, 187  
 JAKAFI..... 307  
 javygtor oral tablet ..... 308  
 JAYPIRCA ORAL TABLET 100 MG, 50 MG ..... 274  
 JEMPERLI..... 85  
**K**  
 KALYDECO..... 193  
 KENDALL HYDROPHILIC FOAM DRESS PAD 2 ..... 177, 186, 187  
 KENDALL HYDROPHILIC FOAM PLUS PAD 2..... 177, 186, 187

KERENDIA ..... 121  
 KESIMPTA..... 248  
 ketorolac tromethamine oral ..... 148  
 KEYTRUDA INTRAVENOUS SOLUTION..... 267  
 KIMMTRAK ..... 338  
 KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE ..... 19, 20  
 KINRAY INSULIN SYRINGE 29G X 1/2 ..... 177, 186, 187  
 KISQALI (200 MG DOSE)..... 289  
 KISQALI (400 MG DOSE)..... 289  
 KISQALI (600 MG DOSE)..... 289  
 KISQALI FEMARA (200 MG DOSE) .. 290  
 KISQALI FEMARA (400 MG DOSE) .. 290  
 KISQALI FEMARA (600 MG DOSE) .. 290  
 KMART VALU INSULIN SYRINGE 29G U-100 1 ML ..... 177, 186, 187  
 KMART VALU INSULIN SYRINGE 30G U-100 0.3 ML ..... 177, 186, 187  
 KMART VALU INSULIN SYRINGE 30G U-100 1 ML ..... 177, 186, 187  
 KOSELUGO ORAL CAPSULE 10 MG, 25 MG ..... 316  
 KRAZATI..... 10  
 KROGER PEN NEEDLES 29G X 12MM ..... 177, 186, 187  
 KROGER PEN NEEDLES 31G X 8 MM ..... 177, 186, 187  
 KYNMOBI ..... 22  
 KYNMOBI TITRATION KIT ..... 22  
**L**  
 LANREOTIDE ACETATE ..... 196  
 lapatinib ditosylate ..... 197  
 LAZCLUZE ORAL TABLET 240 MG, 80 MG ..... 199  
 LEADER UNIFINE PENTIPS 31G X 5 MM ..... 177, 186, 187  
 LEADER UNIFINE PENTIPS 32G X 4 MM ..... 177, 186, 187  
 LEADER UNIFINE PENTIPS PLUS 31G X 5 MM..... 177, 186, 187  
 LEADER UNIFINE PENTIPS PLUS 31G X 8 MM..... 177, 186, 187  
 lenalidomide..... 201  
 LENVIMA (10 MG DAILY DOSE) ..... 202

LENVIMA (12 MG DAILY DOSE) .....	202	LUPRON DEPOT-PED (3-MONTH) ...	209,
LENVIMA (14 MG DAILY DOSE) .....	202	210	
LENVIMA (18 MG DAILY DOSE) .....	202	LUPRON DEPOT-PED (6-MONTH) ...	209,
LENVIMA (20 MG DAILY DOSE) .....	202	210	
LENVIMA (24 MG DAILY DOSE) .....	202	LYBALVI.....	249
LENVIMA (4 MG DAILY DOSE) .....	202	LYNPARZA ORAL TABLET .....	250
LENVIMA (8 MG DAILY DOSE) .....	202	LYTGOBI (12 MG DAILY DOSE).....	126
LEUPROLIDE ACETATE (3 MONTH)	205	LYTGOBI (16 MG DAILY DOSE).....	126
leuprolide acetate injection .....	204	LYTGOBI (20 MG DAILY DOSE).....	126
l-glutamine oral packet .....	211	<b>M</b>	
lidocaine external ointment 5 % .....	212	MAGELLAN INSULIN SAFETY SYR	
lidocaine external patch 5 % .....	213	29G X 1/2.....	177, 186, 187
lidocaine-prilocaine external cream .....	214	MAGELLAN INSULIN SAFETY SYR	
lidocan.....	213	30G X 5/16.....	177, 186, 187
LITETOUCH INSULIN SYRINGE 28G X		MARGENZA .....	220
1/2 .....	177, 186, 187	MAVENCLAD (10 TABS) .....	64
LITETOUCH INSULIN SYRINGE 29G X		MAVENCLAD (4 TABS) .....	64
1/2 .....	177, 186, 187	MAVENCLAD (5 TABS) .....	64
LITETOUCH INSULIN SYRINGE 30G X		MAVENCLAD (6 TABS) .....	64
5/16 .....	177, 186, 187	MAVENCLAD (7 TABS) .....	64
LITETOUCH INSULIN SYRINGE 31G X		MAVENCLAD (8 TABS) .....	64
5/16 .....	177, 186, 187	MAVENCLAD (9 TABS) .....	64
LITETOUCH PEN NEEDLES 29G X		MAXICOMFORT II PEN NEEDLE 31G X	
12.7MM .....	177, 186, 187	6 MM .....	177, 186, 187
LITETOUCH PEN NEEDLES 31G X 5		MAXI-COMFORT INSULIN SYRINGE	
MM .....	177, 186, 187	28G X 1/2.....	177, 186, 187
LITETOUCH PEN NEEDLES 31G X 6		MAXI-COMFORT SAFETY PEN	
MM .....	177, 186, 187	NEEDLE 29G X 5MM.....	177, 186, 187
LITETOUCH PEN NEEDLES 31G X 8		MAXI-COMFORT SAFETY PEN	
MM .....	177, 186, 187	NEEDLE 29G X 8MM.....	177, 186, 187
LITETOUCH PEN NEEDLES 32G X 4		MAXICOMFORT SYR 27G X 1/2	177, 186,
MM .....	177, 186, 187	187	
LIVTENCITY .....	221	MAYZENT ORAL TABLET 0.25 MG, 1	
LONSURF ORAL TABLET 15-6.14 MG,		MG, 2 MG.....	318
20-8.19 MG.....	369	MAYZENT STARTER PACK.....	318
LOQTORZI.....	358	MEDIC INSULIN SYRINGE 30G X 5/16	
LORBRENA ORAL TABLET 100 MG, 25		.....	177, 186, 187
MG .....	216	MEDICINE SHOPPE PEN NEEDLES 29G	
LUMAKRAS ORAL TABLET 120 MG,		X 12MM.....	177, 186, 187
240 MG, 320 MG.....	329	MEDICINE SHOPPE PEN NEEDLES 31G	
LUNSUMIO .....	230	X 8 MM.....	178, 186, 187
LUPRON DEPOT (1-MONTH) .....	207, 208	MEDPURA ALCOHOL PADS 70 %	
LUPRON DEPOT (3-MONTH) .....	207, 208	EXTERNAL .....	178, 186, 187
LUPRON DEPOT (4-MONTH) .....	207, 208	megestrol acetate oral suspension 40 mg/ml,	
LUPRON DEPOT (6-MONTH) .....	207, 208	625 mg/5ml.....	156
		megestrol acetate oral tablet.....	156



MEIJER ALCOHOL SWABS PAD 70 %  
 ..... 178, 186, 187  
 MEIJER PEN NEEDLES 29G X 12MM  
 ..... 178, 186, 187  
 MEIJER PEN NEEDLES 31G X 6 MM 178,  
 186, 187  
 MEIJER PEN NEEDLES 31G X 8 MM 178,  
 186, 187  
 MEKINIST ORAL SOLUTION  
 RECONSTITUTED ..... 360  
 MEKINIST ORAL TABLET 0.5 MG, 2  
 MG ..... 361  
 MEKTOVI ..... 47  
 methocarbamol oral tablet 500 mg, 750 mg  
 ..... 153  
 MICRODOT PEN NEEDLE 31G X 6 MM  
 ..... 178, 186, 187  
 MICRODOT PEN NEEDLE 32G X 4 MM  
 ..... 178, 186, 187  
 MICRODOT PEN NEEDLE 33G X 4 MM  
 ..... 178, 186, 187  
 mifepristone oral tablet 300 mg ..... 227  
 mimvey ..... 144  
 MIPLYFFA ..... 25  
 MIRASORB SPONGES 2 ..... 178, 186, 187  
 MM PEN NEEDLES 32G X 4 MM ..... 178,  
 186, 187  
 modafinil oral tablet 100 mg, 200 mg ..... 231  
 MONOJECT INSULIN SYRINGE 25G X  
 5/8 ..... 178, 186, 187  
 MONOJECT INSULIN SYRINGE 27G X  
 1/2 ..... 178, 186, 187  
 MONOJECT INSULIN SYRINGE 28G X  
 1/2 ..... 178, 186, 187  
 MONOJECT INSULIN SYRINGE 29G X  
 1/2 ..... 178, 186, 187  
 MONOJECT INSULIN SYRINGE 30G X  
 5/16 ..... 178, 186, 187  
 MONOJECT INSULIN SYRINGE 31G X  
 5/16 ..... 178, 186, 187  
 MONOJECT INSULIN SYRINGE U-100 1  
 ML ..... 178, 186, 187  
 MONOJECT ULTRA COMFORT  
 SYRINGE 28G X 1/2 ..... 178, 186, 187  
 MONOJECT ULTRA COMFORT  
 SYRINGE 29G X 1/2 ..... 178, 186, 187

MONOJECT ULTRA COMFORT  
 SYRINGE 30G X 5/16 ..... 178, 186, 187  
 morphine sulfate (concentrate) oral solution  
 100 mg/5ml ..... 139  
 MOUNJARO SUBCUTANEOUS  
 SOLUTION AUTO-INJECTOR ..... 135  
 MVASI ..... 44  
**N**  
 NATPARA ..... 260  
 NERLYNX ..... 233  
 NEULASTA ONPRO ..... 264  
 NINLARO ..... 195  
 nitisinone ..... 241  
 NIVESTYM ..... 120  
 NORDITROPIN FLEXPRO  
 SUBCUTANEOUS SOLUTION PEN-  
 INJECTOR ..... 323, 324  
 NOVOFINE AUTOCOVER 30G X 8 MM  
 ..... 178, 186, 187  
 NOVOFINE PEN NEEDLE 32G X 6 MM  
 ..... 178, 186, 187  
 NOVOFINE PLUS PEN NEEDLE 32G X 4  
 MM ..... 178, 186, 187  
 NOVOTWIST PEN NEEDLE 32G X 5 MM  
 ..... 178, 186, 187  
 NUBEQA ..... 74  
 NUCALA SUBCUTANEOUS SOLUTION  
 AUTO-INJECTOR ..... 224, 225  
 NUCALA SUBCUTANEOUS SOLUTION  
 PREFILLED SYRINGE 100 MG/ML, 40  
 MG/0.4ML ..... 224, 225  
 NUCALA SUBCUTANEOUS SOLUTION  
 RECONSTITUTED ..... 224, 225  
 NUPLAZID ORAL CAPSULE ..... 272  
 NUPLAZID ORAL TABLET 10 MG ... 272  
 NURTEC ..... 294, 295  
 NYVEPRIA ..... 263  
**O**  
 OCREVUS ..... 246  
 OCREVUS ZUNOVO ..... 247  
 ODOMZO ..... 326  
 OFEV ..... 236, 237  
 OGIVRI ..... 362  
 OGSIVEO ORAL TABLET 100 MG, 150  
 MG, 50 MG ..... 240

OJEMDA ORAL SUSPENSION RECONSTITUTED.....	359	PEN NEEDLES 31G X 5 MM (OTC)...	178, 186, 187
OJEMDA ORAL TABLET .....	359	PEN NEEDLES 31G X 8 MM (OTC)...	178, 186, 187
OJJAARA .....	229	PEN NEEDLES 32G X 4 MM (OTC)...	178, 186, 187
ONTRUZANT .....	363	PEN NEEDLES 32G X 5 MM	178, 186, 187
ONUREG .....	33	penicillamine oral tablet.....	269, 270
OPDIVO .....	242	PENTIPS 29G X 12MM (RX)	178, 186, 187
OPDIVO QVANTIG .....	243	PENTIPS 31G X 5 MM (RX).	178, 186, 187
OPDUALAG.....	244	PENTIPS 31G X 8 MM (RX).	178, 186, 187
OPSUMIT .....	219	PENTIPS 32G X 4 MM (RX).	178, 186, 187
ORENCIA CLICKJECT.....	4, 5	PENTIPS GENERIC PEN NEEDLES 29G X 12MM.....	178, 186, 187
ORENCIA INTRAVENOUS .....	2, 3	PENTIPS GENERIC PEN NEEDLES 31G X 6 MM.....	178, 186, 187
ORENCIA SUBCUTANEOUS SOLUTION REFILLED SYRINGE .....	4, 5	PENTIPS GENERIC PEN NEEDLES 32G X 6 MM.....	178, 186, 187
ORFADIN ORAL SUSPENSION.....	241	phenobarbital oral elixir .....	149
ORGOVYX.....	283	phenobarbital oral tablet .....	149
ORLISSA ORAL TABLET 150 MG, 200 MG .....	94	PIP PEN NEEDLES 31G X 5MM 31G X 5 MM .....	178, 186, 187
ORKAMBI ORAL TABLET .....	218	PIP PEN NEEDLES 32G X 4MM 32G X 4 MM .....	179, 186, 187
ORSERDU ORAL TABLET 345 MG, 86 MG .....	93	PIQRAY (200 MG DAILY DOSE).....	16
OTEZLA .....	23, 24	PIQRAY (250 MG DAILY DOSE).....	16
oxandrolone oral .....	257	PIQRAY (300 MG DAILY DOSE).....	16
OZEMPIC (0.25 OR 0.5 MG/DOSE)....	134	pirfenidone oral capsule .....	273
OZEMPIC (1 MG/DOSE) .....	134	pirfenidone oral tablet 267 mg, 534 mg, 801 mg .....	273
OZEMPIC (2 MG/DOSE) .....	134		
<b>P</b>		PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION AUTO- INJECTOR.....	190
paroxetine hcl.....	157	PLEGRIDY STARTER PACK SUBCUTANEOUS SOLUTION REFILLED SYRINGE .....	190
pazopanib hcl .....	262	PLEGRIDY SUBCUTANEOUS SOLUTION AUTO-INJECTOR .....	190
PC UNIFINE PENTIPS 31G X 5 MM..	178, 186, 187	PLEGRIDY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE	190
PC UNIFINE PENTIPS 31G X 6 MM..	178, 186, 187	POMALYST .....	275
PC UNIFINE PENTIPS 31G X 8 MM..	178, 186, 187	posaconazole oral tablet delayed release	277
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML .....	265	PRECISION SUREDOSE PLUS SYR 29G X 1/2.....	179, 186, 187
PEGASYS SUBCUTANEOUS SOLUTION REFILLED SYRINGE .....	265	PRECISION SURE-DOSE SYRINGE 28G X 1/2.....	179, 186, 187
PEMAZYRE .....	268		
PEN NEEDLES 29G X 12MM .....	178, 186, 187		
PEN NEEDLES 30G X 5 MM (OTC)...	178, 186, 187		
PEN NEEDLES 30G X 8 MM	178, 186, 187		

PRECISION SURE-DOSE SYRINGE 29G X 1/2..... 179, 186, 187  
 PRECISION SURE-DOSE SYRINGE 30G X 3/8..... 179, 186, 187  
 PRECISION SURE-DOSE SYRINGE 30G X 5/16..... 179, 186, 187  
 PREFERRED PLUS INSULIN SYRINGE 28G X 1/2..... 179, 186, 187  
 PREFERRED PLUS UNIFINE PENTIPS 29G X 12MM..... 179, 186, 187  
 PREMARIN ORAL ..... 141  
 PREMPHASE..... 146  
 PREMPRO..... 146  
 PREVENT DROPSAFE PEN NEEDLES 31G X 6 MM..... 179, 186, 187  
 PREVENT DROPSAFE PEN NEEDLES 31G X 8 MM..... 179, 186, 187  
 PREVENT SAFETY PEN NEEDLES 31G X 6 MM..... 179, 186, 187  
 PREVENT SAFETY PEN NEEDLES 31G X 8 MM..... 179, 186, 187  
 PREVYMIS ORAL TABLET ..... 203  
 PRO COMFORT ALCOHOL PAD 70 % ..... 179, 186, 187  
 PRO COMFORT INSULIN SYRINGE 30G X 1/2..... 179, 186, 187  
 PRO COMFORT INSULIN SYRINGE 30G X 5/16..... 179, 186, 187  
 PRO COMFORT INSULIN SYRINGE 31G X 5/16..... 179, 186, 187  
 PRO COMFORT PEN NEEDLES 31G X 8 MM ..... 179, 186, 187  
 PRO COMFORT PEN NEEDLES 32G X 4 MM ..... 179, 186, 187  
 PRO COMFORT PEN NEEDLES 32G X 5 MM ..... 179, 186, 187  
 PRO COMFORT PEN NEEDLES 32G X 6 MM ..... 179, 186, 187  
 PRODIGY INSULIN SYRINGE 28G X 1/2 ..... 179, 186, 187  
 PRODIGY INSULIN SYRINGE 31G X 5/16 ..... 179, 186, 187  
 PROMACTA ORAL PACKET 12.5 MG, 25 MG ..... 97, 98  
 PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG ..... 97, 98  
 promethazine hcl injection solution 25 mg/ml ..... 150, 151  
 promethazine hcl oral tablet..... 150, 151  
 promethazine hcl rectal suppository 25 mg ..... 150, 151  
 promethegan rectal suppository 12.5 mg, 25 mg ..... 150, 151  
 PURE COMFORT ALCOHOL PREP PAD ..... 179, 186, 187  
 PURE COMFORT PEN NEEDLE 32G X 4 MM ..... 179, 186, 187  
 PURE COMFORT PEN NEEDLE 32G X 5 MM ..... 179, 186, 187  
 PURE COMFORT PEN NEEDLE 32G X 6 MM ..... 179, 186, 187  
 PURE COMFORT PEN NEEDLE 32G X 8 MM ..... 179, 186, 187  
 PURE COMFORT SAFETY PEN NEEDLE 31G X 5 MM..... 179, 186, 187  
 PURE COMFORT SAFETY PEN NEEDLE 31G X 6 MM..... 179, 186, 187  
 PURE COMFORT SAFETY PEN NEEDLE 32G X 4 MM..... 179, 186, 187  
 PX SHORTLENGTH PEN NEEDLES 31G X 8 MM..... 179, 186, 187  
 pyrimethamine oral ..... 279  
**Q**  
 QC ALCOHOL..... 179, 186, 187  
 QC ALCOHOL SWABS PAD 70 %..... 179, 186, 187  
 QC BORDER ISLAND GAUZE PAD 2 ..... 179, 186, 187  
 QINLOCK..... 298  
 QUICK TOUCH INSULIN PEN NEEDLE 31G X 4 MM..... 179, 186, 187  
 QUICK TOUCH INSULIN PEN NEEDLE 31G X 5 MM..... 179, 186, 187  
 quinine sulfate oral..... 280  
 QULIPTA ..... 29  
**R**  
 RA ALCOHOL SWABS PAD 70 %..... 179, 186, 187  
 RA INSULIN SYRINGE 29G X 1/2..... 179, 186, 187  
 RA INSULIN SYRINGE 30G X 5/16... 179, 180, 186, 187

ra isopropyl alcohol wipes ..... 180, 186, 187  
 RA PEN NEEDLES 31G X 5 MM 180, 186, 187  
 RA PEN NEEDLES 31G X 8 MM 180, 186, 187  
 RA STERILE PAD 2 ..... 180, 186, 187  
 RAYA SURE PEN NEEDLE 29G X 12MM ..... 180, 186, 187  
 RAYA SURE PEN NEEDLE 31G X 4 MM ..... 180, 186, 187  
 RAYA SURE PEN NEEDLE 31G X 5 MM ..... 180, 186, 187  
 RAYA SURE PEN NEEDLE 31G X 6 MM ..... 180, 186, 187  
 REALITY INSULIN SYRINGE 28G X 1/2 ..... 180, 186, 187  
 REALITY INSULIN SYRINGE 29G X 1/2 ..... 180, 186, 187  
 REALITY SWABS PAD..... 180, 186, 187  
 RELION ALCOHOL SWABS PAD ..... 180, 186, 187  
 RELI-ON INSULIN SYRINGE 29G 0.3 ML..... 180, 186, 187  
 RELI-ON INSULIN SYRINGE 29G 0.5 ML..... 180, 186, 187  
 RELI-ON INSULIN SYRINGE 29G X 1/2 ..... 180, 186, 187  
 RELION INSULIN SYRINGE 31G X 15/64 ..... 180, 186, 187  
 RELION MINI PEN NEEDLES 31G X 6 MM ..... 180, 186, 187  
 RELION PEN NEEDLES 31G X 6 MM180, 186, 187  
 RELION PEN NEEDLES 31G X 8 MM180, 186, 187  
 RESTORE CONTACT LAYER PAD 2 180, 186, 187  
 RETACRIT INJECTION SOLUTION  
   10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML, 40000 UNIT/ML ..... 106, 107  
 RETEVMO ORAL CAPSULE 40 MG, 80 MG ..... 315  
 RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG ..... 315

REVUFORJ ORAL TABLET 110 MG, 160 MG ..... 288  
 REZLIDHIA ..... 251  
 REZUROCK..... 37  
 RIABNI..... 303  
 RINVOQ..... 373, 374  
 RINVOQ LQ..... 373, 374  
 RITUXAN HYCELA ..... 301  
 ROZLYTREK ORAL CAPSULE 100 MG, 200 MG ..... 101  
 ROZLYTREK ORAL PACKET ..... 102  
 RUBRACA ..... 306  
 RUXIENCE ..... 304  
 RYBELSUS ..... 134  
 RYBREVANT ..... 18  
 RYDAPT..... 226  
 RYTELO..... 163  
**S**  
 SAFETY INSULIN SYRINGES 29G X 1/2 ..... 180, 186, 187  
 SAFETY INSULIN SYRINGES 30G X 1/2 ..... 180, 186, 187  
 SAFETY INSULIN SYRINGES 30G X 5/16 ..... 180, 186, 187  
 SAFETY PEN NEEDLES 30G X 5 MM ..... 180, 186, 187  
 SAFETY PEN NEEDLES 30G X 8 MM ..... 180, 186, 187  
 sapropterin dihydrochloride oral tablet... 308  
 SB ALCOHOL PREP PAD 70 %.. 180, 186, 187  
 SB INSULIN SYRINGE 29G X 1/2 ..... 180, 186, 187  
 SB INSULIN SYRINGE 30G X 5/16 ... 180, 186, 187  
 SB INSULIN SYRINGE 31G X 5/16 ... 180, 186, 187  
 SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG..... 26  
 scopolamine ..... 152  
 SECURESAFE INSULIN SYRINGE 29G X 1/2..... 180, 186, 187  
 SECURESAFE SAFETY PEN NEEDLES 30G X 8 MM..... 180, 186, 187

SEROSTIM SUBCUTANEOUS	
SOLUTION RECONSTITUTED 4 MG, 5 MG, 6 MG.....	325
SIGNIFOR .....	261
sildenafil citrate oral tablet 20 mg .....	317
SIRTURO .....	35
SKYRIZI.....	299, 300
SKYRIZI (150 MG DOSE) .....	299, 300
SKYRIZI PEN .....	299, 300
SM ALCOHOL PREP PAD ...	180, 186, 187
SM ALCOHOL PREP PAD 6-70 % EXTERNAL .....	180, 186, 187
SM GAUZE PAD 2 .....	180, 186, 187
sodium oxybate .....	320
SOMATULINE DEPOT SUBCUTANEOUS SOLUTION 60 MG/0.2ML, 90 MG/0.3ML .....	196
SOMAVERT.....	266
sorafenib tosylate .....	327
SPRAVATO (56 MG DOSE).....	110
SPRAVATO (84 MG DOSE).....	110
STELARA INTRAVENOUS .....	377
STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML .....	375, 376
STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE	375, 376
STERILE GAUZE PAD 2 .....	180, 186, 187
STERILE PAD 2.....	180, 186, 187
STIVARGA .....	282
STRENSIQ .....	27, 28
sunitinib malate.....	331
SURE COMFORT ALCOHOL PREP PAD 70 % .....	180, 186, 187
SURE COMFORT INSULIN SYRINGE 28G X 1/2.....	180, 186, 187
SURE COMFORT INSULIN SYRINGE 29G X 1/2.....	180, 186, 187
SURE COMFORT INSULIN SYRINGE 30G X 1/2.....	181, 186, 187
SURE COMFORT INSULIN SYRINGE 30G X 5/16.....	181, 186, 187
SURE COMFORT INSULIN SYRINGE 31G X 1/4.....	181, 186, 187
SURE COMFORT INSULIN SYRINGE 31G X 5/16.....	181, 186, 187
SURE COMFORT PEN NEEDLES 29G X 12.7MM .....	181, 186, 187
SURE COMFORT PEN NEEDLES 30G X 8 MM .....	181, 186, 187
SURE COMFORT PEN NEEDLES 31G X 5 MM .....	181, 186, 187
SURE COMFORT PEN NEEDLES 31G X 6 MM .....	181, 186, 187
SURE COMFORT PEN NEEDLES 31G X 8 MM .....	181, 186, 187
SURE COMFORT PEN NEEDLES 32G X 4 MM (OTC).....	181, 186, 187
SURE COMFORT PEN NEEDLES 32G X 4 MM (RX).....	181, 186, 187
SURE COMFORT PEN NEEDLES 32G X 6 MM .....	181, 186, 187
SURE-JECT INSULIN SYRINGE 31G X 5/16 .....	181, 186, 187
SURE-PREP ALCOHOL PREP PAD 70 % .....	181, 186, 187
SURGICAL GAUZE SPONGE PAD 2	181, 186, 187
SYMPAZAN.....	65
SYNRIBO .....	252
<b>T</b>	
TABRECTA .....	57
tadalafil oral tablet 2.5 mg, 5 mg .....	333
TAFINLAR ORAL CAPSULE .....	70
TAFINLAR ORAL TABLET SOLUBLE	71
TAGRISSE .....	256
TALVEY.....	335
TALZENNA .....	334
TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG.....	234
TAVNEOS.....	30
TAZVERIK.....	337
TECVAYLI.....	339
TEPMETKO .....	341
TERIPARATIDE SUBCUTANEOUS SOLUTION PEN-INJECTOR 620 MCG/2.48ML .....	342
TERUMO INSULIN SYRINGE 29G X 1/2 .....	181, 186, 187
testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml) .....	344

testosterone enanthate intramuscular solution.....	345	TRUE COMFORT INSULIN SYRINGE 32G X 5/16.....	182, 186, 187
testosterone gel 1.62 % transdermal .....	343	TRUE COMFORT PEN NEEDLES 31G X 5 MM .....	182, 186, 187
testosterone transdermal gel 12.5 mg/act (1%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 50 mg/5gm (1%).....	343	TRUE COMFORT PEN NEEDLES 31G X 6 MM .....	182, 186, 187
tetrabenazine .....	346	TRUE COMFORT PEN NEEDLES 32G X 4 MM .....	182, 186, 187
TEVIMBRA.....	348	TRUE COMFORT PRO ALCOHOL PREP PAD 70 % .....	182, 186, 187
THALOMID .....	347	TRUE COMFORT PRO INSULIN SYR 30G X 1/2.....	182, 186, 187
THERAGAUZE PAD 2.....	181, 186, 187	TRUE COMFORT PRO INSULIN SYR 30G X 5/16.....	182, 186, 187
TIBSOVO .....	194	TRUE COMFORT PRO INSULIN SYR 31G X 5/16.....	182, 186, 187
TIVDAK .....	349	TRUE COMFORT PRO INSULIN SYR 32G X 5/16.....	182, 186, 187
TODAYS HEALTH PEN NEEDLES 29G X 12MM.....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 31G X 5 MM.....	182, 186, 187
TODAYS HEALTH SHORT PEN NEEDLE 31G X 8 MM .....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 31G X 6 MM.....	182, 186, 187
TOPCARE CLICKFINE PEN NEEDLES 31G X 6 MM.....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 31G X 8 MM.....	182, 186, 187
TOPCARE CLICKFINE PEN NEEDLES 31G X 8 MM.....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 32G X 4 MM.....	182, 186, 187
TOPCARE ULTRA COMFORT INS SYR 29G X 1/2.....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 32G X 5 MM.....	182, 186, 187
TOPCARE ULTRA COMFORT INS SYR 30G X 5/16.....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 32G X 6 MM.....	182, 186, 187
TOPCARE ULTRA COMFORT INS SYR 31G X 5/16.....	181, 186, 187	TRUE COMFORT PRO PEN NEEDLES 33G X 4 MM.....	182, 186, 187
torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg .....	113	TRUE COMFORT PRO PEN NEEDLES 33G X 5 MM.....	182, 186, 187
TRAZIMERA .....	366	TRUE COMFORT PRO PEN NEEDLES 33G X 6 MM.....	182, 186, 187
TRELSTAR MIXJECT .....	370	TRUE COMFORT PRO PEN NEEDLES 33G X 6 MM.....	182, 186, 187
TREMFYA INTRAVENOUS .....	137, 138	TRUE COMFORT PRO PEN NEEDLES 33G X 6 MM.....	182, 186, 187
TREMFYA SUBCUTANEOUS SOLUTION AUTO-INJECTOR	137, 138	TRUEPLUS 5-BEVEL PEN NEEDLES 29G X 12.7MM.....	182, 186, 187
TREMFYA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE	137, 138	TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 5 MM.....	182, 186, 187
tretinoin external cream .....	357	TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 6 MM.....	182, 186, 187
trientine hcl oral capsule 250 mg .....	368	TRUEPLUS 5-BEVEL PEN NEEDLES 31G X 8 MM.....	182, 186, 187
TRUE COMFORT ALCOHOL PREP PADS PAD 70 %.....	181, 186, 187	TRUEPLUS 5-BEVEL PEN NEEDLES 32G X 4 MM.....	182, 186, 187
TRUE COMFORT INSULIN SYRINGE 30G X 1/2.....	181, 186, 187		
TRUE COMFORT INSULIN SYRINGE 30G X 5/16.....	181, 182, 186, 187		
TRUE COMFORT INSULIN SYRINGE 31G X 5/16.....	182, 186, 187		

TRUEPLUS INSULIN SYRINGE 28G X  
 1/2 ..... 182, 186, 187  
 TRUEPLUS INSULIN SYRINGE 29G X  
 1/2 ..... 182, 186, 187  
 TRUEPLUS INSULIN SYRINGE 30G X  
 5/16 ..... 182, 186, 187  
 TRUEPLUS INSULIN SYRINGE 31G X  
 5/16 ..... 182, 186, 187  
 TRUEPLUS PEN NEEDLES 29G X 12MM  
 ..... 182, 186, 187  
 TRUEPLUS PEN NEEDLES 31G X 5 MM  
 ..... 182, 186, 187  
 TRUEPLUS PEN NEEDLES 31G X 6 MM  
 ..... 182, 186, 187  
 TRUEPLUS PEN NEEDLES 31G X 8 MM  
 ..... 183, 186, 187  
 TRUEPLUS PEN NEEDLES 32G X 4 MM  
 ..... 183, 186, 187  
 TRULICITY SUBCUTANEOUS  
 SOLUTION AUTO-INJECTOR ..... 133  
 TRUQAP ORAL TABLET ..... 56  
 TRUQAP TABLET THERAPY PACK 160  
 MG ORAL ..... 56  
 TRUSELTIQ (100MG DAILY DOSE).. 165  
 TRUSELTIQ (125MG DAILY DOSE).. 165  
 TRUSELTIQ (50MG DAILY DOSE).... 165  
 TRUSELTIQ (75MG DAILY DOSE).... 165  
 TRUXIMA ..... 302  
 TUKYSA ORAL TABLET 150 MG, 50  
 MG ..... 371  
 TURALIO ..... 271  
 TYMLOS ..... 1  
**U**  
 UBRELVY ..... 372  
 ULTICARE INSULIN SAFETY SYR 29G  
 X 1/2..... 183, 186, 187  
 ULTICARE INSULIN SYRINGE 28G X  
 1/2 ..... 183, 186, 187  
 ULTICARE INSULIN SYRINGE 29G X  
 1/2 ..... 183, 186, 187  
 ULTICARE INSULIN SYRINGE 30G X  
 1/2 ..... 183, 186, 187  
 ULTICARE INSULIN SYRINGE 30G X  
 5/16 ..... 183, 186, 187  
 ULTICARE INSULIN SYRINGE 31G X  
 1/4 ..... 183, 186, 187

ULTICARE INSULIN SYRINGE 31G X  
 5/16 ..... 183, 186, 187  
 ULTICARE MICRO PEN NEEDLES 32G  
 X 4 MM..... 183, 186, 187  
 ULTICARE MINI PEN NEEDLES 30G X 5  
 MM ..... 183, 186, 187  
 ULTICARE MINI PEN NEEDLES 31G X 6  
 MM ..... 183, 186, 187  
 ULTICARE MINI PEN NEEDLES 32G X 6  
 MM ..... 183, 186, 187  
 ULTICARE PEN NEEDLES 29G X  
 12.7MM (OTC)..... 183, 186, 187  
 ULTICARE PEN NEEDLES 29G X  
 12.7MM (RX)..... 183, 186, 187  
 ULTICARE PEN NEEDLES 31G X 5 MM  
 ..... 183, 186, 187  
 ULTICARE SHORT PEN NEEDLES 30G  
 X 8 MM..... 183, 186, 187  
 ULTICARE SHORT PEN NEEDLES 31G  
 X 8 MM (OTC)..... 183, 186, 187  
 ULTICARE SHORT PEN NEEDLES 31G  
 X 8 MM (RX) ..... 183, 186, 187  
 ULTIGUARD SAFEPACK PEN NEEDLE  
 29G X 12.7MM..... 183, 186, 187  
 ULTIGUARD SAFEPACK PEN NEEDLE  
 31G X 5 MM..... 183, 186, 187  
 ULTIGUARD SAFEPACK PEN NEEDLE  
 31G X 6 MM..... 183, 186, 187  
 ULTIGUARD SAFEPACK PEN NEEDLE  
 31G X 8 MM..... 183, 186, 187  
 ULTIGUARD SAFEPACK PEN NEEDLE  
 32G X 4 MM..... 183, 186, 187  
 ULTIGUARD SAFEPACK PEN NEEDLE  
 32G X 6 MM..... 183, 186, 187  
 ULTIGUARD SAFEPACK SYR/NEEDLE  
 30G X 1/2..... 183, 186, 187  
 ULTIGUARD SAFEPACK SYR/NEEDLE  
 31G X 5/16..... 183, 184, 186, 187  
 ULTILET ALCOHOL SWABS PAD ... 184,  
 186, 187  
 ULTILET INSULIN SYRINGE 30G X 1/2  
 ..... 184, 186, 187  
 ULTILET INSULIN SYRINGE 30G X 5/16  
 ..... 184, 186, 187  
 ULTILET INSULIN SYRINGE 31G X 1/4  
 ..... 184, 186, 187

ULTILET INSULIN SYRINGE 31G X  
 15/64 ..... 184, 186, 187  
 ULTILET INSULIN SYRINGE 31G X 5/16  
 ..... 184, 186, 187  
 ULTILET INSULIN SYRINGE SHORT  
 30G X 1/2..... 184, 186, 187  
 ULTILET INSULIN SYRINGE SHORT  
 30G X 5/16..... 184, 186, 187  
 ULTILET INSULIN SYRINGE SHORT  
 31G X 5/16..... 184, 186, 187  
 ULTILET PEN NEEDLE 29G X 12.7MM  
 ..... 184, 186, 187  
 ULTILET PEN NEEDLE 31G X 5 MM 184,  
 186, 187  
 ULTILET PEN NEEDLE 31G X 8 MM 184,  
 186, 187  
 ULTILET PEN NEEDLE 32G X 4 MM 184,  
 186, 187  
 ULTRA COMFORT INSULIN SYRINGE  
 30G X 5/16..... 184, 186, 187  
 ULTRA FLO INSULIN PEN NEEDLES  
 29G X 12MM..... 184, 186, 187  
 ULTRA FLO INSULIN PEN NEEDLES  
 31G X 8 MM..... 184, 186, 187  
 ULTRA FLO INSULIN PEN NEEDLES  
 32G X 4 MM..... 184, 186, 187  
 ULTRA FLO INSULIN PEN NEEDLES  
 33G X 4 MM..... 184, 186, 187  
 ULTRA FLO INSULIN SYR 1/2 UNIT  
 30G X 1/2..... 184, 186, 187  
 ULTRA FLO INSULIN SYR 1/2 UNIT  
 30G X 5/16..... 184, 186, 187  
 ULTRA FLO INSULIN SYR 1/2 UNIT  
 31G X 5/16..... 184, 186, 187  
 ULTRA FLO INSULIN SYRINGE 29G X  
 1/2 ..... 184, 186, 187  
 ULTRA FLO INSULIN SYRINGE 30G X  
 1/2 ..... 184, 186, 187  
 ULTRA FLO INSULIN SYRINGE 30G X  
 5/16 ..... 184, 186, 187  
 ULTRA FLO INSULIN SYRINGE 31G X  
 5/16 ..... 184, 186, 187  
 ULTRA THIN PEN NEEDLES 32G X 4  
 MM ..... 185, 186, 187  
 ULTRACARE INSULIN SYRINGE 30G X  
 1/2 ..... 185, 186, 187  
 ULTRACARE INSULIN SYRINGE 30G X  
 5/16 ..... 185, 186, 187  
 ULTRACARE INSULIN SYRINGE 31G X  
 5/16 ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 31G X 5  
 MM ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 31G X 6  
 MM ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 31G X 8  
 MM ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 32G X 4  
 MM ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 32G X 5  
 MM ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 32G X 6  
 MM ..... 185, 186, 187  
 ULTRACARE PEN NEEDLES 33G X 4  
 MM ..... 185, 186, 187  
 ULTRA-COMFORT INSULIN SYRINGE  
 29G X 1/2..... 185, 186, 187  
 ULTRA-THIN II INS SYR SHORT 30G X  
 5/16 ..... 185, 186, 187  
 ULTRA-THIN II INS SYR SHORT 31G X  
 5/16 ..... 185, 186, 187  
 ULTRA-THIN II INSULIN SYRINGE 29G  
 X 1/2..... 185, 186, 187  
 ULTRA-THIN II MINI PEN NEEDLE 31G  
 X 5 MM..... 185, 186, 187  
 ULTRA-THIN II PEN NEEDLE SHORT  
 31G X 8 MM..... 185, 186, 187  
 ULTRA-THIN II PEN NEEDLES 29G X  
 12.7MM ..... 185, 186, 187  
 UNIFINE PEN NEEDLES 32G X 4 MM  
 ..... 185, 186, 187  
 UNIFINE PENTIPS 29G X 12MM 185, 186,  
 187  
 UNIFINE PENTIPS 31G X 6 MM 185, 186,  
 187  
 UNIFINE PENTIPS 31G X 8 MM 185, 186,  
 187  
 UNIFINE PENTIPS PLUS 29G X 12MM  
 ..... 185, 186, 187  
 UNIFINE PENTIPS PLUS 31G X 6 MM  
 ..... 185, 186, 187  
 UNIFINE PENTIPS PLUS 32G X 4 MM  
 ..... 185, 186, 187



UNIFINE PROTECT PEN NEEDLE 30G X 5 MM .....	185, 186, 187	VENCLEXTA STARTING PACK .....	382
UNIFINE PROTECT PEN NEEDLE 30G X 8 MM .....	185, 186, 187	VEOZAH .....	119
UNIFINE PROTECT PEN NEEDLE 32G X 4 MM .....	185, 186, 187	VERIFINE INSULIN PEN NEEDLE 29G X 12MM.....	186, 187
UNIFINE SAFECONTROL PEN NEEDLE 30G X 5 MM.....	185, 186, 187	VERIFINE INSULIN PEN NEEDLE 31G X 5 MM.....	186, 187
UNIFINE SAFECONTROL PEN NEEDLE 30G X 8 MM.....	185, 186, 187	VERIFINE INSULIN PEN NEEDLE 32G X 6 MM.....	186, 187
UNIFINE SAFECONTROL PEN NEEDLE 31G X 5 MM.....	185, 186, 187	VERIFINE INSULIN SYRINGE 29G X 1/2 .....	186, 187
UNIFINE SAFECONTROL PEN NEEDLE 31G X 6 MM.....	185, 186, 187	VERIFINE INSULIN SYRINGE 31G X 5/16 .....	186, 187
UNIFINE SAFECONTROL PEN NEEDLE 31G X 8 MM.....	185, 186, 187	VERIFINE PLUS PEN NEEDLE 31G X 5 MM .....	186, 187
UNIFINE SAFECONTROL PEN NEEDLE 32G X 4 MM.....	185, 186, 187	VERIFINE PLUS PEN NEEDLE 31G X 8 MM .....	186, 187
UNIFINE ULTRA PEN NEEDLE 31G X 5 MM .....	185, 186, 187	VERIFINE PLUS PEN NEEDLE 32G X 4 MM .....	186, 187
UNIFINE ULTRA PEN NEEDLE 31G X 6 MM .....	185, 186, 187	VERQUVO .....	383
UNIFINE ULTRA PEN NEEDLE 31G X 8 MM .....	185, 186, 187	VERZENIO.....	6
UNIFINE ULTRA PEN NEEDLE 32G X 4 MM .....	186, 187	vigabatrin .....	384
UPTRAVI INTRAVENOUS.....	313	vigadrone.....	384
UPTRAVI ORAL TABLET 1000 MCG, 1200 MCG, 1400 MCG, 1600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG .....	313	vigpoder .....	384
UPTRAVI TITRATION.....	313	VITRAKVI ORAL CAPSULE 100 MG, 25 MG .....	198
<b>V</b>		VITRAKVI ORAL SOLUTION .....	198
VALCHLOR.....	223	VIZIMPRO .....	72
VALUE HEALTH INSULIN SYRINGE 29G X 1/2.....	186, 187	VONJO .....	258
VANFLYTA.....	281	VORANIGO .....	386
VANISHPOINT INSULIN SYRINGE 29G X 5/16.....	186, 187	voriconazole oral suspension reconstituted .....	387
VANISHPOINT INSULIN SYRINGE 30G X 3/16.....	186, 187	VOSEVI.....	322
VANISHPOINT INSULIN SYRINGE 30G X 5/16.....	186, 187	VOWST .....	115
VEGZELMA.....	43	VP INSULIN SYRINGE 29G X 1/2 .....	186, 187
VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG.....	382	VUMERITY .....	84
		VYALEV SUBCUTANEOUS SOLUTION 12-240 MG/ML.....	123
		VYLOY.....	391
		<b>W</b>	
		WEBCOL ALCOHOL PREP LARGE PAD 70 % .....	186, 187
		WEGMANS UNIFINE PENTIPS PLUS 31G X 8 MM.....	186, 187
		WELIREG.....	38
		WINREVAIR.....	328

**X**

XALKORI ORAL CAPSULE.....	68
XALKORI ORAL CAPSULE SPRINKLE 150 MG, 20 MG, 50 MG .....	69
XDEMVIY .....	217
XELJANZ .....	355, 356
XELJANZ XR .....	355, 356
XERMELO .....	340
XGEVA.....	80
XIFAXAN ORAL TABLET 200 MG, 550 MG .....	291
XOLAIR .....	253, 255
XOSPATA .....	130
XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG .....	314
XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG..	314
XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG .....	314
XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG..	314
XPOVIO (60 MG TWICE WEEKLY)...	314
XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG..	314

XPOVIO (80 MG TWICE WEEKLY)...	314
XTANDI ORAL CAPSULE.....	103, 104
XTANDI ORAL TABLET 40 MG, 80 MG .....	103, 104
XYOSTED.....	345
<b>Y</b>	
YERVOY .....	192
YONSA.....	8
<b>Z</b>	
ZEJULA ORAL CAPSULE .....	238
ZEJULA ORAL TABLET.....	238
ZELBORAF.....	381
ZEVRX STERILE ALCOHOL PREP PAD PAD 70 %.....	186, 187
ZIIHERA.....	388
ZIRABEV .....	45
ZOLADEX.....	136
ZTALMY .....	128
ZTLIDO .....	213
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG.....	392
ZYDELIG .....	160
ZYKADIA ORAL TABLET .....	59
ZYNLONTA.....	215
ZYNYZ.....	287